



JAMIS BICYCLES
WWW.JAMISBIKES.COM

151 LUDLOW AVENUE

NORTHVALE, NJ 07647

PHONE . 201-768-9050

FAX . 201-768-9520



JAMIS BICYCLES
WWW.JAMISBIKES.COM

2006



TABLE OF CONTENTS

Introduction	3-4
--------------	-----

Road Bikes	5-20
------------	------

Race Carbon	
Xenith Team	7-8
Xenith Pro	9
Xenith Comp	10
Performance Aluminum	
Ventura Elite	11
Ventura Comp	12
Ventura Sport	11
Triathlon / Time Trial	
Trilogy	13
Comet	14
Performance Steel	
Eclipse	15-16
Quest	17
Satellite	18
Cyclocross	
Nova	19
Touring	
Aurora	19
Fixed Gear	
Sputnik	20

Full Suspension MTB	21-30
---------------------	-------

Freeride	
Diablo 2.0	23
Diablo 1.0	24
All-Mountain	
Dakar XLT 3.0	25
Dakar XLT 2.0	26
Dakar XLT 1.0	26
Cross-Country	
Dakar XC Pro	27-28
Dakar XC Expert	29
Dakar XC Comp	29
Sport	
Dakar Sport	30
Dakar	30

Hardtail MTB	31-40
--------------	-------

Race Steel	
Dragon Team	33
Dragon Pro	34
Performance Steel	
Exile XC	35
Exile Single-Speed	36
Race Aluminum	
Dakota Elite	37
Dakota Comp	38
Enduro	
Komodo 3.0	39
Komodo 2.0	40
Komodo 1.0	40
Performance Aluminum	
Durango 3.0	41
Durango 2.0	42
Durango 1.0	42
Sport Aluminum	
Cross Country 2.0	43
Cross Country 1.0	43
Ranger SX	44
Ranger XR	44

Street / Sport Comfort	45-58
------------------------	-------

Performance Street	
Coda Supreme	47
Coda Elite	48
Coda Comp	49
Coda Sport	49
Coda	50
Comfort Street	
Tangier	51
Aragon	52
Citizen	53
Commuter	54
Sport Comfort	
Explorer 4.0	55
Explorer 3.0	56
Explorer 2.0	57
Explorer 1.0	58

Cruisers	59-66
----------	-------

Earth Cruisers	
Earth Cruiser 3.0	61
Earth Cruiser 2.0	62
Earth Cruiser 1.0	63
Boss Cruiser	
Boss Cruiser 7-Speed	64
Boss Cruiser Coaster	65
Taxi Cruiser	
Taxi	66

Youth Series	67-73
--------------	-------

Multi-Speed (24" & 20")	
Fester 2.4	69
Capri 2.4	69
Fester 2.0	70
Capri 2.0	70
Coaster (20", 16" & 12")	
Laser 2.0	71
Starlite 2.0	71
Laser 1.6	72
Miss Daisy 1.6	72
Hot Rod 1.2	73
Lady Bug 1.2	73

Geometry & Specifications	74-86
---------------------------	-------

Geometry Charts	74-77
Specifications	78-86

Wyoming Location Photos:
©2005 David Schumacher Photography

Aerospace Enginnering Group/ VMG Photos:
©2005 Dillon Clapp

Mengoni Team Photos
©2005 Marco Quezada Photography

BUILDING ON SUCCESS

Designing bikes is a lot like getting in shape. There's no such thing as absolute perfection, but that's what you strive for. You chase it, you work for it, and sometimes you have a near-perfect ride, which leads to others. You manage to link a few of those together, and suddenly you're riding at a whole new level. You're fit, you're fast, and cycling—something you do for love, for fun—is now a *lot* of fun.

As bike designers, we're having a string of near-perfect years. We broke into Bicycling magazine's coveted 2005 Editor's Choice ranks—not once, but twice—with our Dakar XLT for Best Value Full-suspension Mountain Bike, and with the Quest taking the Best Value Road Bike honors. On top of that critical success, last year's all-carbon Xenith road bikes and 20th anniversary Dakar mountain bikes were tremendous hits, and the Eclipse carbon-and-steel road bike set a new performance benchmark by combining carbon's lightness with steel's unmatched ride and responsiveness. It was, by anyone's standards, an incredible year. And we've just upped the ante.

We're hitting the trails with a brace of new mountain bikes, spearheaded by the Diablo, a big-hit rig for downhill bombers and all-mountain adventurers. Last year's Dragon Team gets a younger sibling, the steel-chassis Dragon Pro hardtail. The Dakota series gets a supple, responsive new aluminum/carbon chassis. And we toe the start line with our first-ever factory singlespeed, the Exile Single Speed.

On the pavement, we're building on the success of last year's Xenith series with the all-new, all-carbon Xenith Comp. The Shimano 105-equipped Ventura Elite is the new flagship for our Ventura series. And we're launching two exciting women's models, with the Reynolds air-hardened steel Quest and aluminum-frame Ventura Comp both featuring women's specific frame geometry with anatomically appropriate parts. Plus there's the new Comet triathlon/time-trial bike, and the Sputnik fixed-gear roadie.

And we didn't forget enhancements for our Coda series of flat-handlebar road bikes, cycling's version of luxury sports cars. With Coda, we're introducing our most affordable street performance bike ever, while at the other end of the spectrum there's the new carbon fiber/steel blended Coda Supreme, easily one of the most beautifully crafted and lightest city bikes the industry has to offer.

Along with these new models, we've completely overhauled our graphics across the board. New, exciting colors glisten beneath our trademark Ano Matte finish, a special blend matte clearcoat that's tough as nails, but with a silky sheen.

We're thrilled with our momentum, and the great springboard it gives us for our 2006 lineup. It's not just that these are the best bikes we've ever built. They're the best, the most capable, and the most fun. And that's what riding is all about.



Grand Teton National Park - Jackson Hole, Wyoming

ROAD BIKES

There is, arguably, nothing more evolved and purpose-built than the road bike. It's the ultimate engineering statement.

Last year's Jamis road lineup was a home run, captained by the all-carbon Xenith with its precisely engineered carbon tubes and beautifully sculpted, structurally perfect carbon lugs. Riders from Team McGuire, VMG/Aerospace and Mengoni raced, and won, on Xenith Team & Pro frames, with many of the riders declaring that these new frames were the best performing, most comfortable they have ever ridden. In fact, the success of our Xenith platform becomes the geometry template used for our aluminum-framed Ventura series in '06, a magic-carpet geo that smoothes asphalt, turns every milliwatt of pedal input to velocity and handles with the crispness of a newly minted hundred-dollar bill.

But this wasn't and isn't our only success story. We turned a lot of high-tech fans on to the "lost" wonders of steel, and a lot of steel holdouts on to the magic of carbon fiber, with the Eclipse and its beautifully blended Reynolds 853 steel/high-modulus carbon fiber chassis. We couldn't build these fast enough, and this year even more riders will get to experience the dramatic performance of a carbon-light frame that sprints and rides like a classic steel chassis. With a carbon super-structure capping a Reynolds 853 steel downtube and chainstays, the lightweight Eclipse dishes out blazing sprinting and climbing efficiency with steel's trademark ride and sensitive road feel.

New road offerings this year include women's versions of our standout Quest and Ventura Comp models, with Reynolds 631 air-hardened steel and Superlight triple-buttet aluminum frames; the new Comet for aspiring triathletes and time trialists; and the Sputnik fixed-gear for urban road warriors and winter training junkies. And we're still banging out some of the best specialty bikes in the business with the cyclocross-inspired Nova, the touring-ready Aurora, and the comfort-biased Satellite.

Whether you're looking for a weekend racer, a do-anything pavement scorcher, a fixed-gear specialist, or a long-haul tourer, there's a Jamis road bike that speaks your language, and mirrors your asphalt soul.



Ivan Stevic - Aerospace Engineering Group/VMG Cycling Team - Victory at 2005 Sea Otter Classic



Targhee, Wyoming

XENITH TEAM

The Xenith is a hyper-modern design: a full, high-modulus carbon fiber frame with sloping top tube and aggressive geometry. Our carbon-lugged main triangle harnesses your power, while the shape and lay-up of our chain and seatstays yield a supple ride without compromising drivetrain efficiency. We upgraded the wheel spec this year, with Mavic's lightest Ksyrium wheelset ever – the new, Helium inspired, ES wheels. An all-carbon fork (complete with carbon dropouts) blends lightness with sensitivity and control. In Team trim, we bolt on Shimano's full Dura-Ace group with an Easton carbon bar and seatpost, lightweight EA70 stem and Fizik Arione saddle that provide all-day comfort with the precision feel you need for criterium-style corners and fast descents. This is a no-excuses, pull-out-the-stops racer for the die-hard roadie lurking in all of us.

- Frame** Full carbon fiber frame including lugs, sloping top tube design.
- Fork** Carbon fork with carbon crown, carbon steerer & carbon dropouts.
- Wheels** Mavic Ksyrium ES wheelset.
- Tires** Hutchinson Fusion Comp, folding, 23C.
- Drivetrain** Shimano Dura-Ace derailleurs, Dura-Ace STI levers, Dura-Ace crankset with external BB.
- Cockpit** Easton EC90 carbon fiber bars, EA70 stem, Easton EC70 carbon fiber seat post, Fizik Arione saddle.
- Brakeset** Shimano Dura-Ace dual pivot calipers with Dura-Ace levers.



Ivan Stevic - Aerospace Engineering Group/VMG Cycling



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Natural Carbon/Matte White | Weight: 15.50 lbs.

XENITH PRO

An Ultegra groupset and Easton alloy control center on the Xenith's all-carbon chassis makes this the best bang-for-the-buck road bike you'll find anywhere. Mavic Ksyrium Elites keep that all-important rotating weight to a minimum, with snappy acceleration and grippy Hutchinson Fusion Comp rubber. Whether you race, head out for solo training missions, or live to dust your pals on the Saturday ride, the Xenith Pro will get you there with all the speed you can muster.

Frame	Full carbon fiber frame including lugs, sloping top tube design.
Fork	Carbon fork with carbon crown, carbon steerer & aluminum dropouts.
Wheels	Mavic Ksyrium Elite wheelset.
Tires	Hutchinson Fusion Comp, folding, 23C.
Drivetrain	Shimano Ultegra derailleurs, Ultegra STI levers, TruVativ Rouleur crankset with Giga X BB.
Cockpit	Easton EA70 handlebars, EA70 stem, Easton EA70 seat post, Fizik Airone saddle.
Brakeset	Shimano Ultegra dual pivot calipers with Ultegra levers.



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Natural Carbon/Matte Orange | Weight: 16.75 lbs.

XENITH COMP

Shimano's new 10-speed 105 drivetrain may give the Xenith Comp a low-key appearance, but there's no hiding the sleek carbon chassis or the dazzling brilliance of the Xenith's razor-keen handling and snappy road feel. It's the perfect showcase for Shimano's latest 10-speed component group. Stand on the cranks and you'll feel reassuringly solid torsional stiffness and ruthlessly efficient power transfer. For a go-fast-now chassis with limitless upgrade potential, this is the bike to beat.

Frame	Full carbon fiber frame including lugs, sloping top tube design.
Fork	Carbon fork with carbon crown, carbon steerer & aluminum dropouts.
Wheels	Mavic Ksyrium Aksium wheelset.
Tires	Hutchinson Quartz, folding, 23C.
Drivetrain	Shimano 105 10-speed derailleurs, 105 STI levers, TruVativ Elita Compact crankset with Giga-X BB.
Cockpit	Easton EA50 handlebars, EA50 stem, Easton seat post, Fizik Pave saddle.
Brakeset	Tektro 423AG dual pivot alloy calipers with 105 levers.



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Natural Carbon/Matte Sky Blue | Weight: 17.75 lbs.



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Natural Carbon/Ano Black | Weight: 17.75 lbs.

VENTURA ELITE

The Ventura Elite takes the prize for pure value and race-ready performance, especially since we've sharpened the geometry to emulate the Xenith's superb road manners, and added Shimano's latest 10-speed drivetrain to the mix. A Kinesis Superlight triple-butted aluminum main triangle and carbon seatstays make for superb sprinting and out-of-the-saddle climbing, with a smooth ride that takes the sting from hard bumps and helps keep those Hutchinson Quartz tires planted. Lightweight and fast, this is what a road racer ought to be.

- Frame** Kinesis Superlight 7005 triple butted aluminum main tubes with carbon fiber seatstays.
- Fork** Carbon fiber straight blade, aluminum steerer.
- Wheels** Shimano R500 wheelset.
- Tires** Hutchinson Quartz, 23C.
- Drivetrain** Shimano 105 10-speed derailleurs, 105 STI levers, TruVativ Touro Compact crankset with PowerSpline BB.
- Cockpit** Easton Road alloy bar, Easton Road forged alloy stem, Easton Road seat post, Fizik Pave saddle.
- Brakeset** Tektro 423AG dual pivot alloy calipers with 105 levers.



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Ano Orange/Ano Black | Weight: 19.50 lbs.

VENTURA SPORT

This is our serious, back-to-basics road bike, and our most affordable aluminum-frame road bike, ever (which is really saying something, since we're famous for value). Aluminum seatstays save a lot of money in exchange for just a couple ounces, a worthwhile trade that preserves the Ventura's well-tested geometry and handling demeanor. This is a fast, comfortable partner for quick road adventures and the occasional century.

- Frame** Kinesis 7005 double butted aluminum main tubes with alloy seatstays.
- Fork** Carbon fiber straight blade, aluminum steerer.
- Wheels** Alex AKX R1.0 wheelset, aero profile rims, 28H front, 32H rear, stainless steel spokes.
- Tires** Hutchinson Flash, 23C.
- Drivetrain** Shimano Sora derailleurs, Sora STI levers, TruVativ Touro Compact crankset with sealed cartridge BB.
- Cockpit** Easton Road alloy bar, Easton Road forged alloy stem, Easton Road seat post, Jamis Road saddle.
- Brakeset** Tektro 510A dual pivot calipers with Sora levers.



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Ano Black | Weight: 21.75 lbs.

VENTURA COMP

The '05 Ventura Comp was so popular, we launched an up-spec Elite version and also spawned a women's version this year with geometry and parts spec'd to accommodate their unique morphology. The Tiagra drivetrain and TruVativ Touro Compact crank let you experience Shimano's famously quick, light-touch shift action, and the hill-taming gearing of a compact crank. With a new carbon seatstay that helps damp road buzz, this is the ideal bike for centuries and fair-weather riders, a stable ride with good handling and friendly gearing.

- Frame** Kinesis 7005 double butted aluminum main tubes with carbon fiber seatstays.
- Fork** Carbon fiber straight blade, aluminum steerer.
- Wheels** Formula XR5 wheelset.
- Tires** Hutchinson Flash, 23C.
- Drivetrain** Shimano Tiagra derailleurs, Tiagra STI levers, TruVativ Touro Compact crankset with PowerSpline BB.
- Cockpit** Easton Road alloy bar, Easton Road forged alloy stem, Easton Road seat post, Jamis Road saddle.
- Brakeset** Tektro 510A dual pivot calipers with Tiagra levers.



Sizes: 48, 51, 54, 56, 58, 61cm
Color: Ano Black | Weight: 20.50 lbs.

Q JAMIS BICYCLES
WOMAN SPECIFIC



Sizes: 48, 51, 54cm
Color: Ano White/Ano Baby Doll Blue | Weight: 20.50 lbs.

TRILOGY

It takes more to make a good time trial bike than a frame made from aero tubes. The all-new Trilogy uses tried-and-true TT geometry that promotes an aerodynamically aggressive riding position and a biomechanically optimized posture that helps you generate steady power over the long haul. Dura-Ace bar-end shifters and Ultegra derailleurs ensure reliability when you're exploiting the aero advantage of the Mavic Cosmic Elite wheels, and a Syntace cockpit provides comfort and control in the aero position. Go fast. Get aero.

Frame	Super Aero 7005 frame with airfoil shaped tubes, wheel cut-out, rear entry dropouts.
Fork	Easton EC90 Aero all carbon fork.
Wheels	Mavic Cosmic Elite wheelset.
Tires	Hutchinson Fusion Comp, folding, 23C.
Drivetrain	Shimano Ultegra derailleurs, Dura-Ace bar end shifters, TruVativ Elita 53/39 crankset with Giga-X BB.
Cockpit	Stratos Zero bars with C2 Clip & F99/260 stem, carbon fiber post, Fizik Airone Tri saddle.
Brakeset	Shimano 105 callipers with extension levers.



Sizes: 51, 54, 56, 58, 61cm
Color: Ano White/Ano Black | Weight: 19.75 lbs.

COMET



Sizes: 51, 54, 56, 58, 61cm
Color: Radium Blue/Pearl White | Weight: 20.00 lbs.



Same aggressively aero frame as the Trilogy, with a tightly contoured rear wheel cutout in the aero seat tube, sleek airfoil tubing and a Syntace control center. Shimano's 105 derailleurs and an Alex wheelset trim some financial drag from the budget without exacting much of a speed penalty. If you're a budding triathlete, or simply want a more serious time trial bike than your everyday road rig, the Comet will step you up a level or two in performance.

Frame	All Aero 7005 frame with airfoil shaped tubes, wheel cut-out, rear entry dropouts.
Fork	Carbon aero fork, carbon blade, alloy crown.
Wheels	Alex ALX-320DX aero wheelset.
Tires	Hutchinson Quartz, 23C.
Drivetrain	Shimano 105 derailleurs, Dura-Ace bar end shifters, TruVativ Elita 53/39 with Giga-X BB.
Cockpit	Stratos Zero bars with C2 Clip & F99/260 stem, carbon fiber post, Fizik Pave saddle.
Brakeset	Tektro 423A calipers with RX 4.1 extension levers.

ECLIPSE

With its Reynolds 853 down tube and heat-treated chrome-moly chainstays, the Eclipse rides and feels like a classic steel bike. But the carbon-fiber top tube, seat tube and seatstays give it a lightweight heft no all-steel bike can match. It does the impossible—improving on steel’s legendary ride. We’ve moved up to Campagnolo Centaur derailleurs and brakes this year, and dropped the price! Campy Ergopower levers and a TruVativ Rouleur carbon crank make the Eclipse a modern race-ready bike, but with old school feel.

- Frame** Carbon fiber top tube, seat tube & seatstays with Reynolds 853 down tube and heat-treated chromo chainstays.
- Fork** Easton EC70 carbon fork
- Wheels** Mavic Ksyrium Equippe wheelset.
- Tires** Hutchinson Fusion Comp, folding, 23C.
- Drivetrain** Campagnolo Centaur derailleurs, Ergopower levers, TruVativ Rouleur carbon crankset with Giga-X BB.
- Cockpit** Easton EA70 handlebars, EA70 stem, Easton EC70 carbon seat post, Fizik Airone saddle.
- Brakeset** Campagnolo Centaur dual pivot calipers with Centaur levers.



Sizes: 47, 49, 51, 53, 55, 57, 59, 61cm
Color: Radium Blue/Carbon | Weight: 18.25 lbs.

QUEST

The Quest is a sweetheart, the one that ran away with Bicycling's 2005 Editor's Choice award for Best Value Road Bike. And it's no wonder, with a Reynolds 631 air-hardened steel chassis and a hardworking Shimano 105 drivetrain, powerful Tektro dual-pivot brakes and lightweight alloy handlebar, stem and seatpost from Easton. We adjusted the geometry a little by raising the handlebar height, for more comfort, and extended the range this with a women's model that takes female morphology into account for a superb fit and the right weight distribution for stability and good cornering manners.

Frame	Reynolds 631 air-hardened chromoly main tubes with heat treated-taper gauge cromo stays.
Fork	Easton EC70 carbon fork
Wheels	Mavic Ksyrium Aksium or Easton-Velomax Vista wheelset.
Tires	Hutchinson Quartz, folding, 23C.
Drivetrain	Shimano 105 10-speed derailleurs, 105 STI levers, TruVativ Elita Compact crankset with Giga-X BB.
Cockpit	Easton EA50 bars, EA50 stem, Easton Road seat post, Fizik Pave saddle.
Brakeset	Tektro 423AG dual pivot calipers with 105 levers.



Sizes: 50, 53, 55, 57, 59, 62cm
Color: Gold/Black | Weight: 21.75 lbs.

JAMIS BICYCLES WOMAN SPECIFIC



Sizes: 47, 50, 53cm
Color: Pearl Blue/Pearl White | Weight: 21.75 lbs.

SATELLITE

Don't be fooled by the Satellite's modest price—that's a genuine Reynolds steel chassis, welded up from double-buttressed chrome-moly steel and double-tapered, curved stays. That's a time-honored prescription for the perfect ride, a vertically forgiving, torsionally rigid structure with impeccable road feel. For a purist, the Satellite's perfect ride makes it outperform bikes costing twice as much.

Frame	Reynolds 520 double-buttressed chromoly main tubes, double tapered curved cromo stays.
Fork	Carbon fiber blades.
Wheels	Alex AKX R 1.0 wheelset, aero profile rims, 28H front, 32H rear, stainless steel spokes.
Tires	Hutchinson Flash, 23C.
Drivetrain	Shimano Sora derailleurs, Sora STI levers, TruVativ IsoFlow Road triple crankset with sealed cartridge BB.
Cockpit	Ritchey BioMax II bar, Ritchey Pro adjustable stem, Ritchey micro-adjust seat post, Jamis Road saddle.
Brakeset	Tektro 510A dual pivot alloy calipers with in-line safety levers and Sora drop levers.



Sizes: 47, 50, 53, 55, 57, 59, 62cm
Color: Platinum/Gloss Black | Weight: 23.75 lbs.

NOVA

A Reynolds 631 chrome-moly steel main triangle and taper-gauge chrome-moly steel stays give the Nova just the right blend of stiffness and ride to make it sing over rough pavement. That's no coincidence, since the Nova's cantilever brakes and chunky 32mm tires mark it as a cyclocross bike, a road bike-turned-dirt machine. Ritchey aero wheels and the new Shimano 105 10-speed drivetrain keep things fast on the pavement. The Avid Shorty 4 cantis are road lever-compatible and the compact-chainring crank, burly Giga-X bottom bracket, powerful brakes and rack- and fender braze-ons make it an ideal loaded touring bike or foul-weather trainer.

- Frame** Reynolds 631 air-hardened chromoly main tubes with heat treated-taper gauge cromo stays.
- Fork** Carbon fiber blades with canti brake bosses.
- Wheels** Ritchey Aero Comp wheelset.
- Tires** Maxxis Mimo CX, 32C.
- Drivetrain** Shimano 105 10-speed derailleurs, 105 STI levers, TruVativ Elita Compact crankset with Giga-X BB.
- Cockpit** Ritchey BioMax II Road bar, Ritchey Comp V2 stem, Ritchey Comp V2 seat post, Fizik Pave saddle.
- Brakeset** Avid Shorty 4 STI-compatible cantilevers, with in-line adjustors and 105 drop levers.



Sizes: 46, 49, 51, 53, 55, 57, 60cm
Color: Original Nova Green/Gloss Black | Weight: 22.75 lbs.

AURORA

The Aurora is a classic loaded touring bike, kitted out with rack- and fender braze-ons, grippy cantilever brakes with dual levers that provide an additional braking position at the handlebar tops. A slightly taller head tube provides a more upright riding position that eases back and neck strain on long days. Burly 28mm tires roll smoothly, and better resist pinch flats—a boon when riding with a full load. Its stable handling manners make the Aurora one of the easiest-to-ride drop-handlebar road bikes going, so it's a great bike for long, leisurely paced rides even if you never decide to chuck it all and ride across the country (but isn't it nice to know you could?).

- Frame** Reynolds 520 double-buttressed chromoly main tubes, double tapered cromo stays.
- Fork** Chromoly unicrown, with canti bosses & low rider braze-ons.
- Wheels** Alex ACE19 eyeletted rims, Shimano Sora hubs, stainless steel spokes.
- Tires** Hutchinson Flash, 28C.
- Drivetrain** Shimano Deore rear derailleur, Tiagra STI levers, TruVativ IsoFlow Road triple crankset with PowerSpline BB.
- Cockpit** Ritchey BioMax II bar, Ritchey Pro adjustable stem, Ritchey Road seat post, Jamis saddle.
- Brakeset** Tektro forged alloy canti's with in-line adjustors and safety levers and Sora drop levers.



Sizes: 47, 50, 53, 55, 57, 59, 62cm
Color: Copper/Ivory | Weight: 26.25 lbs.

SPUTNIK

They don't come any simpler than this stripped-to-the-gills fixed gear unit. The Sputnik hangs proper rear-facing track dropouts on a Reynolds 631 steel frame, with a flip-flop rear hub that lets you mount an additional sprocket so you can change gearing mid-ride. Use it as a track racer, or mount up a brake, quit your day job and join the bike messenger ranks. This isn't a bike for the faint of heart, but for absolute purity of purpose there's nothing more exquisitely beautiful, or special-bred, than this elemental speedster.

- Frame** Reynolds 631 air-hardened chromoly main tubes with heat treated-taper gauge cromo stays.
- Fork** Easton EC70 carbon fork
- Wheels** Alex DA22 rims, Formula 32H rear flip-flop hub, stainless steel spokes.
- Tires** Hutchinson Quartz, folding, 23C.
- Drivetrain** Fixed gear single speed, TruVativ Touro 48t crankset.
- Cockpit** Easton EA50 bars, EA50 stem, Easton Road seat post, Fizik Pave saddle.
- Brakeset** N/A



Sizes: 50, 53, 55, 57, 59, 62cm
Color: Ano Black | Weight: 16.50 lbs.



Teton Pass - Jackson Hole, Wyoming



FULL SUSPENSION MOUNTAIN BIKES

No gimmicks, no gadgets, zero compromise. That's always been our approach to bike design, and you won't see a better example of this philosophy than our 2006 full-suspension lineup.

Other companies seem to change suspension designs and configurations every year, in an attempt to become the next "in" thing. We've taken the opposite approach, sticking with good, performance-oriented designs that we've carefully honed, year after year, until they're razor sharp and ultra refined. We've been at this game a long time, and it shows in the way our bikes perform. It also means when we launch a new design, it's gotta be something big.

Big is the only way to describe the new Diablo series mountain bikes. The Diablo is about big hits, big air, and big travel. It's a drop-into-anything, ride-over-everything bike for downhill bombers and all-mountain adventurers. The Diablo's aluminum frame is burly, welded from oversize aluminum and shored up to take as much punishment as you can dish out. And its multi-link rear suspension gives you a healthy 175 mm—nearly seven inches!—of rear wheel travel that's plush and controlled, as good at absorbing hits as it is at firmly planting the meaty Maxxis High Roller tires to keep you in control.

Our Dakar series continues as our most versatile, refined full-suspender. The Dakar XLT's 125mm-travel, multiple-linkage suspension gives you go-anywhere capability, while the more tautly strung Dakar XC's 90mm-travel configuration and superb pedaling efficiency make it the weapon of choice for cross-country racing. And then there's the Dakar and Dakar Sport, trail-wise, time-tested steeds that give you cross-country pedaling efficiency and refined, terrain-taming suspension performance, all at a very affordable price.

Full-suspension gives you the real-world benefit of better traction and control, whether you're flying downhill, scrambling for uphill traction or simply trying to cover a lot of trail before sundown. And with a full spread of dual-suspension bikes, there's a Jamis that's a perfect match for the way you ride today, and will help elevate your skills to make you a better rider tomorrow.

DIABLO 2.0

It's a big world, and this is the bike for riding the biggest parts of it. The all-new Diablo's seriously oversized aluminum frame is overbuilt from head to toe, with a 1.5" head tube, 83mm bottom bracket, and a 150 x 12mm rear thru-axle swing arm swinging through 175mm—a whopping 7 inches—of terrain-taming travel. Manitou's new titanium spring Revox shock keeps things well under control in back, following the lead of the new Manitou Travis Single Intrinsic fork as it works through its 180mm of travel. If you can bottom this out, you're coming down from space shuttle altitudes.

Frame	Diablo multi-link design, 1.5 head tube, 150mm x 12mm thru axle, 83mm BB shell, Manitou Revox shock, 175mm travel.
Fork	Manitou Single Intrinsic, 34mm stanchions, Intrinsic damping, 20mm hex axle, 180mm travel.
Wheels	Mavic EX823 UST Disc rims, Syncros Factory disc hubs, WTB spokes.
Tires	Maxxis High Roller tubeless 2.7" front, 2.5" rear.
Drivetrain	SRAM XO rear derailleur, XO Impulse trigger shifters, TruVativ Holzfeller Rock G 36/26 crankset with ISIS BB.
Cockpit	TruVativ Holzfeller 7050 riser bar, Holzfeller stem, Titec El Norte Pyro-Scoper seatpost, WTB Power V Race DH saddle.
Brakeset	Hayes El Camino hydraulic disc brakes with 8" V-cut rotors.



Sizes: 15.5", 17.5", 19.5"
Color: Ano GTO | Weight: 41.75 lbs.

DIABLO 1.0



Sizes: 15.5", 17.5", 19.5"
Color: Ano Black | Weight: 43.00 lbs.



Same hard-working, overbuilt aluminum chassis as the Diablo 2.0, but decked out with Manitou's Swinger 4-way coil shock and the Manitou Stance Blunt fork for 175mm of rear travel and 170mm up front. Maxxis 2.7" front and 2.5" rear High Rollers provide total traction, with a bulletproof SRAM X-7 rear derailleur and matching X-7 triggers calling the gear changes, and a TruVativ Hussefelt 36/24 crank for motive power. Big, powerful Hayes HFX-9HD discs with 8" rotors puts you in control on smoking descents. If you can't roll over it with this, you'll want wings. Or a tank.

Frame	Diablo multi-link design, 1.5 head tube, 150mm x 12mm thru axle, 83mm BB shell, Manitou Swinger 4-way coil, 175mm travel.
Fork	Manitou Stance Blunt, 32mm stanchions, FFD damping, 20mm hex axle, 170mm travel.
Wheels	WTB Dual Duty Freeride with eyelets, WTB Laser Disc hubs, WTB spokes.
Tires	Maxxis High Roller 2.7" front, 2.5" rear.
Drivetrain	SRAM X-7 rear derailleur, X-7 Impulse trigger shifters, TruVativ Hussefelt 36/24 crankset with ISIS BB.
Cockpit	TruVativ riserbar bar, Holzfeller stem, Titec El Norte Pyro-Scoper seatpost, WTB Power V Comp saddle.
Brakeset	Hayes HFX-9HD hydraulic disc brakes with 8" V-cut rotors.

DAKAR XLT 3.0

The XLT is the all-mountain, 125mm travel version of our Dakar frame platform, and the 3.0 is the top of the heap. With suspension control in the rear by Fox's lightweight RP3 shock with Jamis-optional AVA (air volume adjust) canister, and in the front by the new, inertia valve-equipped (you don't activate it, only the ground does), 130mm-travel Fox X fork. Mavic's CrossMax XL Disc wheelset combines a wide range of air volume pressurization with tough-but-lightweight durability. Shimano XTR derailleurs and XT Rapidfire-SL shifters provide cross-country credibility, with Hayes El Camino hydraulics on 7-inch front and 6-inch rear V-cut rotors for downhill backup. If you split your time between fast-paced XC rides and all-day freeride runs, the XLT 3.0 should be your bike.

Frame	Dakar multiple linkage design, Kinesium main frame, Fox RP3 AVA shock, 125mm travel.
Fork	Fox X Trail Tune with inertia valve, rebound adjustment & threshold blowoff, 130mm travel
Wheels	Mavic CrossMax XL Disc wheelset.
Tires	Hutchinson Spider, UST tubeless, 2.30".
Drivetrain	Shimano XTR rear derailleurs, Deore XT Rapidfire-SL shifters, Deore XT crankset with external bearing.
Cockpit	TruVativ Team riser bar, Team stem, and Team seatpost, Fizik Plateau saddle
Brakeset	Hayes El Camino hydraulic disc brakes with 7" V-cut front & 6" V-cut rear rotors.



Sizes: 13", 15", 17", 19", 21"
Color: Ano Black/Ano Slate | Weight: 29.50 lbs.

DAKAR XLT 2.0

Manitou's advanced Swinger Air SPV 4-way gives the XLT 5 inches of plush travel that's immune from pedal-bob. With a Manitou Minute 2:00 fork you can use the TPC Lockout and Rapid Travel Wind Down to go from 130 to 100mm of travel for serious climbing and XC work, without giving up big-hit capability. Deore XT derailleurs and Deore Rapidfire-SL shifters make gear-picking easy, with a TruVativ FireX SL crank to get your power to the ground via Hutchinson Spider 2.30" rubber. Almost all the XLT 3.0's potential, at a more accessible price.

JAMIS Ano Olive/Ano Black	
Frame	Dakar multiple linkage design, Kinesium main frame, Manitou Swinger Air SPV 4-Way, 125mm travel
Fork	Manitou Minute 2:00 with 100 -130mm travel RTWD adjustable travel,
Wheels	Mavic X317 disc rims, Shimano Deore XT disc hubs, WTB spokes.
Tires	Hutchinson Spider, 2.30".
Drivetrain	Shimano Deore XT derailleurs, Deore Rapidfire-SL shifters, TruVativ FireX SL crankset with Giga-X BB.
Cockpit	TruVativ XR riser bar, XR stem, and XR seatpost, WTB Laser V Comp saddle.
Brakeset	Hayes HFX9-XC hydraulic disc brakes 7" V-cut front & 6" V-cut rear rotors.



Sizes: 13", 15", 17", 19", 21"
Color: Ano GTO/Ano Black | Weight: 32.25 lbs.

DAKAR XLT 1.0

If you want big-hit ability without the complexity of multi-adjustable suspension this is your dream. The Fox Float R shock and matching Float R fork keep things smooth and manageable without the hassle of tricky setup. SRAM's X-7 27-speed drivetrain and a TruVativ FireX SX crank give you the go-power, and Hayes HFX-9XC hydraulics give you the stopping power that make the most of Hutchinson's grippy Spider treads. With Shimano M475 disc hubs and WTB Speed Disc rims this is a capable package you can upgrade later, or keep stock-simple and ride it hard straight out of the crate.

Frame	Dakar multiple linkage design, 7005 aluminum, Fox Float R shock, 125mm travel.
Fork	Fox Float R, 130mm travel.
Wheels	WTB Speed Disc eyeletted rims, Shimano M475 disc hubs, WTB spokes.
Tires	Hutchinson Spider, 2.3".
Drivetrain	SRAM X-7 derailleurs, X-7 Impulse trigger shifters, TruVativ FireX SX crankset with Giga-X BB.
Cockpit	TruVativ riser bar, XR stem, and XR seatpost, WTB Laser V Comp saddle.
Brakeset	Hayes HFX-9XC hydraulic disc brakes with 7" V-cut front & 6" V-cut rear rotors.



Sizes: 13", 15", 17", 19", 21"
Color: Ano Silver/Ano Black | Weight: 32.75 lbs.

DAKAR XC PRO

When we hang the “Pro” moniker on a bike, we mean it. The Dakar XC Pro is ready to go—all you need is a number plate. Same award-winning Kinesisium main frame with carbon seaststays and bell crank as in ‘05, but with a completely revamped chainstay swingarm and 1-piece BB shell/BB pivot unit for the ultimate in precision suspension travel. With 90mm of travel from the Fox Float RP3 shock and 100mm from the Fox FX Terra Logic fork, the tubeless tires stay firmly planted for more climbing traction and faster cornering. SRAM’s new, lightweight XO triggers tickle a matching XO derailleur for snap-it-off gear changes. With Avid’s Juicy 7 hydraulic stoppers and TruVativ Team carbon crank, riser bar, and seatpost this is a true, ready-to-race factory rocket.

Frame	Dakar multiple linkage design, Kinesisium main frame, Carbon seatstays, Fox FLOAT RP3 shock 90mm travel.
Fork	Fox FX Terra Logic, 100mm travel.
Wheels	Mavic CrossMax Disc SL UST wheelset.
Tires	Hutchinson Bulldog, tubeless, 2.1".
Drivetrain	SRAM XO rear derailleur, XO Impulse trigger shifters, TruVativ Stylo Team Carbon crankset with Giga-X BB.
Cockpit	TruVativ Team Carbon riserbar, Team stem, and Team Carbon seatpost, Fizik Gobi saddle.
Brakeset	Avid Juicy 7 hydraulic disc brakes with 6" polygon rotors.



Sizes: 13", 15", 17", 19", 21"
Color: Radium Blue/Ano Silver | Weight: 26.75 lbs.

DAKAR XC EXPERT

The XC Expert is the perfect racer for the real-world privateer. The frame and newly spec'd Fox Float RP3 shock is the spitting image of the XC Pro's. Fox's F100RL suspension fork provides season-long reliability, with the tuneability and lock-out capability to accommodate your riding style and terrain. You get the durability of Shimano's Rapidfire SL shifters and the click-shift performance of a Deore XT rear derailleur. Avid's Juicy 5 hydraulic calipers grip 6-inch polygon rotors for all-conditions braking performance, and Mavic's XM317 disc rims keep wheel weight (and attendant power-sapping inertia) to a minimum. Sling a leg over the saddle, and hit the start line.

- Frame** Dakar multiple linkage design, Kinesisium main frame, Carbon seatstays, Fox FLOAT RP3 shock 90mm travel.
- Fork** Fox F100RL with lockout, 100mm travel.
- Wheels** Mavic XM317 disc rims, Shimano Deore disc hubs, WTB spokes.
- Tires** Hutchinson Bulldog Airlight, folding, 2.1".
- Drivetrain** Shimano Deore XT derailleurs, XT Rapidfire SL shifters, TruVativ Stylo Team crankset with Giga-X BB.
- Cockpit** TruVativ XR Riser Bar, XR stem, and XR seatpost, Fizik Gobi saddle.
- Brakeset** Juicy 5 hydraulic disc brakes with 6" polygon rotors.



Sizes: 13", 15", 17", 19", 21"
Color: Candy Red/Ano Silver | Weight: 27.75 lbs.

DAKAR XC COMP

There's no better value in raceable, full-suspension cross-country. The same frame design as our higher-end Dakar XCs with aluminum seatstays and bell crank. The Fox Float R shock and Manitou's new R7 Comp fork (think light like a SID, but with much more stiffness and control), combine to make the Comp as maintenance-free as you can get with a race-worthy XC dualie. A SRAM X-9 drivetrain and shifters give it serious, click-into-gear performance that's bolstered by the stiff, oversize Giga-X Pipe bottom bracket and Juicy 5 hydraulic binders that will more than keep up with future, titanium-hardware upgrades.

- Frame** Dakar multiple linkage design, Kinesisium main frame, Fox FLOAT R shock 90mm travel.
- Fork** Manitou R7 Comp w/ rebound adjust, 100mm travel.
- Wheels** Mavic XM117 rims, Shimano Deore hubs, WTB spokes.
- Tires** Hutchinson Bulldog Airlight, 2.1".
- Drivetrain** SRAM X-9 rear derailleur, X-9 Impulse trigger shifters, TruVativ FireX Team crankset with Giga-X BB.
- Cockpit** TruVativ XR riser bar, XR stem, XR double clamp seatpost, WTB Pure V Race saddle.
- Brakeset** Juicy 5 hydraulic disc brakes with 6" polygon rotors.



Sizes: 13", 15", 17", 19", 21"
Color: Ano Black/Ano Silver | Weight: 29.25 lbs.

DAKAR SPORT

This is Dakar performance, stripped to its essentials but still backed by name-brand componentry where it counts. A capable Fox Float shock and Manitou Splice Super fork with 100-130mm of adjustable travel are the foundation for a component package that includes Avid's powerful BB5 cable-actuated disc brakes and a Shimano drivetrain that includes a Deore LX rear derailleur and Deore Rapidfire-SL shifters. The newly spec'd TruVativ FireX external-bearing supported crankset beefs up the drivetrain stiffness while WTB's lightweight Speed Disc rims and Formula hubs make the Sport accelerate and handle like a big ticket racer, without the steep price tag.

- Frame** Dakar multiple linkage design, 7005 aluminum, Fox FLOAT shock, 90mm travel.
- Fork** Manitou Splice Super, 100 - 130mm RTWD adjustable travel.
- Wheels** WTB Speed Disc eyeletted rims, Formula disc hubs, stainless steel spokes.
- Tires** Hutchison Scorpion, 2.00".
- Drivetrain** Shimano Deore LX rear derailleur, Deore Rapidfire-SL shifters, TruVativ FireX LR crankset with Giga-X BB.
- Cockpit** Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, WTB Laser V Comp saddle.
- Brakeset** Avid BB5 cable actuated disc brakes & Avid FR-5 levers.



Sizes: 13", 15", 17", 19", 21", 23"
Color: Ano Slate/Ano Black | Weight: 31.75 lbs.

DAKAR

Simplicity and reliability are what you get with our first Dakar, which combines top-drawer suspension design with entry-level accessibility. Every aspect of its components mix—from the Shimano geartrain and TruVativ IsoFlow crank to the WTB Speed Disc rims and Tektro Aquilla ball-bearing disc brakes—was selected for honest performance and upgradeable compatibility. Like all Dakars, the precise placement of four main pivots, size-specific seatstay lengths, and a unified bell crank, optimizes suspension activity and lateral rigidity without pivot slop. So you get responsive handling, positive trail feel and reliable, durable performance.

- Frame** Dakar multiple linkage design, 7005 aluminum, Fox Vanilla shock, 90mm travel.
- Fork** Manitou Splice Comp, 100mm travel.
- Wheels** WTB Speed Disc eyeletted rims, Formula disc hubs, stainless steel spokes.
- Tires** Hutchison Scorpion, 2.00".
- Drivetrain** Shimano Deore rear derailleur, New Alivio Rapidfire-SL shifters, TruVativ IsoFlow crankset with Giga-X BB.
- Cockpit** Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, WTB Speed V Sport saddle.
- Brakeset** Tektro Aquilla ball bearing disc brakes with 6" Wavy rotors, Tektro alloy levers.



Sizes: 13", 15", 17", 19", 21", 23"
Color: Ano Red/Ano Black | Weight: 32.75 lbs.

HARDTAIL MOUNTAIN BIKES

The pure, elemental nature of a hardtail only makes it seem simple. In truth, designing a quality hardtail is seriously challenging. Without the technological crutch of suspension to fall back on it takes a lot of small, careful details to make one sing, while the smallest missteps are cruelly amplified—a truism that applies equally to hardtail riding and engineering.

We've always been known for our hardtails, in part because they're the perfect mirror for our no-frills, all-performance philosophy, but largely because we have the most relentlessly tweaked, refined, engineered-with-a-fine-tooth-comb geometry. A Jamis hardtail starts out with a properly fitted, proportionately sized cockpit so it simply fits, guaranteeing comfort, efficiency and locating that all-important center of gravity in the sweet spot, splitting that fine hair that separates perfect handling, climbing traction and descending stability.

Our steering geometry is spot on, with a crisp feel and just the right feedback to give sensitively attuned riders just what they need to sense when they're on that perfect edge where the tires have the most cornering bite. Short chainstays promote climbing efficiency over the steep stuff with good power delivery on the flats and downhills, while a generous wheelbase contributes to handling stability and a smooth, flowing ride.

For racing hardcores, the big news is the Deore XT-equipped Dragon Pro. It's built around the same supple-riding steel frame as the Dragon Team, with Reynolds 853 air-hardened steel main tubes and the taut, perfectly dialed geometry we're famous for.

Serious, even occasional, racers will love the new Dakota Elite and Dakota Comp, with rigidly efficient aluminum frames and vibration-damping carbon seatstays that are one of the smartest refinements ever incorporated into a hardtail chassis. And for dedicated trail riders, there's the aluminum Durango and steel Exile series (including the exciting Exile factory singlespeed).

The Komodo continues as the king of big-hit hardtails, with long-travel forks, bomber rims and crank—all the heavy-duty parts you'd find on a freeride dualie, but without the complexity and added maintenance of rear suspension.

Riding a hardtail makes a statement. It says you value skill over technology, that you're willing to earn your speed and thrills through hard work and finesse. It's less BS, more bang for the buck. Riding a Jamis hardtail says all that, plus it lets them know you're not one to settle for second best.



Fitzgerald's Double - Victor, Idaho



Teton Pass - Jackson Hole, Wyoming

DRAGON TEAM

Steel is still the best foundation for a hardtail, and there's nothing better than Reynolds 853. The air-hardened, heat-treated chrome-moly main tubes give the Team the high-strung feel of a thoroughbred, with the torsional strength to resist big-gear standing climbs and keep the chassis flowing through high-speed bends and G-outs. Rage through the gears, using SRAM's hot new XO shifters and derailleurs, and marvel at the lightweight wow-factor of the carbon crank, seatpost and handlebar. With a lockout-equipped Fox F80RLT fork with blowoff threshold, Hutchinson Python tubeless rubber and Avid Juicy 7 hydraulic discs, this is a pro-level dream machine for the dual-suspended adverse.

Frame	Reynolds 853 air-hardened/heat-treated cromo main tubes.
Fork	Fox F80RLT, with lock-out & blowoff threshold, 80mm travel.
Wheels	Mavic CrossMax Disc SL UST wheelset.
Tires	Hutchinson NG Python, tubeless, 2.0".
Drivetrain	SRAM XO rear derailleur, XO Impulse trigger shifters, TruVativ Stylo Team Carbon crankset with Giga-X BB.
Cockpit	TruVativ Team Carbon flatbar, Team stem, and Team Carbon seatpost, Fizik Gobi saddle.
Brakeset	Avid Juicy 7 hydraulic disc brakes with 6" polygon rotors.



Sizes: 13", 15", 17", 19", 21
Color: Classic Red/Ano Silver | Weight: 24.00 lbs.

DRAGON PRO



Sizes: 13", 15", 17", 19", 21"
Color: Radium Blue/Ano Silver | Weight: 25.00 lbs.



You asked for a more affordable version of the Dragon Team, and we deliver with the Dragon Pro. It may be a junior sibling, but it's not second-rate by any means. Same air-hardened Reynolds 853 steel frame, but we shed a little cost and complexity by spec'ing Fox's lightweight F80RL fork and giving up the blowoff threshold. Lightweight Mavic XM317 disc rims and Hutchinson Bulldog TRC rolling stock give aggressive traction without a lot of power-robbing mass. You still have the reliability of a Rapid-Fire shifting Shimano XT drivetrain, TruVativ crank and control center and Avid's Juicy 5 hydraulic stoppers; all make the Dragon Pro a serious race junkie's #1 choice

Frame	Reynolds 853 air-hardened/heat-treated cromo main tubes.
Fork	Fox F80RL, with lock-out, 80mm travel.
Wheels	Mavic XM317 control disc rims, Shimano Deore disc hubs, WTB spokes.
Tires	Hutchinson Bulldog TRC, folding, 2.10".
Drivetrain	Shimano Deore XT derailleurs, XT Rapidfire-SL shifters, TruVativ Stylo crankset with Giga-X BB.
Cockpit	TruVativ Team flatbar, Team stem, and Team seatpost, Fizik Gobi saddle.
Brakeset	Juicy 5 hydraulic disc brakes with 6" Wavy rotors.

DAKOTA ELITE

The Dakota Elite's new-for-'06 chassis takes a page from the road bike design manual, combining Kinesis Superlight triple-butted aluminum with carbon seatstays for stand-on-the-pedals stiffness and a supple ride that would be impossible to duplicate with an all-aluminum frame. We dress it up with Shimano XT derailleurs and shifters, Juicy 5 hydraulics and Manitou's slick new R7 Super fork with TPC lockout and 100mm of bump-eating travel. Backed by an XT drivetrain and TruVativ's external-bearing Fire-X SL crankset for sure, secure shifting performance. Call it a flyweight trail bike, or a rough-and-tumble XC racer—it's true either way.

Frame	Kinesis Superlight 7005 triple butted aluminum main tubes, carbon seatstays.
Fork	Manitou R7 Super with TPC lockout, 100mm travel.
Wheels	WTB Speed Disc Pro eyeletted rims, Shimano M475 disc hubs, WTB spokes.
Tires	Hutchinson Bulldog Airlight, 2.1".
Drivetrain	Shimano XT derailleurs, Deore XT Rapidfire shifters, TruVativ FireX SL crankset with Giga-X BB.
Cockpit	TruVativ XR flatbar, XR stem, and XR seatpost, WTB Pure V Race saddle.
Brakeset	Juicy 5 hydraulic disc brakes with 6" Wavy rotors.



Sizes: 15.5", 17", 19", 21"
Color: Ano Orange/Ano White | Weight: 25.75 lbs.

DAKOTA COMP



Sizes: 15.5", 17", 19", 21"
Color: Powder Blue/Ano White | Weight: 28.25 lbs.



The Dakota Comp takes the Elite's brand-spankin' new aluminum/carbon frame, and pairs it with the kind of smart components mix that made us famous. Name-brand parts like the new Hayes Sole hydraulic discs, TruVativ control center and crank, Shimano Deore drivetrain and WTB rims with Hutchinson Scorpions let us cut price without cutting corners, delivering lightweight heft with hardcore performance. This is the fast way to get your feet wet in cross-country racing or serious trail riding, and if it turns into a serious passion, the no-apologies frame and a few smart upgrades will turn this into an elite-level racer.

Frame	Kinesis Superlight 7005 triple butted aluminum main tubes, carbon seatstays.
Fork	Manitou Axle Platinum Air with lockout, 100mm travel.
Wheels	WTB Speed Disc eyeletted rims, Formula disc hubs, WTB spokes.
Tires	Hutchinson Scorpion, 2.0".
Drivetrain	Shimano Deore XT rear derailleur, Deore Rapidfire-SL shifters, TruVativ FireX LR crankset with Giga-X BB.
Cockpit	TruVativ XR flatbar, XR stem, and XR seatpost, WTB Speed V Sport saddle.
Brakeset	Hayes Sole hydraulic disc brakes with 6" V-cut rotors.

EXILE XC

The Exile XC is proof that there's still room in this world for a classic steel hardtail. Reynolds 631 air-hardened steel and a Manitou Axle Platinum Air fork—with lockout!—and 80mm of travel provide float-over-stutters performance no aluminum hardtail can touch. Our superbly tuned geometry gives the Exile outstanding climbing traction, with just the right fore/aft weight distribution to showcase steel's suppleness and ability to corner right at the limit. If we made this any better, we'd be stepping on the tail of our own Dragon Team and Dragon Pro (yes, it's really that good).

Frame	Reynolds 631 air-hardened crommo main tubes.
Fork	Manitou Axle Platinum Air with lockout, 80mm travel.
Wheels	WTB Speed Disc eyeleted rims, Shimano M475 disc hubs, stainless steel spokes.
Tires	Hutchinson Bulldog Airlight, 2.1".
Drivetrain	SRAM X-9 rear derailleur, X-9 Impulse trigger shifters, TruVativ FireX-SX crankset with Giga-X BB.
Cockpit	TruVativ XR XC riserbar, XR stem, and XR seatpost, WTB Speed V Comp saddle.
Brakeset	Avid BB5 cable actuated disc brakes & Avid FR5 levers.



Sizes: 13", 15", 17", 19", 21"
Color: Radium Blue/Ano Silver | Weight: 28.75 lbs.

EXILE SINGLE-SPEED



Sizes: 13", 15", 17", 19", 21"
Color: Ano Black | Weight: 26.50 lbs.



We toe the start line in '06 with our first factory singlespeed. This is the ultimate in stripped-down speed with a Reynolds 631 air-hardened steel chassis that climbs and corners the way a factory-built racer should. Investment cast, track-style dropouts load from the rear, with a slotted disc tab for the Hayes Sole hydraulic caliper and a Manitou Axle Platinum Air fork with Click-It lockout to round out the package on this one-sprocket rocket. Got a split personality? Dress it with slicks and it's a bad-butt city stomper. This is 100-percent serious performance, zero-percent BS.

Frame	Reynolds 631 air-hardened crommo main tubes with rear entry horizontal dropouts.
Fork	Manitou Axle Platinum Air with ClickIt lockout, 80mm travel.
Wheels	WTB Speed Disc rims with eyelets, Sealed bearing alloy single speed disc hubs, WTB spokes.
Tires	Hutchinson Bulldog Airlight, 2.1".
Drivetrain	TruVativ Fire X single speed crankset with Giga-X BB.
Cockpit	TruVativ XR XC riser bar, XR stem, and XR seatpost, WTB Speed V Comp saddle.
Brakeset	Hayes Sole hydraulic disc brakes.

KOMODO 3.0

The Komodo's triple-gauge, double-gusseted aluminum chassis and Manitou Stance Flow fork with Hex-Lock thru-axle say it all—this is a big-hit hardtail that, in the right hands, can match a long-travel dual-suspender blow for blow. This is super-duty stuff, from the 120-150mm adjustable-travel fork to the 8" rotors and Hayes HFX-9 hydraulic calipers. TruVativ's bomber Hussefelt bar, crank and Howitzer ISIS bottom bracket will hold up under hard landings, backed by the anti-taco protection of WTB's Dual Duty FreeRide disc rims and the added cushion of 2.35" Maxxis HansVenture tires. This is all about sticking the big landing and coming back for more.

Frame	7005 triple gauge, double gusseted aluminum main tubes with double-D braced stays.
Fork	Manitou Stance Flow, with hex-lock thru axle, 120 – 150mm RTWD adjustable travel.
Wheels	WTB Dual Duty FreeRide eyeleted disc rims, Shimano M475 disc rear/Formula thru-axle front, WTB spokes.
Tires	Hutchinson Spider, 2.3".
Drivetrain	Shimano Deore rear derailleur, Deore RapidFire shifters, TruVativ Hussefelt crankset with Howitzer ISIS BB.
Cockpit	TruVativ Hussefelt 31.8mm riser bar & stem, XR seatpost, WTB Power V Comp saddle.
Brakeset	Hayes HFX-9 hydraulic brakes, 8" V-cut rotors.



Sizes: 14", 16.5", 18.5"
Color: Ano Copper | Weight: 33.75 lbs.

KOMODO 2.0

A 130mm-travel SR Duro D fork preserves most of the Komodo 3.0's big-hit capability, but cuts maintenance and setup headaches by about 70 percent. Hayes Sole hydraulic disc brakes, a TruVativ control center, Ruktion crank and Howitzer bottom bracket provide cost-effective toughness, while a Shimano drivetrain gives you enough gearing to take some of the slog out of uphill. Whether your playground obstacles come from Mother Nature or the hard urban reality of loading docks and staircases, the FX 2.0 is up to the challenge.

Frame	7005 triple gauge, double gusseted aluminum main tubes with double-D braced stays.
Fork	SR Duro D, 130mm travel.
Wheels	WTB Dual Duty FreeRide eyeleted disc rims, Formula disc hubs, stainless steel spokes.
Tires	Hutchinson Spider, 2.3".
Drivetrain	Shimano Deore rear derailleur, Alivio RapidFire shifters, TruVativ Ruktion crankset with Howitzer ISIS BB.
Cockpit	TruVativ 31.8mm riser bar & alloy threadless stem, TruVativ XR seatpost, WTB Power V Comp saddle.
Brakeset	Hayes Sole hydraulic disc brakes with 8" V-Cut front & 7" V-cut rear rotors.



Sizes: 14", 16.5", 18.5"
Color: Ano Olive | Weight: 33.25 lbs.

KOMODO 1.0

If you prefer the dark side of the Force, the Komodo FX 1.0 is your rocket ship. This is the ultimate shortcut to the underground world of no-frills, big-thrill riding. Same fork and bombproof frame as the Komodo FX 2.0, but with a hardcore, no frills, parts mix that maximizes the money we know you're willing to spend. You get brand names where they count, like SRAM derailleurs and shifters, WTB Dual Duty FreeRide disc rims, Tektro disc brakes and 2.35" Maxxis tires—so while the FX 1.0 may not cost you a bundle of folding bucks, it won't fold before you do.

Frame	7005 triple gauge, double gusseted aluminum main tubes with double-D braced stays.
Fork	SR Duro D, 130mm travel.
Wheels	WTB Dual Duty FreeRide disc rims, Formula disc hubs, stainless steel spokes.
Tires	Hutchinson Spider, 2.3".
Drivetrain	SRAM SX-4 rear derailleur, SX-4 24-speed trigger shifters, SR Duro crankset with sealed cartridge BB.
Cockpit	Alloy 31.8mm riser bar & alloy threadless stem, alloy micro-adjust, WTB Power V Comp saddle.
Brakeset	Tektro 10 disc brakes with 7" wavy rotors.



Sizes: 14", 16.5", 18.5"
Color: Ano Black | Weight: 32.75 lbs.

DURANGO 3.0

With a 27-speed Shimano drivetrain and Hayes hydraulic disc brakes, the Durango 3.0 is aggressively well-equipped. Gusseted 7005 aluminum tubing, S-bend stays and a replaceable derailleur hanger are high-end frame features that ensure strength, without the bone-jarring ride harshness of a cheap aluminum chassis. The Manitou Axel Platinum fork provides 100mm of smooth suspension action, with lockout, taking the sting out of harsh trails and helping maintain control by maximizing the bite of the Hutchinson Scorpion tires. From the Giga-X Pipe external-bearing bottom bracket to the sleek FireX crank and Deore rear derailleur, this bike offers race-level performance on a sport-level budget.

Frame	7005 aluminum main tubes, gusseted, with S-bend stays, replaceable derailleur hanger.
Fork	Manitou Axel Platinum Lockout, 80mm travel.
Wheels	WTB Speed Disc eyeletted rims, Formula disc hubs, stainless steel spokes.
Tires	Hutchinson Scorpion, 2.00".
Drivetrain	Shimano Deore rear derailleur, Deore Rapidfire-SL shifters, TruVativ FireX LR crankset with Giga-X BB.
Cockpit	Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, WTB Speed V Sport saddle.
Brakeset	Hayes Sole hydraulic disc brakes with 6" Wavy rotors.



Sizes: 12", 14", 15.5", 17", 19", 21"
Color: Ano GTO/Ano White | Weight: 30.25 lbs.

DURANGO 2.0

Mechanical disc brakes alleviate some complexity and cost, preserving almost all of the Durango 3.0's abilities while paring the cost down considerably. A SRAM 27-speed drivetrain provides finger-quick gear changes, while the same frame, wheels and tires from the up-level Durango 3.0 give the 2.0 hardcore durability. Take it on the trail and you'll feel the difference a properly set-up frame makes, with your weight centered for climbing traction and steer-with-a-thought handling precision. It's priced like a casual bike, but it's backed by serious Jamis performance.

Frame	7005 aluminum main tubes, gusseted, with S-bend stays, replaceable derailleur hanger.
Fork	Manitou Axel Comp, 80mm travel.
Wheels	WTB Speed Disc eyeletted rims, Formula disc hubs, stainless steel spokes.
Tires	Hutchinson Scorpion, 2.00".
Drivetrain	SRAM SX5 rear derailleur, X7 Impulse trigger 27-speed shifters, TruVativ Isoflow crankset with PowerSpline BB.
Cockpit	Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, WTB Speed V Sport saddle.
Brakeset	Tektro Aquilla ball bearing disc brakes with 6" Wavy rotors, Avid FR5 levers.



Sizes: 12", 14", 15.5", 17", 19", 21"
Color: Ano Deep Blue/Ano White | Weight: 30.75 lbs.

DURANGO 1.0

Tektro mechanical disc brakes and 24-speed Shimano gearing give the Durango 1.0 a solid performance footing and plenty of potential for skills growth, but at a price that lets you hit the trail without stripping your finances. Same ultra-refined Jamis geometry and frame as the rest of the Durango line, and the handling manners that go with them. Identical wheels and tires with the Durango 3.0 give you plenty of traction over challenging terrain, so you can ride with confidence and make the most of the Durango's impeccable climbing and handling.

JAMIS Ano Red/Ano White	
Frame	7005 aluminum main tubes, gusseted, with S-bend stays, replaceable derailleur hanger.
Fork	SR XCM, external preload 80mm travel.
Wheels	WTB Speed Disc eyeletted rims, Formula disc hubs, stainless steel spokes.
Tires	Hutchinson Scorpion, 2.00".
Drivetrain	Shimano New Alivio rear derailleur, Acera 24-speed shifters, TruVativ Isoflow crankset & sealed cartridge BB.
Cockpit	Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, WTB Speed V Sport saddle.
Brakeset	Tektro lo disc brakes with 6" Wavy rotors, Shimano Acera levers.



Sizes: 12", 14", 15.5", 17", 19", 21"
Color: Ano Silver/Ano Black | Weight: 31.75 lbs.

CROSS COUNTRY 2.0

With 27 gears to choose from, and SRAM X-7 shifters calling the shots, the Cross Country 2.0 provides you with easier climbing so you can better enjoy its dialed-in descending manners. S-bend stays and a replaceable derailleur hanger mark this as a serious trail bike, with stable handling and quick response, something you'll notice from the very first pedal stroke.



Ano Black/Ano Silver

- Frame** 6061 aluminum main tubes with S-bend stays, replaceable derailleur hanger.
- Fork** SR XCT, external preload 75mm travel.
- Wheels** Weinmann ZC19 double wall alloy rims, Formula alloy hubs, stainless steel spokes.
- Tires** CST ATB, 1.95".
- Drivetrain** SRAM 5.0 rear derailleur, SRAM X-7 27-speed shifters, TruVativ IsoFlow crankset & sealed cartridge BB.
- Cockpit** Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, Jamis XC saddle.
- Brakeset** Tekro alloy direct pull brakes & levers.



Sizes: 12", 14", 15.5", 17", 19", 21"
Color: Ano Olive/Ano Silver | Weight: 31.25 lbs.

CROSS COUNTRY 1.0

Same easy-to-maneuver manners of the Cross Country 2.0, but with a more price-conscious parts mix. A reliable Shimano drivetrain gives you 24 speeds to choose from, with a sealed cartridge bottom bracket and double wall rims for reliable and durable performance. A full range of six sizes ensures proper bike fit for optimized handling, climbing traction and downhill cornering.



Ano Deep Blue/Ano Silver

- Frame** 6061 aluminum main tubes with S-bend stays, replaceable derailleur hanger.
- Fork** SR XCT, external preload 75mm travel.
- Wheels** Weinmann ZAC 19 double wall alloy rims, Formula alloy hubs stainless steel spokes.
- Tires** CST ATB, 1.95".
- Drivetrain** Shimano Acera rear derailleur, Acera EZFire 24-speed shifters, SR alloy crankset, sealed cartridge BB.
- Cockpit** Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, Jamis XC saddle.
- Brakeset** Tekro alloy direct pull brakes with Shimano levers.



Sizes: 12", 14", 15.5", 17", 19", 21"
Color: Ano Deep Red/Ano Silver | Weight: 31.75 lbs.

RANGER SX

Tapered aluminum main tubes put extra material where you need the strength, while keeping the overall structure light and responsive. And a replaceable derailleur hanger ensures your investment in lightweight aluminum is money well spent. SRAM trigger shifters make quick work out of selecting each of the 24 gears, with a low-maintenance 50mm-travel fork and direct-pull brakes emphasizing comfort and control.



Radium Blue



Ano White (Ladies)

- Frame** Enduro frame design, 7005 aluminum main tubes, replaceable derailleur hanger.
- Fork** SR M2000, alloy crown, 50mm travel.
- Wheels** Alloy 26 x 1.5", Formula sealed alloy QR hubs, stainless steel spokes.
- Tires** CST ATB, 1.95".
- Drivetrain** SRAM 3.0 rear derailleur, SX-4 24-speed trigger shifters, SR XCC-150 crankset with bolt-type cup & cone BB.
- Cockpit** Alloy riser bar, alloy threadless stem, alloy micro-adjust seatpost, Jamis XC saddle.
- Brakeset** Alloy direct pull brakes and levers.



Sizes: Mens: 12", 14", 15.5", 17", 19", 21" Ladies: 12", 14.5", 17.5"
Color: Ano Grey | Weight: 32.00 lbs.

RANGER XR

The Ranger XR features trail-worthy performance, with a quality aluminum frame that's suspension fork-ready so you can easily upgrade from the rigid fork. But in the meantime, you can enjoy the lighter front end. The Ranger's simplicity and adjustability (thanks to the adjustable rise stem) makes it ideal for exploring fire roads and tackling light trails comfortably, with a broad gearing range that provides climbing power for even steep terrain. Sling some slicks on it and it becomes a dual-purpose speedster, capable of hashing it out on the asphalt the way it tackles trails when shod with knobbies—it's like getting two bikes at once!



Ano Black

- Frame** Enduro frame design, 7005 aluminum main tubes, replaceable derailleur hanger.
- Fork** Hi-Tensile steel unicrown, semi-forged dropouts with eyelets
- Wheels** Alloy 26 x 1.5", Formula QR hubs, nickel plated spokes.
- Tires** CST ATB, 1.95".
- Drivetrain** SRAM 3.0 rear derailleur, SRAM 3.0 21-speed twist shifters, SR XCC-150 crank with bolt-type cup & cone BB.
- Cockpit** Alloy riser bar, Adjustable rise alloy threadless stem, alloy micro-adjust seatpost, Jamis XC saddle.
- Brakeset** Alloy direct pull brakes and levers.



Sizes: Mens: 12", 14", 17", 19", 21" Ladies: 12", 14.5", 17.5"
Color: Ano Blue | Weight: 29.00 lbs.



STREET & SPORT COMFORT

Riding on the street should be about “smooth”. It should be about the hiss of tires as they gobble up pavement, the feel of the wind over your skin, the joy of cruising on what scientists and engineers acknowledge to be the most efficient transportation device yet devised by man—the bicycle.

Our street performance and sport comfort bikes are built for exactly that: performance and comfort, on the street. They're bikes, slightly detuned from their “pure” road or mountain bike brethren, and tamed for life in the big city. Upright handlebars give you that tall, see-over-traffic perspective and a riding posture that's easy on your back. Suspension seatposts (and, on many models, matching suspension forks) dull the thump of potholes and pavement cracks, while smooth-rolling high-pressure tires move you down the road in near-silent efficiency.

Some of the other guys repurpose their mountain bikes with thin tires and cheap forks, calling them city bikes. But snaking through the asphalt jungle at speed demands a different kind of handling precision than what you need for picking your way down a wooded trail. We do, however, borrow liberally from the mountain bike parts kit for drivetrain components and brakes, for their reliability and quick-stop performance. And there's a lot to be said for the ruggedness of mountain bike-inspired frame tubing, especially when it's combined with proper road-going geometry.

The new Coda series is our speed-oriented line, topped by the Coda Supreme—possibly the sleekest, most exotic flat-bar road machine to hit the bike path. A breathtakingly gorgeous Reynolds 853 steel/carbon chassis (suspiciously like our Eclipse road frame) gives it a lot of visual show, but with the Shimano 105 drivetrain it has the go-power to back up its speedy good looks.

The Tangier, Aragon, Citizen and Commuter add progressively more utilitarian comfort to the mix, with suspension forks and seatposts for that smooth glide, and angle-adjustable handlebar stems and plush saddles for comfort.

For rugged dependability you can't beat the Explorer series, with friendly, easy-to-ride handling manners, generously padded saddles and mountain bike styling that make them perfect for lunchtime snack runs or weekend hops with the kids.

There's a bright world of fun and fitness just waiting for you, and it starts with your own driveway. Throw a leg over a Jamis street performance or sport comfort bike, and get a taste. We think you'll be back for more.

CODA SUPREME

This is a serious flat-handlebar road bike, possibly the finest ever. If you've been disillusioned by dumbed-down mountain bikes masquerading as road bikes, the Coda Supreme is the answer. With the same Reynolds 853 steel-with-carbon construction as our lustworthy Eclipse frame, the Coda Supreme has steel's plush, sensitive ride, but with less weight. Shimano's new 10-speed 105 drivetrain, a TruVativ Elita Compact crankset and Giga-X oversize bottom bracket enhance power efficiency while providing a broad gearing range that makes quick work of hills, with puncture-resistant tires and a lightweight Mavic wheelset. This is race-quality, without the scrunched-down racing position (or attitude).

Frame	Carbon fiber top tube, seat tube & seatstays with Reynolds 853 down tube and heat-treated cromo chainstays.
Fork	Easton EC70 carbon fork.
Wheels	Mavic Aksium wheelset.
Tires	Hutchinson Top Speed with Stop Puncture casing, 25C.
Drivetrain	Shimano 105 10-speed rear derailleur, R770 flat bar shifters, TruVativ Elita Compact crankset with Giga-X BB.
Cockpit	Ritchey Comp bar, Ritchey Pro angle-adjustable stem, suspension seat post, Fizik Pave saddle.
Brakeset	Tektro 521AG alloy calipers and Avid FR5 levers.



Sizes: 16", 17.5", 19.5", 21.5", 23"
Color: Ano Saffron/ Natural Carbon | Weight: 20.25 lbs.

CODA ELITE



Sizes: 16", 17.5", 19.5", 21.5", 23"
Color: Ano Nickel/ Ano Silver | Weight: 25.00 lbs.



New for 2006: Knobby tires, for the added versatility of light off-pavement adventuring and light-snow commuting. Still featuring that luscious Reynolds 631 steel frame, and Avid's BB7 cable-actuated disc brakes for serious stopping power and a light touch at the brake levers that extends comfort and control. The Giga-X bottom bracket's additional stiffness makes itself felt in improved out-of-the-saddle climbing performance, and a little less chainring rub for a quieter ride under full steam.

Frame	Reynolds 631 air-hardened chromoly main tubes with heat treated-taper gauge cromo stays.
Fork	Carbon fiber blades with alloy steerer and disc brake tabs.
Wheels	Ritchey Aero Tour disc brake compatible wheelset.
Tires	Maxxis Mimo CX, 32C.
Drivetrain	Shimano Deore XT rear derailleur, R660 flat-bar shifters, TruVativ Elita triple crankset with Giga-X BB.
Cockpit	Ritchey Comp bar, Ritchey Pro angle-adjustable stem, suspension seat post, Fizik Pave saddle.
Brakeset	Avid BB7 cable actuated disc brakes & Avid FR-5 levers.

CODA COMP

It might have a mountain bike silhouette, but the skinny tires, lightweight Shimano R500 wheels and fast-rolling Hutchinson rubber mark it as a purebred road bike. The angle-adjustable stem permits a more-upright, see-over-traffic posture, while the suspension seatpost and Jamis Street saddle help reduce the strain on your neck and back. Like the Coda Elite, the Comp benefits from the added efficiency of TruVativ's Giga-X bottom bracket for that slight edge in efficiency.

- Frame** Reynolds 520 double-buttet chromoly main tubes, double tapered cromo stays.
- Fork** Carbon fiber blades with brake bosses.
- Wheels** Shimano R500 wheelset.
- Tires** Hutchinson Flash, 28C.
- Drivetrain** Shimano Deore XT rear derailleur, R440 flat-bar shifters, TruVativ Touro triple crankset with PowerSpline BB.
- Cockpit** Ritchey Comp bar, Ritchey Pro angle-adjustable stem, suspension seat post, Jamis Street saddle.
- Brakeset** Avid Single Digit 3 direct pull brakes & Avid FR-5 levers.



Sizes: 16", 17.5", 19.5", 21.5", 23"
Color: Chromium/Gloss Black | Weight: 25.00 lbs.

CODA SPORT

With its Reynolds 520 double-buttet steel frame, broad-range triple-chainring gearing and friendly price, the Coda Sport has become one of our most popular bikes. The friendly riding posture, sensibly practical—yet speedy—parts mix and clean-but-understated graphics make it an ideal city bike. Use it for breakfast runs, lunchtime errands or urban commuting, and you'll turn inner city transit into stress-relieving fun.

- Frame** Reynolds 520 double-buttet chromoly main tubes, double tapered cromo stays.
- Fork** Chromoly unicrown with low rider braze-ons.
- Wheels** Alex ACE18 eyeletted rims, Shimano 2200 32H road hubs, stainless steel spokes.
- Tires** Hutchinson Flash, 28C.
- Drivetrain** Deore rear derailleur, R440 flat-bar shifters, TruVativ IsoFlow Road triple crankset with sealed cartridge BB.
- Cockpit** Ritchey flat bar, Ritchey Pro angle-adjustable stem, suspension seat post, Jamis Street saddle.
- Brakeset** Tektro self-centering alloy linear pull brakes with Tektro alloy levers.



Sizes: 16", 17.5", 19.5", 21.5", 23"
Color: Radium Blue/Gloss Black | Weight: 25.50 lbs.

CODA

Our customers keep asking for a more affordable version of the Coda Sport, hoping to turn their spouses and friends on to the practical fun of city riding. So we made a new model, aggressively priced and with a smaller chainring combination for more climbing power. It feels lighter and more responsive than a mountain bike, because it is. Stable handling and an easy-to-use control layout makes this a natural for people who are rediscovering the joy of cycling.

- Frame** Reynolds 520 double-buttet chromoly main tubes, double tapered cromo stays.
- Fork** Chromoly unicrown with low rider braze-ons.
- Wheels** Alex DC19 rims, Formula 32H road hubs, stainless steel spokes.
- Tires** Hutchinson Flash, 28C.
- Drivetrain** SRAM SX4 rear derailleur & Impulse trigger shifters, TruVativ 48/38/28 crankset with sealed cartridge BB.
- Cockpit** Alloy flat bar, Alloy threadless angle-adjustable stem, suspension seat post, Jamis Street saddle.
- Brakeset** Tektro self-centering alloy linear pull brakes with Tektro alloy levers.



Sizes: 16", 17.5", 19.5", 21.5", 23"
Color: Ano Black | Weight: 26.00 lbs.



Sizes: 16", 17.5", 19.5", 21.5", 23"
Color: Ano White/Ano Baby Doll Blue | Weight: 26.00 lbs.

TANGIER

A perennial favorite, with a lightweight aluminum frame and an angle-adjustable handlebar stem that helps you achieve a comfortable riding position. Easy-to-use X-7 trigger shifters put gear selection at your literal fingertips, with smooth-rolling puncture-resistant tires and a modest suspension fork and seatpost to enhance road-going comfort for your wrists, neck and back.

- Frame** 6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
- Fork** SR NCX-D suspension, external preload adjustor, 63mm travel.
- Wheels** Alex X2100 double wall rims, Shimano RM40 hubs, stainless steel spokes.
- Tires** CST inverted "lockjaw" tread with puncture resistant casing, 38c.
- Drivetrain** SRAM SX-5 rear derailleur, X-7 27-speed trigger shifters, TruVativ IsoFlow crankset with guard & sealed cartridge BB.
- Cockpit** Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
- Brakeset** Tektro alloy direct pull brakes with power modulator, Tektro Tenera comfort levers.



Ano Spearmint/ Ano Silver



Ano Silver/Ano Blue

- Sizes** Mens: 14.5", 16.5", 18.5", 20.5", 22" Ladies: 14.5", 17.5"
- Weight** 31.75 lbs.

ARAGON

A high-rise handlebar, center-groove saddle, suspension seatpost and fork make the Aragon one of the most comfortable urban bikes available. A full 24-speed drivetrain and puncture-resistant tires keep things moving easily and smoothly—even uphill. There's even a pant guard smartly designed into the crankset, to keep you looking good as you cruise the city in style.



- Frame** 6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
- Fork** SR CR-880 suspension, external preload adjustor, 50mm travel.
- Wheels** Weinmann ZAC19 double wall rims, Formula hubs, stainless steel spokes.
- Tires** CST inverted "lockjaw" tread with puncture resistant casing, 38c.
- Drivetrain** Shimano Acera rear derailleur, ST-EF29 24-speed shifters, Shimano C203 crankset with guard & sealed cartridge BB.
- Cockpit** Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
- Brakeset** Tektro alloy direct pull brakes with power modulator, Shimano Acera alloy levers.



Tangerine/ Pearl White



Ano Black/Ano Silver

- Sizes** Mens: 14.5", 16.5", 18.5", 20.5", 22" Ladies: 14.5", 17.5"
- Weight** 32.00 lbs.

CITIZEN

A sleek saddle with center groove, 21-speed drivetrain and light-weight alloy rims make the Citizen more comfortable and easier to pedal than most similarly priced bikes. And a full run of seven sizes helps ensure you'll achieve a comfortable, pedaling-efficient position with the help of an angle-adjustable handlebar stem to keep you in control.



- Frame** 6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
- Fork** SR CR-880 suspension, external preload adjuster, 50mm travel.
- Wheels** Alex alloy 700c rims, Formula alloy hubs with QR, stainless steel spokes.
- Tires** CST inverted "lockjaw" tread, 38c.
- Drivetrain** Shimano Altus rear derailleur, SRAM 21-speed GripShift, Alloy triple crankset with guard and bolt-type cup & cone BB.
- Cockpit** Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
- Brakeset** Alloy direct pull brakes with Tekro Tenera comfort levers.



Baby Doll Blue



Candy Red

Sizes Mens: 14.5", 16.5", 18.5", 20.5", 22", Ladies: 14.5", 17.5"
Weight 32.00 lbs.

COMMUTER

It's called the Commuter, but it's also ideally suited for lunchtime errands and dodging that nasty hunt-for-parking problem during the lunch hour. A lightweight aluminum frame and matching alloy wheels give the Commuter an edge when it comes to energy efficiency and corrosion resistance, and like the rest of our sport comfort lineup the angle-adjustable stem helps assure you of a comfortable riding position and efficient pedaling.



- Frame** 6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
- Fork** Hi-Tensile carbon steel unicrown.
- Wheels** Alex alloy 700c rims, Formula alloy hubs with QR, stainless steel spokes.
- Tires** CST inverted "lockjaw" tread, 38c.
- Drivetrain** Shimano Altus rear derailleur, SRAM 7-speed GripShift, Alloy 48t crankset with guard and bolt-type cup & cone BB.
- Cockpit** Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
- Brakeset** Alloy direct pull brakes with Tekro Tenera comfort levers.



Watermelon



Radium Blue

Sizes Mens: 14.5", 16.5", 18.5", 20.5", 22", Ladies: 14.5", 17.5"
Weight 28.50 lbs.

EXPLORER 4.0

Disc brakes give the Explorer lightweight control feel at the brake lever, for more safety and additional comfort and control. Superior braking performance in wet conditions, with more durability than traditional rim brakes, make the Explorer 4.0 a great choice for wet-weather towns and occasional riders. The Jamis Comfort saddle, suspension seatpost and tall handlebar give you a comfortable, see-over-traffic riding position that's kind to your neck and back.

Frame	6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
Fork	SR XCM suspension, external preload adjustor, 80mm travel.
Wheels	Weinmann ZAC19 double wall rims, Formula disc hubs, stainless steel spokes.
Tires	Jamis Sport Comfort with puncture resistant casing, 1.95".
Drivetrain	Shimano New Alivio, New Alivio Rapidfire shifters, TruVativ IsoFlow crankset with guard & PowerSpline
Cockpit	Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
Brakeset	Tektro 10 disc brakes, Tektro Tintera comfort levers.




Ano Black/ Ano Silver

Sizes	13.5", 15.5", 18", 21"
Weight	35.75 lbs.

EXPLORER 3.0

Like the Explorer 4.0, a lightweight aluminum chassis slots the Explorer 3.0 in a cut above similarly priced bikes, giving you more speed for less effort. With a dependable, quick-shifting Shimano drivetrain the Explorer 3.0 is great for short errands, and a perfect way to extend your mid-week gym workout by making the gym commute part of your fitness program.



Frame	6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
Fork	SR XCM suspension, external preload adjustor, 80mm travel.
Wheels	Weinmann alloy rims, Formula alloy hubs with QR, stainless steel spokes.
Tires	Jamis Sport Comfort with puncture resistant casing, 1.95".
Drivetrain	Shimano New Alivio rear derailleur & Alivio 24-speed Rapidfire shifters, RPM crankset with guard & sealed cartridge BB.
Cockpit	Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
Brakeset	Tektro alloy direct pull brakes with Tektro Tintera comfort levers.



Ano White/ Ano Baby Doll Blue



Ano Red/ Ano Silver

Sizes	Mens: 13.5", 15.5", 18", 21" Ladies: 14.5", 17.5"
Weight	34.00 lbs.

EXPLORER 2.0

The Explorer 2.0 proves you can build an exciting-looking town bike that truly delivers on its promise of fun. An integrated pant guard, wide, cushy saddle and suspension fork and seatpost make it a natural for short errands near the office, with puncture-resistant tires and a smooth-shifting Shimano drivetrain.



Candy Red/Platinum

- Frame** 6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
- Fork** SR 3010 suspension, external preload adjustor, 50mm travel.
- Wheels** Weinmann alloy rims, Formula alloy hubs with QR, stainless steel spokes.
- Tires** Jamis Sport Comfort with puncture resistant casing, 1.95".
- Drivetrain** Shimano Acera rear derailleur, Acera 21-speed EZFire shifters, RPM triple crankset with guard & sealed cartridge BB.
- Cockpit** Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
- Brakeset** Tektro alloy direct pull brakes with Tektro Tenera comfort levers.



Ano White/ Ano Baby Doll Purple



Ano Silver/ Ano Deep Blue

Sizes Mens: 13.5", 15.5", 18", 21" Ladies: 14.5", 17.5"
Weight 34.25 lbs.

EXPLORER 1.0

It doesn't get much simpler than this. Our entry-level Explorer's lightweight aluminum chassis and 21-speed drivetrain make it a superb in-town speedster and fitness bike almost anyone can afford. And because it's not a one-size-fits-all bike like those department store specials you know it will fit you properly, with the correct weight distribution for more comfort, better handling and safety.



Gloss Black

- Frame** 6061 TIG-welded aluminum, sloping double triangle frame design, replaceable derailleur hanger.
- Fork** Hi-Tensile carbon steel unicrown.
- Wheels** Alloy 26 x 1.5" rims, Formula alloy sealed hubs with QR, stainless steel spokes.
- Tires** Jamis Sport Comfort, 1.95".
- Drivetrain** Shimano Altus rear derailleur, SRAM 21-speed GripShift, Alloy crankset with guard and bolt-type cup & cone BB.
- Cockpit** Hi-rise comfort bar, adjustable-rise alloy stem, suspension seatpost, Jamis Comfort saddle.
- Brakeset** Tektro alloy direct pull brakes with Tektro Tenera comfort levers.



Ano Spearmint



Candy Red

Sizes Mens: 13.5", 15.5", 18", 21" Ladies: 14.5", 17.5"
Weight 31.00 lbs.



JAMIS CRUISERS

There's something about a cruiser's timeless styling that just makes people smile. Maybe it's that newsboy look, or the confident whoosh of those big balloon tires. Or maybe it's because cruisers remind us how much fun riding can be.

A Jamis cruiser is an up-to-the-minute refresh of the timeless cruiser. Lightweight aluminum frames and modern, almost zero-maintenance components make our cruisers lighter, easier to pedal and faster than their historical forebears.


You'll feel right at home perched on our plush cruiser saddles. Your hands fall naturally onto the soft grips of the wide handlebar, and with the first turn of the pedals you're free. Our wide-contact cruiser tires offer a big, smooth-rolling footprint for stability and cornering confidence, and a magic carpet ride that positively sings as though every road were new asphalt.

We offer back-to-basics single-speeds, three- and seven-speeders that combine pedaling ease with minimal complexity, and your choice of simple hand brakes or no-frills coaster brakes. And every Jamis cruiser features that upright, see-all-around perspective and comfortable riding position that helps you spot things you'd never notice looking through a windshield.

It's a fact—every neighborhood looks better from a cruiser saddle. Take a cruise through your own neighborhood on a Jamis, and you'll see things in a brighter, more golden light. It's a feel-good machine for your body and your soul.

EARTH CRUISER 3

Swoopy, classic styling meets modern comfort in the Earth Cruiser 3. The EC3 has an almost effortless ride, thanks to its lightweight aluminum frame and nearly maintenance-free Shimano Nexus 3-speed hub. Our refined, elastomer-sprung saddle is a step up from squeaky steel springs with a no-slip, synthetic suede top cover and smooth, thigh-gliding sides. Add soft-to-the-touch kraton grips and smooth-rolling, broad-contact tires and you've got the ultimate bicycle for casually cruising sidewalk cafe's.



Ano Spearmint/ Ano White (L)

- Frame** 7005 oversized aluminum main tubes, contemporary cruiser design, with chainguard and alloy kickstand.
- Fork** Oversized steel unicrown with ovalized blades, in-line dropout.
- Wheels** Alex Zuma 26 x 1.75" with alloy front & Shimano 3-speed rear hubs, 14g stainless steel spokes.
- Tires** Jamis Cruise-Control comfort tread, 26 x 2.125", blackwall with stripe.
- Drivetrain** Alloy cotterless crank with 44T alloy chainring, cruiser comfort pedals.
- Cockpit** Jamis Cruise-Control comfort bar, hi-rise alloy stem, micro-adjust alloy seat post, Earth Cruiser comfort saddle.
- Brakeset** Shimano rear coaster brake.




Copper/ Ivory (M)

Sizes Mens: 18.5", 21.5" Ladies: 15.5", 17.5"
Weight 31.50 lbs.

EARTH CRUISER 1

One ride on this stylish cruiser and you can't help but grin. The EC1 features an aluminum frame that makes the bike light and easy to pedal. With one single gear and simple Shimano coaster brake, this bike is a cinch to start and stop. Our handlebars sweep comfortably wide and back (but not too far!) for a casual upright ride position. Classy Jamis details like an alloy crank, synthetic suede covered saddle, even silver chain, set you and this easy rider apart.



Tangerine/ Pearl White (L)

- Frame** 7005 oversized aluminum main tubes, contemporary cruiser design, with chainguard and alloy kickstand.
- Fork** Oversized steel unicrown with ovalized blades, in-line dropout.
- Wheels** Alex Zuma 26 x 1.75" with alloy front & Shimano coaster brake rear hubs, 14g stainless steel spokes.
- Tires** Jamis Cruise-Control comfort tread, 26 x 2.125", blackwall with stripe.
- Drivetrain** Alloy cotterless crank with 44T alloy chainring, cruiser comfort pedals.
- Cockpit** Jamis Cruise-Control comfort bar, hi-rise alloy stem, micro-adjust alloy seat post, Earth Cruiser comfort saddle.
- Brakeset** Shimano rear coaster brake.









Ano Black/ Ano Orange (M)

Sizes Mens: 18.5", 21.5" Ladies: 15.5", 17.5"
Weight 27.75 lbs.

EARTH CRUISER 2

Don't be fooled by the Earth Cruiser 2's timeless glossy finish and simple character—this is a modern-day cruiser. The EC2's cantilevered lines and painted chainguard may recall classic cruisers, but our 21st century frame design, straight-bladed unicrown fork, elastomer-sprung saddle and wide-contact tires make it lighter and more comfortable to ride than any old-school single-speeder.

	
Super Blue (M)	Gloss Black (M)
	
Copper (M)	Baby Doll Blue (L)
	
Baby Doll Pink (L)	Tangerine (L)

- Frame** Contemporary cruiser design, oversized hi-tensile steel, with chainguard and alloy kickstand.
- Fork** Oversized steel unicrown with ovalized blades, in-line dropout.
- Wheels** Alex Zuma 26 x 1.75" with alloy front & Shimano coaster brake rear hubs, 14g stainless steel spokes.
- Tires** Jamis Cruise-Control comfort tread, 26 x 2.125", blackwall with stripe.
- Drivetrain** Forged 1-piece crank with 44T compact disc chainring, cruiser comfort pedals.
- Cockpit** Jamis Cruise-Control comfort bar, hi-rise alloy stem, alloy seat post, Earth Cruiser comfort saddle.
- Brakeset** Shimano rear coaster brake.



Pearl White (L)



Super Red (M)

Sizes	Mens: 18.5", 21.5" Ladies: 15.5", 17.5"
Weight	33.50 lbs.

BOSS CRUISER 7

The Boss blends mountain bike practicality and cruiser sensibility into a uniquely comfortable city bike and weekend cruiser. While most cruisers make do with just one or two sizes, the Boss comes in six sizes for a perfect fit—essential for comfort. A no-fuss 7-speed drivetrain with twist shifter makes it fast. The plush Cheeks saddle, adjustable-rise stem and upright riding position let you avoid neck and back strain, cruising in comfort on the wide, smooth-rolling whitewall tires.

	
Super Blue (M & L)	Gloss Black (M)
	
Ano White (M)	Metallic GTO (M)
	
Ano Pink (L)	Baby Doll Blue (L)

- Frame** 7005 oversized aluminum with single loop Boss stays, chainguard and alloy kickstand.
- Fork** Oversized steel unicrown with tubular blades, fender bosses & leading dropout.
- Wheels** Alex X303 26 x 1.75" with alloy front & rear hubs, 14g stainless steel spokes.
- Tires** Jamis Cruise-Control comfort tread, 26 x 2.125", blackwall with stripe.
- Drivetrain** Shimano TX-70 derailleur, SRAM GripShift, alloy cotterless crank & 44T alloy ring, cruiser comfort pedals.
- Cockpit** Jamis Cruise-Control comfort bar, hi-rise alloy stem, micro-adjust alloy seat post, Boss Cruiser comfort saddle.
- Brakeset** Tektro alloy direct pull brakes; Tektro Tenera forged alloy levers with comfort insert.



Tangerine (L)



Kiwi Green (M & L)

Sizes	Mens: 17.5", 19.5", 21.5", 23.5" Ladies: 14.5", 17.5"
Weight	33.25 lbs.

BOSS CRUISER

The Boss Cruiser Coaster offers single-speed cruiser simplicity, but comes in six perfect-fit sizes for more comfort and pedaling ease. The lightweight frame and robust, nearly zero-maintenance components make this Boss as carefree as a bicycle gets. Our ultra-plsh Cheeks saddle, wide handlebar and upright seating position give you a safe and secure see-over-traffic view, and lets you revel in the simple joy of near-silent pedaling.

	
Kiwi Green (M & L)	Gloss Black (M)
	
Ano White (M)	Metallic GTO (M)
	
Baby Doll Blue (L)	Tangerine (L)

- Frame** 7005 oversized aluminum with single loop Boss stays, chainguard and alloy kickstand.
- Fork** Oversized steel unicrown with tubular blades, fender bosses & leading dropout.
- Wheels** Alex Zuma 26 x 1.75" with alloy front & Shimano coaster brake rear hubs, 14g stainless steel spokes.
- Tires** Jamis Cruise-Control comfort tread, 26 x 2.125", blackwall with stripe.
- Drivetrain** Alloy cotterless crank with 44T alloy chainring, cruiser comfort pedals.
- Cockpit** Jamis Cruise-Control comfort bar, hi-rise alloy stem, micro-adjust alloy seat post, Boss Cruiser comfort saddle.
- Brakeset** Shimano rear coaster brake.



Baby Doll Pink



Super Blue (M & L)

Sizes	Mens: 17.5", 19.5", 21.5", 23.5" Ladies: 14.5", 17.5"
Weight	29.75 lbs.

TAXI

We build this bike comfortably tough to stand up to the rigors of the resort world. Which is why Taxi is the number one choice for seaside rental fleets all along the Atlantic coast and Gulf shore. With it's lightweight aluminum frame, salt-water resistant drivetrain and wheels, thorn proof tubes, and puncture resistant vinyl saddle, Taxi is perfect for the casual rider looking for a low maintenance, throw-it-around single speed.

- Frame** 7005 oversized aluminum with single loop Boss stays, chainguard and alloy kickstand.
- Fork** Oversized steel unicrown with tubular blades, leading dropout.
- Wheels** Alex X303 alloy rims with alloy front & Shimano coaster brake rear hubs, 12g stainless steel spokes.
- Tires** Jamis Cruise-Control comfort tread, 2.125", blackwall with thorn-proof tubes.
- Drivetrain** Aluminum sealed cartridge BB, forged 1-pc crank with alloy 44T chainwheel, KMC Rust-Buster chain, rust-less bushing type Cruiser pedals.
- Cockpit** Jamis Cruise-Control comfort bar, hi-rise alloy stem, alloy seat post with chromoly QR, Taxi saddle with extra-thick vinyl cover & heavy-duty support struts.
- Brakeset** Shimano rear coaster brake.



Flame Red



Gloss Black

Sizes	Mens: 19.5", 21.5", 23.5" Ladies: 15.5" x 24" wheel, 17.5" x 26" wheel Girls: 8" x 16" wheel, 10" x 20" wheel
Weight	30.75 lbs.



JAMIS YOUTH

If we're passionate about our other bikes, we're positively obsessive when it comes to kids' bikes. For adults, cycling is second nature. But we often forget the frustration and scraped knees of our first rides. Learning to ride a bike is hard—but it's quickly overshadowed by that first taste of freedom earned from those initial, wobbling pedal strokes. That's why we obsess over our youth bikes—we want to make cycling easy for kids, and our hand-wringing over the details can make such a huge difference to them.

We use proportionately sized parts—small grips for small hands, short cranks for growing legs and properly sized saddles, because proper bike fit is the foundation of proper control. And that translates to confidence and smiles. We design low stand-over frames that make getting on and dismounting easy, with stable handling that inspires confidence and improves safety.

Most of our kids' bikes feature lightweight aluminum frames, which may seem like an unnecessarily costly step, but when you think about it -- nobody benefits from a lightweight bike more than a child cyclist. A pound is nothing to an adult, but for a 48-pound kid, a couple extra pounds are a lot. Besides, our tough aluminum chassis will be around for years, perfect for hand-me-downs.

Kids will love the fun, eye-catching graphics, but more importantly, they'll appreciate how easy our bikes are to ride. And while the colorful decor might not be to your taste, you will like the fully padded saddles, the fenders, the full-wrap chainguards and quality construction.

Those first rides they take without training wheels or you holding them up are something they'll remember forever. It's their first taste of wheeled mobility. And it's the perfect metaphor for childhood—you run alongside until they can go it alone, turn them loose and watch them go. Give them a good start. Stack the deck in their favor, with a Jamis.

FESTER 2.4

A durable-but-lightweight aluminum frame forms the foundation for the Fester 2.4, a bike that delivers big-boy performance with big-hit looks. We've given the Fester some advanced features, but worked at keeping it easy to ride with simple, 14-speed gearing actuated by twist shifters; powerful, safe direct-pull brakes with proportionately sized levers; and light alloy rims that help reduce pedaling effort. A replaceable derailleur hanger makes the frame more crash-resistant, and a chainring bash guard adds a tough look and safety all at once.

FESTER	
Ano White	
Frame	7005 TIG-welded aluminum, tapered/oval top & down tubes, with replaceable derailleur hanger.
Fork	SR M3000, suspension, 40mm travel.
Wheels	Black anodized alloy 24 x 1.5" rims with QR front & rear hubs, nickel plated spokes.
Tires	CST ATB knobbies, 1.95".
Drivetrain	Shimano Tourney TX30 rear derailleur, SRAM 14-speed GripShift, alloy 32/22 crankset with outer rock ring.
Cockpit	Alloy direct pull brakes and levers.
Brakeset	Riser bar, threadless alloy "shorty" stem, micro-adjust alloy seatpost, Jamis Jump saddle.



Ano Copper

Sizes	13.5" Frame x 24" Wheels
Weight	28.25 lbs.

FESTER 2.0

Just like the 2.4 version, a lightweight aluminum frame and alloy rims make the Fester 2.0 easier to pedal, which adds to the fun factor and encourages longer riding sessions. A real suspension fork emulates the look of our adult-size Komodo bikes, but it's fully functional for more comfort and additional control. A simple twist shifter activates the 6-speed drivetrain, letting your youngster ride at a comfortable pedaling pace, whether uphill or down. As always, we use proportionally sized saddles, grips and brake levers for maximum comfort, control and safety.

Frame	7005 TIG-welded aluminum, tapered/oval top & down tubes, oversized stays.
Fork	SR M2000, suspension, 30mm travel.
Wheels	Black anodized alloy 20" x 1.5" rims, black front & rear hubs with nutted axles, nickel plated spokes.
Tires	CST ATB knobbies, 2.0", blackwall.
Drivetrain	Shimano TX-30 rear derailleur, SRAM 6-speed GripShift, alloy crank with double-sided chainguard.
Cockpit	Riser bar, adjustable rise alloy stem, micro-adjust alloy seatpost, Jamis Jump saddle.
Brakeset	Alloy direct pull brakes and levers.



Super Blue

Sizes	10" Frame x 20" Wheels
Weight	25.75 lbs.

CAPRI 2.4

An all-new aluminum frame with swooping lines not only looks good, but offers the added safety of lots of stand-over clearance for easier mounts and dismounts and less potential contact if she takes a spill. A full-length chainguard and fenders keep dirt off her clothes, and the wide, smooth-rolling 2.125" tires add more ride cushion and enhance stability as she works the twist shifter through its range of seven click-selected gears. Lightweight, durable aluminum for the frame and rims reduces pedaling effort and keeps the fun factor high.

capri	
Spearmint	
Frame	7005 TIG-welded aluminum, new comfort frame design, with fenders and alloy kickstand.
Fork	Hi-tensile carbon steel unicrown.
Wheels	Black anodized alloy rims 24 x 1.5", black front & rear hubs with nutted axles, nickel plated spokes.
Tires	Brooklyn Speedway Street, 2.125", black with white stripe.
Drivetrain	Shimano TX30 rear derailleur, SRAM 7-speed Grip Shift, alloy single ring crankset with chainguard.
Cockpit	Angle adjustable alloy stem, comfort-type riser bar, clamp, synthetic suede comfort saddle with elastomer springs
Brakeset	Alloy direct pull brakes and levers.



Baby Doll Pink

Sizes	13.5" Frame x 24" Wheels
Weight	28.25 lbs.

CAPRI 2.0

A scaled down version of the Capri 2.4's frame, with aluminum construction that makes it one of the lightest 20-inch-wheeled girls bikes available, for less pedaling effort and more fun. A wide, fully padded saddle and an angle-adjustable handlebar stem improve comfort and help her refine and sharpen her bike handling as she works the twist-shifter gear selector.

Frame	7005 TIG-welded aluminum, new comfort frame design, with fenders and alloy kickstand.
Fork	Hi-tensile carbon steel unicrown
Wheels	Black anodized alloy 20" x 1.5" rims, black front & rear hubs with nutted axles, nickel plated spokes.
Tires	Brooklyn Speedway Street, 2.125", black with white stripe.
Drivetrain	Shimano TX30 rear derailleur, SRAM GripShift, alloy single ring crank, with chainguard.
Cockpit	Angle-adjustable alloy stem, comfort type riser bar, synthetic suede comfort saddle with elastomer springs.
Brakeset	Alloy direct pull brakes and levers.
Sizes	10" Frame x 20" Wheels



Baby Doll Blue

Sizes	10" Frame x 20" Wheels
Weight	26.25 lbs.

LASER 2.0

Laser's cruiser-inspired frame features time-honored BMX geometry (unlike so many other fanciful frames with almost unrideable handling), a sleek new two-tone graphics package and big, cushy Brooklyn Speedway tires with a slick new, full wrap chainguard. It's packed with the looks kids like, but with sensible features like lightweight aluminum wheels and frame, for less pedaling effort and hand-me-down durability.

FESTER	
Golden Rod/ Pearl White	
Frame	7005 TIG-welded aluminum, MX Cruiser frame design, with kickstand.
Fork	Hi-tensile carbon steel unicrown, tubular blades, leading dropout.
Wheels	Black anodized alloy 20 x 1.75" rims, ball bearing'ed front & KT coaster brake rear hubs, nickel plated spokes.
Tires	Brooklyn Speedway, 2.125", black.
Drivetrain	Cold forged 1-pc crank with windmill chainring, 36 x 18T gearing, with chainguard.
Cockpit	Alloy MX stem, BMX bars 150 x 580mm, safety bell, and Jr. BMX padded saddle with protective clear coat.
Brakeset	KT rear coaster brake.



Metallic GTO/ Pearl White

Sizes	10" Frame x 20" Wheels
Weight	25.00 lbs.

LASER 1.6

A scaled-down version of the Laser 2.0, only rendered in steel and kitted out with removable training wheels for added stability while he's learning to ride. Famous Jamis quality details abound, like a full alloy stem and black electro-plated rims and crank for in-the-weather rust resistance. It's equipped with an easy-to-use coaster brake just like the Laser 2.0, so as he moves up he'll already know how to stop safely.

Frame	New MX Cruiser frame design, MX Hi-Ten tubing, with extra-wide training wheels.
Fork	Hi-tensile carbon steel unicrown, tubular blade, leading dropout.
Wheels	Electro-plated black 16" rims, ball bearing'ed front & KT coaster brake rear hubs, nickel-plated spokes.
Tires	Brooklyn Speedway Jr.Street, 2.125", black.
Drivetrain	Cold forged 1-pc crank with windmill chainring, 36 x 18T gearing, with chainguard.
Cockpit	Alloy MX stem, BMX bars 140 x 560mm width, safety bell, and Jr. BMX padded saddle with protective clear coat.
Brakeset	KT rear coaster brake.



Radium Blue/ Pearl White

Sizes	8" Frame x 16" Wheels
Weight	27.00 lbs.

STARLITE 2.0

A graceful, swooping frame of lightweight aluminum looks sweet, especially with the color-matched chainguard and fenders. The swept-back handlebars aren't just for looks; they position her hands in a comfortable position below her chest, so she's not reaching awkwardly upward to try and take control. The white-walled Brooklyn Speedway tires are smooth rolling, with a sensible black tread (those all-white girl tires don't look so good after they've been ridden a few times) and simple-to-use coaster brake.

Pearl White	
Frame	7005 TIG-welded aluminum, new comfort frame design, with fenders and kickstand.
Fork	Hi-tensile carbon steel unicrown.
Wheels	Black anodized alloy 20 x 1.75" rims, ball bearing'ed front & KT coaster brake rear hubs, nickel plated spokes.
Tires	Brooklyn Speedway, 2.125", black with whitewalls.
Drivetrain	Cold forged 1-pc crank with windmill chainring, 36 x 18T gearing, with full wrap chainguard.
Cockpit	Alloy stem, low-rise comfort bars, safety bell, synthetic suede padded saddle with springs.
Brakeset	KT rear coaster brake.



Baby Doll Purple

Sizes	10" Frame x 20" Wheels
Weight	23.75 lbs.

MISS DAISY 1.6

A downsized version of the Starlite's swoopy frame, in economical steel, with training wheels for more stability and a faster transition to two-wheel fun. In true Jamis no-nonsense style, there are no frilly streamers to get tangled up and look frayed a couple months down the road (she'll never miss them). But there are good-looking painted fenders and a full wrap chainguard to protect your little Miss Daisy from chain grease and puddle-splashes.

Baby Doll Blue	
Frame	New comfort frame design, with fenders, kickstand, and extra wide training wheels.
Fork	Hi-tensile carbon steel unicrown.
Wheels	Electro-plated black 16" rims, ball bearing'ed front & KT coaster brake rear hubs, nickel plated spokes.
Tires	Junior Street, 2.125", black with whitewalls.
Drivetrain	Cold forged 1-pc crank with windmill chainring, 36 x 18T gearing, with full wrap chainguard.
Cockpit	Alloy MX stem, low-rise comfort bars, safety bell, synthetic suede padded saddle with springs.
Brakeset	KT rear coaster brake.



Baby Doll Pink

Sizes	8" Frame x 16" Wheels
Weight	25.00 lbs.

HOT ROD 1.2

Boys love the new checkered-flag graphics and knobby-tread tires with matching saddle artwork, fenders and color-matched chainguard. Full ball-bearing construction throughout keeps the Hot Rod rolling and steering longer, easier, and more safely than department store imitations. The V-Shape (he'll have a V-8 soon enough) frame design offers plenty of stand-over clearance for fast pit stop mounts and dismounts.

- Frame

Low stand-over safety-style frame design, MX Hi-Ten tubing, with extra-wide training wheels and fenders.
- Fork

Hi-tensile carbon steel unicrown, tubular blade, leading dropout.
- Wheels

Electro-plated black 12" rims, ball bearing'ed front & KT coaster brake rear hubs, nickel plated spokes.
- Tires

CST Street, 2.125", all black.
- Drivetrain

Cold forged 1-pc crank with 5-arm chainring, 28 x 16T gearing, with chainguard.
- Cockpit

Alloy stem, mid-rise bars with comfort sweep, safety pad and bell, Jr. BMX padded saddle with protective clear coat.
- Brakeset

KT rear coaster brake.



Candy Red

Sizes

6" Frame x 12" Wheels

Weight

20.00 lbs.

LADYBUG 1.2

Lady Bug shares the Hot Rod's easy-to-step-over frame design, but with graphics and colors little girls can't resist. The fully padded and sprung saddle, slip-resistant pedals, and small diameter grips make it a cinch to ride, with fenders and a full-wrap chainguard to add a little dirt and stain protection. And the safety bell is there to ring along with the smiles.

- Frame

Low stand-over Y-style frame design, MX Hi-Ten tubing, with extra-wide training wheels and fenders.
- Fork

Hi-tensile carbon steel unicrown.
- Wheels

Electro-plated black 12" rims, ball bearing'ed front & KT coaster brake rear hubs, nickel plated spokes.
- Tires

CST Street, 2.125", black with whitewall.
- Drivetrain

Cold forged 1-pc crank with 5-arm chainring, 28 x 16T gearing, with chainguard.
- Cockpit

Alloy stem, mid-rise bars with comfort sweep, safety pad and bell, Lil' Girls comfort saddle with protective clear coat.
- Brakeset

KT rear coaster brake.



Baby Doll Pink

Sizes

6" Frame x 12" Wheels

Weight

20.00 lbs.


2006 JAMIS GEOMETRY

All Jamis manufactured frames and forks feature a limited warranty against defects; and a one-year warranty on parts.

See your owner's manual for complete details.

All bicycles are equipped with full CSPC equipment.

All specifications are subject to change without notice.



- A = Size
- B = Seat Tube, Center of BB to top of TT
- C = Effective TT Length
- D = Head Tube Angle
- E = Seat Tube Angle
- F = Chainstay
- G = Wheelbase
- H = Fork Rake
- I = Bottom Bracket Height
- J = Head Tube
- K = Standover

JAMIS 2006 ROAD BIKES (MM / INCHES)											
MODEL	SIZE	CENTER OF BB to TOP of TT	EFFECTIVE TT LENGTH	HEAD TUBE ANGLE	SEAT TUBE ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
XENITH TEAM	48cm	16.42/417	20.28/515	72.4°	72.9°	15.94/405	37.13/943	1.69/43	10.31/262	3.94/100	28.31/719
XENITH PRO	51cm	18.11/460	20.87/530	72.9°	72.9°	15.94/405	37.52/953	1.69/43	10.31/262	4.72/120	29.49/749
XENITH COMP	54cm	18.78/477	21.46/545	72.9°	72.9°	15.94/405	38.11/968	1.69/43	10.31/262	5.51/140	30.19/767
	56cm	19.61/498	22.24/565	72.9°	72.9°	15.94/405	38.90/988	1.69/43	10.31/262	6.30/160	30.94/786
	58cm	20.24/514	22.83/580	72.9°	72.9°	15.94/405	39.49/1003	1.69/43	10.31/262	7.09/180	31.57/802
	61cm	20.91/531	23.31/592	72.9°	72.9°	15.94/405	39.96/1015	1.69/43	10.31/262	7.87/200	32.24/819
VENTURA ELITE	48cm	16.42/417	20.27/515	71°	74°	16.34/415	38.50/978	1.97/50	10.51/267	3.94/100	27.87/708
VENTURA COMP	51cm	18.11/460	20.67/525	71.5°	74°	16.34/415	38.78/985	1.97/50	10.51/267	4.72/120	29.13/740
	54cm	18.78/477	21.18/538	72°	73.5°	16.34/415	38.78/985	1.77/45	10.51/267	5.51/140	29.88/759
	56cm	19.60/498	21.85/555	72.5°	73°	16.34/415	38.86/987	1.69/43	10.51/267	6.30/160	30.63/778
	58cm	20.23/514	22.44/570	72.5°	72.5°	16.34/415	39.41/1001	1.69/43	10.51/267	7.08/180	31.30/795
VENTURA COMP WOMAN SPECIFIC	61cm	20.90/531	23.03/585	72.5°	72.5°	16.34/415	40.00/1016	1.69/43	10.51/267	7.87/200	31.97/812
	48cm L	16.42/417	20.27/515	71°	74.5°	16.34/415	38.66/982	1.97/50	10.51/267	3.94/100	27.91/709
	51cm L	18.11/460	20.67/525	71.5°	74°	16.34/415	38.78/985	1.97/50	10.51/267	4.72/120	29.13/740
	54cm L	18.78/477	21.06/535	72.5°	74°	16.34/415	38.58/980	1.77/45	10.51/267	5.51/140	29.96/761
VENTURA SPORT	48cm	16.42/417	20.27/515	71°	74°	16.34/415	38.50/978	1.97/50	10.51/267	3.94/100	27.87/708
	51cm	18.11/460	20.67/525	71.5°	74°	16.34/415	38.78/985	1.97/50	10.51/267	4.72/120	29.13/740
	54cm	18.78/477	21.18/538	72°	73.5°	16.34/415	38.66/982	1.77/45	10.51/267	5.51/140	29.88/759
	56cm	19.60/498	21.85/555	72.5°	73°	16.34/415	38.86/987	1.69/43	10.51/267	6.30/160	30.63/778
	58cm	20.23/514	22.44/570	72.5°	72.5°	16.34/415	39.41/1001	1.69/43	10.51/267	7.08/180	31.30/795
TRILOGY	61cm	20.90/531	23.03/585	72.5°	72.5°	16.34/415	40.00/1016	1.69/43	10.51/267	7.87/200	31.97/812
	51cm	20.08/510	20.67/525	73°	76°	15.08/383	37.68/957	1.69/43	10.79/274	4.92/125	30.63/778
	54cm	21.26/540	21.06/535	73°	76°	15.08/383	38.15/969	1.69/43	10.79/274	6.10/155	32.12/816
	56cm	22.05/560	21.85/555	73°	76°	15.08/383	38.97/990	1.69/43	10.79/274	6.89/175	32.56/827
	58cm	22.83/580	22.64/575	73°	76°	15.08/383	39.80/1011	1.69/43	10.79/274	7.67/195	33.30/846
	61cm	24.01/610	23.15/588	73°	76°	15.08/383	40.27/1023	1.69/43	10.79/274	8.86/225	34.45/875
COMET	51cm	20.08/510	20.67/525	73°	76°	14.96/380	37.60/955	1.69/43	10.79/274	5.12/130	30.79/782
	54cm	21.26/540	21.06/535	73°	76°	14.96/380	38.03/966	1.69/43	10.79/274	6.30/160	31.93/811
	56cm	22.05/560	21.85/555	73°	76°	14.96/380	38.86/987	1.69/43	10.79/274	7.09/180	32.68/830
	58cm	22.83/580	22.64/575	73°	76°	14.96/380	39.68/1008	1.69/43	10.79/274	7.87/200	33.46/850
	61cm	24.02/610	23.03/585	73°	76°	14.96/380	40.16/1020	1.69/43	10.79/274	9.06/230	34.61/879
ECLIPSE	47cm	18.50/470	20.12/511	71°	75°	15.98/406	38.50/978	1.97/50	10.83/275	3.94/100	28.90/734
	49cm	19.29/490	20.67/525	72.5°	75°	15.98/406	38.31/973	1.69/43	10.83/275	4.13/105	29.53/750
	51cm	20.08/510	20.98/533	73°	74.5°	15.98/406	38.31/973	1.69/43	10.83/275	4.72/120	30.23/768
	53cm	20.87/530	21.26/540	73°	74°	16.14/410	38.58/980	1.69/43	10.83/275	5.31/135	30.87/784
	55cm	21.65/550	21.85/555	73°	73.5°	16.14/410	38.58/980	1.69/43	10.83/275	6.10/155	31.61/803
	57cm	22.44/570	22.44/570	73.5°	73°	16.34/415	39.37/1000	1.69/43	10.83/275	6.69/170	32.28/820
	59cm	23.23/590	22.83/580	74°	73°	16.34/415	39.57/1005	1.69/43	10.83/275	7.48/190	33.07/840
QUEST	61cm	24.02/610	23.46/596	74°	72.5°	16.34/415	39.96/1015	1.69/43	10.83/275	8.07/205	33.70/856
	50cm	19.69/500	21.06/535	72.5°	74°	16.34/415	38.70/983	1.69/43	10.83/275	4.53/115	30.12/765
	53cm	20.87/530	21.42/544	72.5°	73°	16.34/415	38.74/984	1.69/43	10.83/275	5.31/135	31.02/788
	55cm	21.65/550	21.65/550	72.5°	73°	16.34/415	38.98/990	1.69/43	10.83/275	5.90/150	31.73/806
	57cm	22.44/570	22.24/565	73°	73°	16.34/415	39.37/1000	1.69/43	10.83/275	6.49/165	32.40/823
	59cm	23.23/590	22.64/575	73.5°	72.5°	16.34/415	39.37/1000	1.69/43	10.83/275	7.08/180	33.07/840
	62cm	24.41/620	23.43/595	73.5°	72.5°	16.34/415	40.12/1019	1.69/43	10.83/275	8.15/207	34.13/867
QUEST WOMAN SPECIFIC	47cm L	15.35/390	20.15/512	70°	74.5°	16.34/415	38.78/985	1.97/50	10.83/275	3.94/100	27.24/692
	50cm L	18.11/460	20.67/525	72°	74°	16.34/415	38.50/978	1.69/43	10.83/275	4.53/115	29.17/741
	53cm L	20.87/530	21.06/535	72.5°	74°	16.34/415	38.74/984	1.69/43	10.83/275	5.31/135	31.06/789

JAMIS 2006 ROAD BIKES (MM / INCHES)											
MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HEAD TUBE ANGLE	SEAT TUBE ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
NOVA	46cm	14.45/367	20.20/513	71°	74.5°	16.73/425	39.25/997	1.97/50	11.02/280	3.94/100	27.19/691
	49cm	19.29/490	20.67/525	71°	74.5°	16.73/425	39.45/1002	1.69/43	11.02/280	4.13/105	30.22/768
	51cm	20.08/510	21.26/540	71.5°	73.5°	16.73/425	39.50/1003	1.69/43	11.02/280	4.53/115	30.81/783
	53cm	20.87/530	21.85/555	71.5°	73.5°	16.73/425	40.11/1019	1.69/43	11.02/280	4.92/125	31.41/798
	55cm	21.65/550	22.44/570	72°	73°	16.73/425	40.33/1024	1.69/43	11.02/280	5.31/135	32.00/813
	57cm	22.44/570	23.03/585	72°	73°	16.73/425	40.93/1040	1.69/43	11.02/280	6.14/156	32.78/833
	60cm	23.62/600	23.62/600	72.5°	72.5°	16.73/425	41.14/1044	1.69/43	11.02/280	6.97/177	33.75/857
SATELLITE	47cm	15.35/390	20.16/512	71°	74.5°	16.34/415	38.78/985	1.97/50	10.83/275	3.94/100	27.24/692
	50cm	19.69/500	21.06/535	72.5°	74°	16.34/415	38.74/984	1.69/43	10.83/275	4.53/115	30.12/765
	53cm	20.71/526	21.42/544	72.5°	73°	16.34/415	38.74/984	1.69/43	10.83/275	5.32/135	31.04/788
	55cm	21.50/546	21.65/550	72.5°	73°	16.34/415	38.98/990	1.69/43	10.83/275	5.91/150	31.69/805
	57cm	22.28/566	22.24/565	73°	73°	16.34/415	39.37/1000	1.69/43	10.83/275	6.50/165	32.40/823
	59cm	23.07/586	22.64/575	73.5°	72.5°	16.34/415	39.37/1000	1.69/43	10.83/275	7.09/180	33.07/840
	62cm	24.25/616	23.43/595	73.5°	72.5°	16.34/415	40.12/1019	1.69/43	10.83/275	8.15/207	34.13/867
AURORA	47cm	14.57/370	20.20/513	70.5°	74°	17.32/440	39.84/1012	1.97/50	10.83/275	3.94/100	27.01/686
	50cm	19.56/497	21.06/535	72°	74°	17.32/440	40.24/1022	1.97/50	10.83/275	4.53/115	30.45/774
	53cm	20.75/527	21.46/545	72°	73°	17.32/440	40.24/1022	1.97/50	10.83/275	5.32/135	31.40/798
	55cm	21.53/547	21.65/550	72°	73°	17.32/440	40.43/1027	1.97/50	10.83/275	5.91/150	32.15/817
	57cm	22.28/566	22.05/560	72°	72°	17.32/440	40.43/1027	1.97/50	10.83/275	6.50/165	32.74/832
	59cm	23.15/588	22.44/570	72.5°	72°	17.32/440	40.63/1032	1.97/50	10.83/275	7.09/180	33.44/849
	62cm	24.25/616	23.23/590	72.5°	72°	17.32/440	41.38/1051	1.97/50	10.83/275	7.67/195	34.28/871
SPUTNIK	50cm	19.56/497	20.47/520	72°	75°	15.94/405	40.24/1022	1.77/45	10.83/275	3.54/90	29.92/760
	53cm	20.75/527	21.26/540	72°	74°	15.94/405	40.24/1022	1.77/45	10.83/275	4.41/112	30.86/784
	55cm	21.53/547	22.04/560	73.5°	73°	15.94/405	40.43/1027	1.57/40	10.83/275	4.88/124	31.57/802
	57cm	22.28/566	22.44/570	73.5°	73°	15.94/405	40.43/1027	1.57/40	10.83/275	5.59/142	32.28/820
	59cm	23.15/588	23.03/585	73.5°	73°	15.94/405	40.63/1032	1.57/40	10.83/275	6.38/162	33.03/839
	62cm	24.25/616	23.62/600	74°	72.5°	15.94/405	41.38/1051	1.57/40	10.83/275	7.40/188	34.09/866
JAMIS 2006 FULL SUSPENSION MTB (MM / INCHES)											
MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HEAD TUBE ANGLE	SEAT TUBE ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
DIABLO 2.0	15.5"	14.25/362	21.73/552	67°	72.5°	17.72/450	43.78/1112	1.77/45	12.60/320	5.12/130	30.75/781
DIABLO 1.0	17.5"	16.14/410	23.23/590	67°	72.5°	17.72/450	45.28/1150	1.77/45	12.60/320	5.12/130	32.09/815
	19.5"	16.22/412	24.02/610	67°	72.5°	17.72/450	46.06/1170	1.77/45	12.60/320	5.12/130	32.17/817
	13"	12.32/313	21.14/537	68.5°	74.5°	17.13/435	42.36/1076	1.50/38	12.60/320	4.72/120	28.86/733
	15"	13.31/338	21.42/544	68.5°	74.5°	17.13/435	42.52/1080	1.50/38	12.60/320	4.72/120	29.41/747
DAKAR XLT 1.0	17"	14.05/357	22.56/573	68.5°	74°	17.13/435	43.73/1111	1.50/38	12.60/320	4.72/120	30.31/770
	19"	16.85/428	23.23/590	68.5°	74°	17.13/435	44.17/1122	1.50/38	12.60/320	4.72/120	31.53/801
	21"	17.91/455	24.05/611	68.5°	73.5°	17.13/435	45.00/1143	1.50/38	12.60/320	5.71/145	32.91/836
DAKAR XC PRO	13"	12.44/316	21.10/536	71°	74.5°	16.73/425	40.43/1027	1.50/38	12.20/310	4.53/115	27.38/695
DAKAR XC EXPERT	15"	13.31/338	22.05/560	71°	74.5°	16.73/425	41.34/1050	1.50/38	12.20/310	4.53/115	28.55/725
	17"	15.91/404	22.87/581	71°	74°	16.73/425	42.01/1067	1.50/38	12.20/310	4.92/125	30.35/771
	19"	17.44/443	23.70/602	71°	74°	16.73/425	42.91/1090	1.50/38	12.20/310	5.51/140	31.34/796
	21"	17.44/443	24.08/612	71°	73.5°	16.73/425	43.15/1096	1.50/38	12.20/310	6.89/175	32.12/816
DAKAR XC COMP	13"	12.44/316	21.10/536	71°	74.5°	16.73/425	40.43/1027	1.50/38	12.20/310	4.53/115	27.38/695
	15"	13.31/338	22.05/560	71°	74.5°	16.73/425	41.34/1050	1.50/38	12.20/310	4.53/115	28.55/725
	17"	15.91/404	22.87/581	71°	74°	16.73/425	42.01/1067	1.50/38	12.20/310	4.92/125	30.31/770
	19"	17.44/443	23.70/602	71°	74°	16.73/425	42.91/1090	1.50/38	12.20/310	5.51/140	31.34/796
	21"	17.44/443	24.08/612	71°	73.5°	16.73/425	43.15/1096	1.50/38	12.20/310	6.89/175	32.12/816
DAKAR SPORT	13"	12.46/317	21.14/537	71°	74.5°	16.73/425	40.43/1027	1.50/38	12.20/310	3.94/100	27.00/686
DAKAR	15"	13.31/338	22.05/560	71°	74.5°	16.73/425	41.34/1050	1.50/38	12.20/310	3.94/100	28.11/714
	17"	15.89/404	22.87/581	71°	74°	16.73/425	42.01/1067	1.50/38	12.20/310	4.33/110	29.65/753
	19"	17.44/443	23.74/603	71°	74°	16.73/425	42.91/1090	1.50/38	12.20/310	5.12/130	30.83/783
	21"	17.44/443	24.09/612	71°	73.5°	16.73/425	43.15/1096	1.50/38	12.20/310	6.50/165	31.34/796
	23"	19.37/492	24.60/625	71°	73.5°	16.73/425	43.66/1109	1.50/38	12.20/310	6.50/165	32.56/827

JAMIS 2006 HARDTAIL MTB (MM / INCHES)											
MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HEAD TUBE ANGLE	SEAT TUBE ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
ALUMINUM HARDTAILS											
KOMODO 3.0	14"	12.52/318	22.24/565	67.5°	71.5°	16.73/425	42.24/1073	1.61/41	12.80/325	4.72/120	29.13/740
KOMODO 2.0	15.5"	14.21/361	22.83/580	67.5°	71.5°	16.73/425	42.83/1088	1.61/41	12.80/325	5.12/130	30.35/771
KOMODO 1.0	16.5	14.09/358	23.43/595	67.5°	71.5°	16.73/425	43.43/1103	1.61/41	12.80/325	5.12/130	30.31/770
	18"	15.98/406	24.61/625	67.5°	71.5°	16.73/425	44.65/1134	1.61/41	12.80/325	5.51/140	31.61/803
DAKOTA ELITE	15.5"	14.37/365	21.50/546	71°	73.5°	16.73/425	40.31/1024	1.50/38	11.69/297	4.33/110	28.82/732
DAKOTA COMP	17"	15.83/402	22.77/578	71°	73.5°	16.73/425	41.57/1056	1.50/38	11.69/297	4.33/110	29.68/754
	19"	17.80/452	23.25/591	71°	73.5°	16.73/425	42.09/1069	1.50/38	11.69/297	5.12/130	31.06/789
	21"	19.76/502	23.75/603	71.5°	73°	16.73/425	42.20/1072	1.50/38	11.69/297	6.50/165	32.68/830
DURANGO 3.0	12.5"	11.45/291	21.19/538	70.5°	74°	16.73/425	40.35/1025	1.50/38	11.69/297	4.13/105	26.97/685
DURANGO 2.0	14"	12.87/327	21.96/558	70.5°	74°	16.73/425	41.14/1045	1.50/38	11.69/297	4.13/105	27.87/708
DURANGO 1.0	15.5"	14.29/363	22.36/568	70.5°	74°	16.73/425	41.53/1055	1.50/38	11.69/297	4.13/105	28.82/732
	17"	15.83/402	22.77/578	71°	73.5°	16.73/425	41.57/1056	1.50/38	11.69/297	4.33/110	29.68/754
	19"	17.80/452	23.25/591	71°	73.5°	16.73/425	42.09/1069	1.50/38	11.69/297	5.12/130	31.06/789
	21"	19.76/502	23.75/603	71.5°	73°	16.73/425	42.20/1072	1.50/38	11.69/297	6.50/165	32.68/830
CROSS COUNTRY 2.0	12"	10.98/279	20.67/525	70.5°	74°	16.73/425	40.08/1018	1.77/45	11.69/297	4.13/105	26.22/666
CROSS COUNTRY 1.0	14"	12.48/317	21.46/545	70.5°	74°	16.73/425	40.87/1038	1.77/45	11.69/297	4.13/105	27.24/692
	15.5"	14.33/364	21.65/550	70.5°	74°	16.73/425	41.06/1043	1.77/45	11.69/297	4.13/105	28.35/720
	17"	15.51/394	22.05/560	71°	73.5°	16.73/425	41.10/1044	1.77/45	11.69/297	4.33/110	29.06/738
	19"	17.48/444	22.64/575	71°	73.5°	16.73/425	41.73/1060	1.77/45	11.69/297	5.12/130	30.47/774
	21"	19.41/493	23.43/595	71.5°	73°	16.73/425	42.17/1071	1.77/45	11.69/297	6.50/165	32.09/815
	14.5" L	9.25/235	20.87/530	70°	73°	16.93/430	40.31/1024	1.77/45	11.69/297	4.33/110	26.14/664
	17.5" L	9.25/235	22.05/560	70.5°	72.5°	16.93/430	41.18/1046	1.77/45	11.69/297	5.51/140	26.73/679
RANGER SX	12"	10.67/271	20.67/525	70.5°	74°	16.73/425	40.04/1017	1.77/45	11.69/297	4.13/105	26.22/666
RANGER XR	14"	12.68/322	21.46/545	70.5°	74°	16.73/425	40.83/1037	1.77/45	11.69/297	4.13/105	27.48/698
	15.5"	14.29/363	21.65/550	70.5°	74	16.73/425	41.02/1042	1.77/45	11.69/297	4.13/105	28.32/722
	17"	15.67/398	22.05/560	71	73.5°	16.73/425	41.06/1043	1.77/45	11.69/297	4.33/110	29.21/742
	19"	17.64/448	22.64/575	71°	73.5°	16.73/425	41.69/1059	1.77/45	11.69/297	5.12/130	30.59/777
	21"	19.61/498	23.43/595	71.5°	73°	16.73/425	42.17/1071	1.77/45	11.69/297	6.50/165	32.20/818
	12L	8.03/204	20.67/525	70.5°	74°	16.93/430	40.28/1023	1.77/45	11.69/297	4.13/105	24.49/622
	14.5" L	9.09/231	20.91/531	70°	73°	16.93/430	40.31/1024	1.77/45	11.69/297	4.33/110	25.20/640
	17.5" L	9.09/231	22.09/561	70.5°	72.5°	16.93/430	41.18/1046	1.77/45	11.69/297	5.51/140	25.59/650
STEEL HARDTAILS											
DRAGON TEAM	13"	12.13/308	21.25/540	70.5°	74°	16.73/425	40.38/1026	1.50/38	11.69/297	3.74/95	26.30/668
DRAGON PRO	15"	14.13/359	22.24/565	71°	73.5°	16.73/425	41.02/1042	1.50/38	11.69/297	3.94/100	27.76/705
EXILE XC	17"	16.14/410	22.99/584	71°	73.5°	16.73/425	41.81/1062	1.50/38	11.69/297	4.33/110	29.17/741
	19"	18.15/461	23.74/603	71.5°	73°	16.73/425	42.17/1071	1.50/38	11.69/297	5.12/130	30.71/780
	21"	20.12/511	24.13/613	71.5°	73°	16.73/425	42.60/1082	1.50/38	11.69/297	6.69/170	32.52/826
EXILE SS	13"	12.13/308	21.25/540	70.5°	74°	16.73/425	40.38/1026	1.50/38	11.69/297	3.74/95	26.34/669
	15"	14.13/359	22.24/565	71°	73.5°	16.73/425	41.02/1042	1.50/38	11.69/297	3.94/100	27.76/705
	17"	16.14/410	22.99/584	71°	73.5°	16.73/425	41.81/1062	1.50/38	11.69/297	4.33/110	29.17/741
	19"	18.15/461	23.74/603	71.5°	73°	16.73/425	42.17/1071	1.50/38	11.69/297	5.12/130	30.71/780
	21"	20.12/511	24.13/613	71.5°	73°	16.73/425	42.60/1082	1.50/38	11.69/297	6.69/170	32.52/826

JAMIS 2006 STREET/ SPORT COMFORT (MM / INCHES)											
MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HEAD TUBE ANGLE	SEAT TUBE ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
CODA SUPREME	16"	15.16/385	21.46/545	71°	74°	17.13/435	40.43/1027	1.69/43	10.79/274	3.74/95	27.20/691
	17.5"	16.65/423	22.05/560	71°	74°	17.13/435	41.02/1042	1.69/43	10.79/274	4.33/110	28.38/721
	19.5"	18.62/473	22.44/570	72°	73.5°	17.13/435	40.90/1039	1.69/43	10.79/274	4.92/125	29.84/758
	21.5"	20.67/525	23.03/585	72°	73.5°	17.13/435	41.53/1055	1.69/43	10.79/274	5.51/140	31.18/792
	23"	22.20/564	23.43/595	72°	73.5°	17.13/435	41.93/1065	1.69/43	10.79/274	6.10/155	32.28/820
CODA ELITE	16"	15.16/385	21.46/545	71°	74°	17.13/435	40.48/1028	1.69/43	11.22/285	3.74/95	28.07/713
CODA COMP	17.5"	16.65/423	22.05/560	71°	74°	17.13/435	41.11/1044	1.69/43	11.22/285	4.33/110	29.25/743
CODA SPORT	19.5"	18.62/473	22.44/570	72°	73.5°	17.13/435	40.95/1040	1.69/43	11.22/285	4.92/125	30.71/780
CODA	21.5"	20.67/525	23.03/585	72°	73.5°	17.13/435	41.55/1055	1.69/43	11.22/285	5.51/140	32.13/816
	23"	22.20/564	23.43/595	72°	73.5°	17.13/435	41.97/1066	1.69/43	11.22/285	6.10/155	33.19/843
TANGIER	14.5"	13.62/346	21.50/546	71°	74°	17.52/445	41.30/1049	1.97/50	11.22/285	4.72/120	28.31/719
	16.5"	15.24/387	22.11/562	71°	74°	17.52/445	41.89/1064	1.97/50	11.22/285	4.72/120	29.33/745
	18.5"	17.46/443	22.48/571	72°	73.5°	17.52/445	41.69/1059	1.97/50	11.22/285	4.72/120	30.63/778
	20.5"	19.48/495	23.06/586	72°	73.5°	17.52/445	42.28/1074	1.97/50	11.22/285	5.12/130	31.89/810
	22"	21.02/534	23.46/596	72°	73.5°	17.52/445	42.68/1084	1.97/50	11.22/285	5.71/145	32.91/836
	14.5" L	9.27/235	21.49/546	71°	74°	17.52/445	41.26/1048	1.97/50	11.22/285	3.74/95	25.47/647
	17.5" L	10.06/255	21.88/556	71°	73.5°	17.52/445	41.46/1053	1.97/50	11.22/285	4.33/110	26.22/666
ARAGON	14.5"	13.43/341	21.50/546	71°	74°	17.52/445	41.26/1048	1.97/50	11.22/285	3.74/95	28.56/725
	16.5"	14.57/370	22.13/562	71°	74°	17.52/445	41.89/1064	1.97/50	11.22/285	4.13/105	29.64/753
	18.5"	17.20/437	22.48/571	72°	73.5°	17.52/445	41.69/1059	1.97/50	11.22/285	4.13/105	30.60/777
	20.5"	19.25/489	23.07/586	72°	73.5°	17.52/445	42.24/1073	1.97/50	11.22/285	4.13/105	31.57/802
	22"	20.75/527	23.46/596	72°	73.5°	17.52/445	42.68/1084	1.97/50	11.22/285	5.12/130	32.79/833
	14.5L	9.27/235	21.49/546	71°	74°	17.52/445	41.26/1048	1.97/50	11.22/285	3.74/95	26.69/678
	17.5L	10.06/255	21.88/556	71°	73.5°	17.52/445	41.46/1053	1.97/50	11.22/285	4.33/110	27.32/694
CITIZEN	14.5"	13.43/341	21.50/546	71°	74°	17.52/445	41.26/1048	1.97/50	11.22/285	3.74/95	28.03/712
	16.5"	14.57/370	22.13/562	71°	74°	17.52/445	41.89/1064	1.97/50	11.22/285	4.13/105	29.21/742
	18.5"	17.20/437	22.48/571	72°	73.5°	17.52/445	41.69/1059	1.97/50	11.22/285	4.13/105	30.47/774
	20.5"	19.25/489	23.07/586	72°	73.5°	17.52/445	42.24/1073	1.97/50	11.22/285	4.13/105	31.57/802
	22"	20.75/527	23.46/596	72°	73.5°	17.52/445	42.68/1084	1.97/50	11.22/285	5.12/130	32.79/833
	14.5L	9.53/242	21.49/546	71°	74°	17.52/445	41.26/1048	1.97/50	11.22/285	3.74/95	25.43/646
	17.5L	10.28/261	21.88/556	71°	73.5°	17.52/445	41.46/1053	1.97/50	11.22/285	4.33/110	26.10/663
COMMUTER	14.5"	13.39/340	21.50/546	71°	74°	17.52/445	40.98/1041	1.77/45	11.22/285	3.74/95	27.44/697
	16.5"	15.28/388	22.13/562	71°	74°	17.52/445	41.61/1057	1.77/45	11.22/285	4.13/105	28.70/729
	18.5"	17.17/436	22.48/571	72°	73.5°	17.52/445	41.42/1052	1.77/45	11.22/285	4.33/110	29.84/758
	20.5"	19.21/488	23.07/586	72°	73.5°	17.52/445	42.01/1067	1.77/45	11.22/285	4.33/110	30.91/785
	22"	20.75/527	23.46/596	72°	73.5°	17.52/445	42.44/1078	1.77/45	11.22/285	5.31/135	32.13/816
	14.5" L	9.49/241	21.49/546	71°	74°	17.52/445	40.94/1040	1.77/45	11.22/285	3.74/95	25.00/635
	17.5" L	10.28/261	21.88/556	71°	73.5°	17.52/445	41.26/1048	1.77/45	11.22/285	4.33/110	28.82/732
EXPLORER 4.0	13.5"	11.57/294	21.06/535	70°	72°	16.73/425	39.96/1015	1.77/45	11.69/297	4.72/120	26.69/678
EXPLORER 3.0	15.5"	13.46/342	21.65/550	70°	72°	16.73/425	40.55/1030	1.77/45	11.69/297	5.51/140	28.11/714
EXPLORER 2.0	18"	15.94/405	22.64/575	70°	72°	16.73/425	41.57/1056	1.77/45	11.69/297	6.89/175	30.12/765
EXPLORER 1.0	21"	18.94/481	23.43/595	70°	72°	16.73/425	42.40/1077	1.77/45	11.69/297	8.27/210	32.32/821
	14.5" L	9.25/235	20.67/525	70°	72°	16.73/425	39.76/1010	1.77/45	11.69/297	5.51/140	25.24/641
	17.5" L	9.33/237	22.05/560	70°	72°	16.73/425	41.22/1046	1.77/45	11.69/297	6.89/175	25.71/653
JAMIS 2006 CRUISERS (MM / INCHES)											
MODEL	SIZE	CENTER of BB to TOP of TT	EFFECTIVE TT LENGTH	HEAD TUBE ANGLE	SEAT TUBE ANGLE	CHAINSTAY	WHEELBASE	FORK RAKE	BB HEIGHT	HEADTUBE	STANDOVER
EARTH CRUISER SERIES	18.5"	17.52/548	22.91/582	69°	70°	18.50/470	42.72/1085	1.77/45	10.71/272	4.13/105	26.93/684
	21.5"	19.76/578	24.02/610	69°	70°	18.50/470	43.82/1113	1.77/45	10.71/272	5.12/130	28.19/716
	15.5" L	7.52/191	21.81/554	69°	70°	18.50/470	41.61/1057	1.77/45	10.71/272	4.13/105	17.46/443
	17.5" L	8.70/221	22.91/582	69°	70°	18.50/470	42.72/1085	1.77/45	10.71/272	4.13/105	18.03/458
BOSS CRUISER SERIES	17.5"	16.02/407	22.32/567	69°	70°	18.70/475	42.28/1074	1.57/40	10.71/272	4.33/110	28.39/721
	19.5"	17.91/455	22.68/576	70°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.92/125	29.80/757
	21.5"	20.00/508	23.39/594	70°	70°	18.70/475	42.83/1088	1.57/40	10.71/272	5.91/150	31.22/793
	23.5"	22.01/559	23.39/594	70°	70°	18.70/475	42.83/1088	1.57/40	10.71/272	7.87/200	33.07/840
	14.5" L	9.41/239	22.32/567	69°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	24.21/615
	17.5" L	9.41/239	22.68/576	70°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	24.25/616
TAXI	17.5"	16.02/407	22.32/567	69°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	28.39/721
	19.5"	17.91/455	22.68/576	70°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	29.80/757
	20.5"	19.13/486	22.68/576	70°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	30.08/764
	22.5"	21.02/534	23.43/595	70°	70°	18.70/475	42.83/1088	1.57/40	10.71/272	5.91/150	31.73/806
	24.5"	22.99/584	23.39/594	70°	70°	18.70/475	43.03/1093	1.57/40	10.71/272	7.87/200	33.58/853
	16" L	9.41/239	22.32/567	69°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	24.21/615
	18" L	9.41/239	22.68/576	70°	70°	18.70/475	42.09/1069	1.57/40	10.71/272	4.33/110	24.25/616

	DIABLO 2.0	DABLO 1.0	DAKAR XLT 3.0	DAKAR XLT 2.0	DAKAR XLT 1.0	DAKAR XC PRO	DAKAR XC EXPERT
FRAME	7005 aluminum, 1.5" head tube, 83mm BB shell, 150mm x 12mm thru axle dropout spacing, cartridge bearing pivots, 175mm travel, Manitou Revox shock with Ti spring, international disc brake mount.	7005 aluminum, 1.5" head tube, 83mm BB shell, 150mm x 12mm thru axle dropout spacing, cartridge bearing pivots, 175mm travel, Manitou Swinger 4-way coil, international disc brake mount.	Kinesium alloy main triangle and 7005 rear, cartridge bearing pivots, multiple linkage design, 125mm travel, Fox Float RP3 AVA shock, replaceable derailleur hanger, international disc brake mount.	Kinesium alloy main triangle and 7005 rear, cartridge bearing pivots, multiple linkage design, 125mm travel, Manitou Swinger Air SPV 4-way shock, replaceable derailleur hanger, international disc brake mount.	7005 aluminum all tubes, cartridge bearing pivots, multiple linkage design, 125mm travel, Fox Float R shock, replaceable derailleur hanger, international disc brake mount.	Kinesium alloy main triangle, carbon fiber seatstays & bell crank, 7005 chainstay, cartridge bearing pivots, multiple linkage design, 90mm travel, Fox FLOAT RP3 shock, replaceable derailleur hanger, international disc brake mount.	Kinesium alloy main triangle, carbon fiber seatstays & bell crank, 7005 chainstay, cartridge bearing pivots, multiple linkage design, 90mm travel, Fox FLOAT RP3 shock, replaceable derailleur hanger, international disc brake mount.
FORK	Manitou Travis Single Intrinsic, with 20mm hex axle, 180mm travel.	Manitou Stance Blunt, with 20mm hex axle, 170mm travel.	Fox Float X TT, 130mm travel.	Manitou Minute 2:00, SPV, 100-130mm RTWD adjustable travel, TPC lockout.	Fox Float R, 130mm travel.	Fox FX, with inertia valve, 100mm travel.	Fox FRL, with lock-out, 100mm travel,
HEADSET	FSA Orbit Extreme Pro, 1 1/8".	FSA Orbit Extreme Pro, 1 1/8".	WTB Team, Internal Cup type, 1 1/8".	WTB Team, Internal Cup type, 1 1/8".	WTB Race, Internal Cup type, 1 1/8".	WTB Team, Internal Cup type, 1 1/8".	WTB Team, Internal Cup type, 1 1/8".
WHEELS	Mavic EX823 Maxtal SUP/UST rims, Syncros Factory disc hubs (150mm x 20mm thru axle rear), WTB 14G stainless steel spokes.	WTB Dual Duty Freeride, eyeleted, 32H, WTB Laser Disc Super Duty disc hubs (150mm x 20mm thru axle rear), WTB 14G stainless steel spokes.	Mavic CrossMax XL wheelset, Maxtal SUP rims, FTS sealed cartridge disc hubs, Zicral spokes.	Mavic XM317 eyeleted disc rims, 32H, w/ Shimano Deore XT front and rear disc hubs, WTB 14g stainless steel spokes.	WTB Speed Disc rims, 32H, with Shimano M475 front and rear disc hubs, WTB 14g stainless steel spokes.	Mavic CrossMax Disc SL wheelset, with 24H Maxtal rims, sealed cartridge QR FTS hubs, Zicral straight pull spokes.	Mavic XM317 eyeleted disc rims, 32H, with Shimano Deore front and rear disc hubs, WTB 14g stainless steel spokes.
TIRES	Maxxis High Roller UST, tubeless, 26 x 2.70" front & 2.5" rear.	Maxxis High Roller, 26 x 2.70" front & 2.5" rear.	Hutchinson Spider MRC, tubeless, 26 x 2.30", kevlar bead.	Hutchinson Spider 26 x 2.30", kevlar bead.	Hutchinson Spider, 26 x 2.30".	Hutchinson Bulldog Tubeless Light, 26 x 2.1", Kevlar bead.	Hutchinson Bulldog Airlight, 26 x 2.1", Kevlar bead.
DERAILLEURS	SRAM XO rear, Shimano Saint 31.8mm top pull front.	SRAM X7 rear, Shimano Saint 31.8mm top pull front.	Shimano XTR (hi-normal) rear, Deore XT 31.8mm top pull front.	Shimano Deore XT (hi-normal) rear, Deore XT 31.8mm top pull front.	SRAM X-7 rear, X-Gen 31.8mm top pull front.	SRAM XO rear, X-Gen 31.8mm top pull front.	Shimano Deore XT (hi-normal) rear, Deore XT 31.8mm top pull front.
SHIFTERS	SRAM XO, Zero-Loss trigger-shift, 18-speed.	SRAM X7, Impulse trigger-shift, 18-speed.	Shimano Deore XT, Rapidfire-SL, 27-speed.	Shimano Deore Rapidfire-SL, 27-speed.	SRAM X-7, Impulse Trigger-shift, 27-speed.	SRAM XO, Zero-Loss trigger-shift, 27-speed.	Shimano Deore XT, Rapidfire-SL, 27-speed.
CHAIN	Shimano HG-93.	Shimano HG-73.	Shimano HG-93.	Shimano HG-73.	Shimano HG73.	Shimano 7701.	Shimano HG-93.
FREEWHEEL	SRAM PowerGlide 990, 9-speed, 11-34.	SRAM PowerGlide 950, 9-speed, 11-32.	Shimano XT M760, 9-speed, 11-32.	Shimano HG50-I, 9-speed, 11-32.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 990, 9-speed, 11-34.	SRAM PowerGlide 970, 9-speed, 11-34.
CRANKSET	TruVativ Holzfeller, 36/26, 170mm (15.5"), 175mm (17.5-19.5").	TruVativ Hussefelt, 36/24, 170mm (15.5"), 175mm (17.5 - 19.5").	Shimano Deore XT, two-pc Hollowtech, 44/32/22, 170mm (13-15"), 170mm (13-15"), 175mm (17-21").	TruVativ Fire-X SL, 44/32/22, 170mm (13-15"), 175mm (17-21").	TruVativ Fire-X SX, 44/32/22, 170mm (13-15"), 175mm (17-21").	TruVativ Stylo Team Carbon, 44/32/22, 170mm (13-15"), 175mm (17-21").	TruVativ Stylo Team, 44/32/22, 170mm (13-15"), 175mm (17-21").
BOTTOM BRACKET	TruVativ Howitzer Team, for 83mm shell & 57.mm CL.	TruVativ Howitzer Team, for 83mm shell & 57.mm CL.	Shimano Deore XT, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.
PEDALS	Easton FlatBoy platforms with pedal spikes.	TruVativ Hussefelt platforms with pedal spikes.	Crank Brothers Candy C, clipless.	Crank Brothers Candy C, clipless.	Shimano M505, clipless.	Crank Brothers Candy C, clipless.	Crank Brothers Candy C, clipless.
BRAKESET	Hayes El Camino hydraulic disc brakes with 8" V-cut rotors, Hayes levers.	Hayes HFX-9 HD hydraulic disc brakes with 8" V-cut rotors, Hayes levers.	Hayes El Camino hydraulic disc brakes with 7" front & 6" rear rotors, Hayes levers.	Hayes HFX-9 HD hydraulic disc brakes with 7" front & 6" rear rotors, Hayes levers.	Hayes HFX-9 HD hydraulic disc brakes with 7" front & 6" rear rotors, Hayes levers.	Avid Juicy 7 hydraulic disc brakes with Avid Juicy levers.	Avid Juicy 5 hydraulic disc brakes with Avid Juicy levers.
HANDLEBAR	TruVativ Holzfeller 31.8mm Riser Bar, triple butted 7050 alloy, 35mm rise x 640mm.	TruVativ LE 31.8mm Riser Bar, 6061 T6 alloy, 35mm rise x 640mm.	TruVativ Team 31.8mm Riser Bar, triple butted 7050 alloy, 35mm rise x 640mm.	TruVativ LE 31.8mm Riser Bar, 6061 T6 alloy, 35mm rise x 640mm.	TruVativ L.E. 31.8mm Riser Bar, 6061 T-6 alloy, 35mm rise x 640mm.	TruVativ Team Carbon 31.8mm riser bar, 25mm rise x 640mm.	TruVativ XR Riser Bar, triple butted AL-66 alloy, 25mm rise x 640mm.
STEM	TruVativ Holzfeller 1.5, CNC'd AL-66, 40mm x 7" (15.5 - 17.5"), 55mm x 7" (19.5").	TruVativ Holzfeller 1.5, CNC'd AL-66, 40mm x 7" (15.5 - 17.5"), 55mm x 7" (19.5").	TruVativ Team, 80mm x 5" (13" - 15"), 90mm x 5" (17" - 19"), 100mm x 5" (21").	TruVativ XR, 75mm x 5" (13" - 15"), 90mm x 5" (17" - 19"), 105mm x 5" (21").	TruVativ XR, 75mm x 5" (13" - 15"), 90mm x 5" (17" - 19"), 105mm x 5" (21").	TruVativ Team, 90mm x 5" (13" - 15"), 100mm x 5" (17"), 110mm x 5" (19"), 120mm x 5" (21").	TruVativ XR, 90mm x 5" (13" - 15"), 100mm x 5" (17"), 110mm x 5" (19"), 120mm x 5" (21").
GRIPS	WTB MotoTec Clamp-on, DNA compound.	WTB MotoTec Clamp-on, DNA compound.	WTB MotoTec Clamp-on, DNA compound.	WTB MotoTec Clamp-on, DNA compound.	WTB MotoTec Clamp-on, DNA compound.	WTB MotoTec Clamp-on, DNA compound.	WTB MotoTec Clamp-on, DNA compound.
SEATPOST	Titec El Norte Pyro-Scoper telescoping seatpost, adjustable 270-420mm x 31.6mm with alloy clamp and QR.	Titec El Norte Pyro-Scoper telescoping seatpost, adjustable 270 - 420mm x 31.6mm with alloy clamp and QR.	TruVativ Team Double Clamp, 350mm x 27.2mm with alloy clamp and QR.	TruVativ XR Double Clamp, 350mm x 27.2mm with alloy clamp and QR.	TruVativ XR Single Clamp, 350mm x 27.2mm with alloy clamp and QR.	TruVativ Team Carbon Double Clamp, 350mm x 27.2mm w/ alloy clamp and cromo seatpin.	TruVativ XR Double Clamp, 350mm x 27.2mm w/ alloy clamp and cromo seatpin.
SADDLE	WTB Power V Race DH, black diamond cover, TKL corners, and 8mm cromo rails.	WTB Power V Race DH, black diamond cover, TKL corners, and 8mm cromo rails.	Fizik Nisene Sport with brushed leather top, Microtex sides, scuff guards and cromo rails.	WTB Laser V Comp with SL top and steel rails.	WTB Laser V Comp with SL top & sides, steel rails.	Fizik Gobi with WingFlex carbon reinforced shell, Microtex top, and cromo rails.	Fizik Gobi with WingFlex carbon reinforced shell, Microtex top, and cromo rails.
SIZES	15.5", 17.5", 19.5", 21"	15.5", 17.5", 19.5", 21"	13", 15", 17", 19", 21"	13", 15", 17", 19", 21"	13", 15", 17", 19", 21"	13", 15", 17", 19", 21"	13", 15", 17", 19", 21"
COLORS	Ano GTO	Ano Black	Ano Black/Ano Slate	Ano GTO/Ano Black or Ano Olive/Ano Black	Ano Silver/Ano Black	Radium Blue/Ano Silver	Candy Red/Ano Silver
WEIGHT	41.75 lbs	43.00 lbs	29.50 lbs	32.25 lbs	32.75 lbs	26.75 lb	27.75 lbs

	DAKAR XC COMP	DAKAR SPORT	DAKAR	KOMODO 3.0	KOMODO 2.0	KOMODO 1.0	DRAGON TEAM
FRAME	Kinesium alloy main triangle and 7005 rear, cartridge bearing pivots, multiple linkage design with 90mm rear travel, Fox FLOAT R shock, replaceable derailleur hanger, international disc brake mount.	7005 aluminum all tubes with gusseted down tube and box-section stays, multiple linkage design with 90mm rear travel, Fox Float air-sprung shock, replaceable derailleur hanger, international disc brake mount.	7005 aluminum all tubes with gusseted down tube and box-section stays, multiple linkage design with 90mm rear travel, Fox Vanilla coil-over shock, replaceable derailleur hanger, international disc brake mount.	7005 triple gauge aluminum main tubes, double gusseted main tubes, heavy duty braced stays, replaceable derailleur hanger, international disc brake mount.	7005 triple gauge aluminum main tubes, double gusseted main tubes, heavy duty braced stays, replaceable derailleur hanger, international disc brake mount.	7005 triple gauge aluminum main tubes, double gusseted main tubes, heavy duty braced stays, replaceable derailleur hanger, international disc brake mount.	Reynolds 853 seamless air-hardened chromoly main tubes, reinforced head tube collars, double butted cromo stays, Jamis lost wax dropouts, international disc brake mount.
FORK	Manitou R7 Comp, alloy steerer 100mm travel.	Manitou Splice Super, 100 - 130mm RTWD adjustable travel.	Manitou Splice Comp, 100mm travel.	Manitou Stance Flow, Hex Lock Axle, 120 - 150mm RTWD adjustable travel.	SR Duro D, hydraulic damping, 130mm travel.	SR Duro D, hydraulic damping, 130mm travel.	Fox FRLT, with lock-out, 80mm travel.
HEADSET	WTB Race, Internal Cup type, 1 1/8".	Aheadset, STS-2K, 1 1/8".	Aheadset, STS-2K, 1 1/8".	Aheadset, SAS, 1 1/8".	TH threadless, cromo steel cups, 1 1/8".	TH threadless, cromo steel cups, 1 1/8".	Cane Creek S2 Aheadset, 1 1/8".
WHEELS	Mavic XM117 disc rims, 32H with Shimano Deore front and rear disc hubs, WTB 14g stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, with Formula front and rear disc hubs, 14g black stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, with Formula front and rear disc hubs, 14g black stainless steel spokes.	WTB Dual Duty FreeRide, eyeleted, 32H, with Formula thru-axle front and Shimano M475 rear disc hubs, WTB 14g stainless steel spokes.	WTB Dual Duty FreeRide, eyeleted, 32H with Formula front and rear disc hubs, 4g black stainless steel spokes.	WTB Dual Duty FreeRide, eyeleted, 32H with Formula front and rear disc hubs, 4g black stainless steel spokes.	Mavic CrossMax Disc SL wheelset, with 24H Maxtal rims, sealed cartridge QR FTS hubs, Zicral straight pull spokes.
TIRES	Hutchinson Bulldog Airlight, 26 x 2.1", wire bead.	Hutchinson Scorpion, 26" x 2.0", wire bead.	Hutchinson Scorpion, 26" x 2.0", wire bead.	Maxxis HansVenture, 26" x 2.35", wire bead.	Maxxis HansVenture, 26" x 2.35", wire bead.	Maxxis HansVenture, 26" x 2.35", wire bead.	Hutchinson Python New Generation, tubeless Light, 26 x 2.0".
DERAILLEURS	SRAM X-9 rear, X-Gen 31.8mm top pull front.	Shimano Deore LX (hi-normal) rear, Deore top pull front.	Shimano Deore rear, Alivio 31.8mm top pull front.	Shimano Deore rear, SRAM X-Gen 31.8mm top pull front.	Shimano Deore rear, New Alivio 31.8mm top pull front.	SRAM SX-4 rear, SR SunTour 31.8mm top pull front.	SRAM XO rear, X-Gen 28.6mm top pull front.
SHIFTERS	SRAM X-9, Impulse trigger-shift, 27-speed.	Shimano Deore, Rapidfire SL, 27-speed.	Shimano New Alivio, Rapidfire SL, 24-speed.	Shimano Deore, Rapidfire SL, 27-speed.	Shimano Alivio, Rapidfire SL, 24-speed.	SRAM SX-4 Uni-lever trigger-shift,, 24-speed.	SRAM XO, Zero-Loss trigger-shift, 27-speed.
CHAIN	Shimano HG-73.	KMC Z-9000.	KMC IG-31.	Shimano HG-73.	Shimano HG-73.	Shimano HG-73.	Shimano 7701.
FREEWHEEL	SRAM Powerglide 950, 9-speed, 11-34.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 830, 8-speed, 11-32.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 850, 8-speed, 11-32.	SRAM Powerglide 830, 8-speed, 11-32.	SRAM Powerglide 990, 9-speed, 11-34.
CRANKSET	TruVativ Fire-X Team, 44/32/22, 170mm (13-15"), 175mm (17-21").	TruVativ FireX-LR, 44/32/22, 170mm (13-15"), 175mm (17-23").	TruVativ IsoFlow, 42/32/22, 170mm (13-15"), 175mm (17-23").	TruVativ Hussefelt, 36/24 with polycarbonate rock guard, 170mm (14"), 175mm (16.5"-18.5").	TruVativ Ruktion, 32/22 with polycarbonate rock guard, 170mm (14"), 175mm (16.5" – 18.5").	SR Duro, 32/22 with alloy rock guard, 170mm (14"), 175mm (16.5" – 18.5").	TruVativ Stylo Team Carbon, 44/32/22, 170mm (13-15"), 175mm (17-21").
BOTTOM BRACKET	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Power Spline, 68 x 113mm.	TruVativ Howitzer, for 68mm shell, 50mm chainline.	TruVativ Howitzer, for 68mm shell, 50mm chainline.	TruVativ sealed cartridge, 68 x 113mm.	TruVativ Giga-X, external bearing.
PEDALS	Shimano M505, clipless.	Wellgo, WPD-823, clipless.	Wellgo, WPD-823, clipless.	TruVativ Hussefelt, alloy platform with pedal spikes.	Flatbed alloy platform type with pedal spikes.	Flatbed alloy platform type with pedal spikes.	Crank Brothers Candy C clipless.
BRAKESET	Avid Juicy 5 hydraulic disc brakes with Avid Juicy levers.	Avid BB-5 cable-actuated disc brakes front and rear, Avid FR-5 levers.	Tektro Aquila cable-actuated disc brakes front and rear, wavy rotors, Tektro forged alloy levers.	Hayes HFX-9 HD hydraulic disc brakes, 8" front and 7" rear rotors, with Hayes levers.	Hayes Sole hydraulic disc brakes, 8" front and wavy rotors, Tektro ML-330 levers.	Tektro IO cable-actuated disc brakes front and rear, wavy rotors, Tektro ML-330 levers.	Avid Juicy 7 hydraulic disc brakes with Avid Juicy levers.
HANDLEBAR	TruVativ XR Riser Bar, triple butted AL-66 alloy, 25mm rise x 640mm.	ATB Riser, alloy, 6° x 20mm rise x 620mm width.	ATB Riser, alloy, 6° x 20mm rise x 620mm width.	TruVativ Hussefelt 31.8mm Riser Bar, 50mm rise x 640mm width.	TruVativ XR 31.8mm Riser Bar, 6061 T-6 alloy, 35mm rise x 640mm.	Alloy 6061 T-6 Riser Bar, 31.8 bulge, 65mm rise x 680mm width.	TruVativ Team Carbon 31.8mm flat bar, 580mm.
STEM	TruVativ XR, 90mm x 5° (13°-15"), 100mm x 5° (17"), 110mm x 5° (19"), 120mm x 5° (21").	Jamis alloy threadless, 90mm x 10° (13"), 105mm x 10° (15-17"), 120mm x 10° (19-23").	Jamis alloy threadless, 90mm x 10° (13"), 105mm x 10° (15-17"), 120mm x 10° (19-23").	TruVativ Hussefelt, 60mm x 7°.	Alloy 4-bolt bar clamp threadless, 60mm x 10° (14"), 80mm x 10° (16.5 – 18.5").	Alloy 4-bolt bar clamp threadless, 60mm x 10° (14"), 80mm x 10° (16.5 – 18.5").	TruVativ Team 3D, 90mm x 5° (13"), 100mm x 5° (15"), 110mm x 5° (17"), 120mm x 5° (19° - 21").
GRIPS	WTB DC Trail, dual DNA compound.	Kraton dual compound.	Kraton dual compound.	WTB Weirwolf, dual DNA compound.	WTB Weirwolf, dual DNA compound.	WTB Weirwolf, dual DNA compound.	WTB MotoTec Clamp-on, dual DNA compound.
SEATPOST	TruVativ XR Double Clamp, 350mm x 27.2mm with alloy clamp and QR.	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.	TruVativ XR Double Clamp, 350mm x 27.2mm with alloy clamp and QR.	TruVativ XR Single Clamp, 350mm x 27.2mm with alloy clamp and QR.	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.	TruVativ Team Carbon Double Clamp, 350mm x 27.2mm w/ alloy clamp and crommo seatpin.
SADDLE	WTB Pure V Race with SL top & sides, chrome scuff guards and crommo rails.	WTB Laser V Comp with SL top and steel rails.	WTB Speed V Sport with SL top and steel rails.	WTB Power V Comp, SL top & sides, 8mm steel rails.	WTB Power V Comp, SL top & sides, 8mm steel rails.	WTB Power V Comp, SL top & sides, 8mm steel rails.	Fizik Gobi with WingFlex carbon reinforced shell, Microtex top, and crommo rails.
SIZES	13", 15", 17", 19", 21"	13", 15", 17", 19", 21", 23"	13", 15", 17", 19", 21"	14", 16.5", 18.5"	14", 16.5", 18.5"	14", 16.5", 18.5"	13", 15", 17", 19", 21"
COLORS	Ano Black/Ano Silver	Ano Slate/Ano Black	Ano Red/Ano Black	Ano Copper	Ano Olive	Ano Black	Classic Red/Ano Silver
WEIGHT	29.25 lbs	31.75 lbs	32.75 lbs	33.75 lbs	33.25 lbs	32.75 lbs	24.00 lbs

DRAGON PRO	DAKOTA ELITE	DAKOTA COMP	EXILE XC	EXILE SS	DURANGO 3.0	DURANGO 2.0	DURANGO 1.0
Reynolds 853 seamless air-hardened chromoly main tubes, reinforced head tube collars, double butted crommo stays, Jamis lost wax dropouts, international disc brake mount.	7005 triple-butted "Superlight" aluminum main tubes, carbon fiber seatstays, gusseted down tube, replaceable derailleur hanger, international disc brake mount.	7005 triple-butted "Superlight" aluminum main tubes, carbon fiber seatstays, gusseted down tube, replaceable derailleur hanger, international disc brake mount.	Reynolds 631 seamless air-hardened chromoly main tubes, reinforced head tube collars, double butted crommo stays, Jamis lost wax dropouts, international disc brake mount.	Reynolds 631 seamless air-hardened chromoly main tubes, reinforced head tube collars, double butted crommo stays, Jamis lost wax rear entry dropouts, slotted international disc brake mount.	7005 triple gauge aluminum main tubes, S-bend stays, gusseted down tube, replaceable derailleur hanger, international disc brake mount.	7005 triple gauge aluminum main tubes, S-bend stays, gusseted down tube, replaceable derailleur hanger, international disc brake mount.	7005 triple gauge aluminum main tubes, S-bend stays, gusseted down tube, replaceable derailleur hanger, international disc brake mount.
Float F80RL, with lock-out, 80mm travel.	Manitou R7 Super, with TPC lock-out & alloy steerer, 100mm travel.	Manitou Axle Platinum Air, with TPC lock-out & alloy steerer, 100mm travel.	Manitou Axel Platinum Air with lockout, alloy steerer, 80mm travel.	Manitou Axel Platinum Air with Clickit lockout, alloy steerer, 80mm travel.	Manitou Axel Platinum Lockout, 100mm travel.	Manitou Axel Comp, 100mm travel.	SR Suntour XCM, 100mm travel.
Aheadset, SAS, 1 1/8".	WTB Race, Internal Cup type, 1 1/8".	WTB Race, Internal Cup type, 1 1/8".	Aheadset, STS, 1 1/8".	Aheadset, STS, 1 1/8".	Aheadset, STS-2K, 1 1/8".	Tange TG-4 threadless, 1 1/8".	Tange TG-4 threadless, 1 1/8".
Mavic XM317 eyeleted disc rims, 32H, with Shimano Deore front and rear disc hubs, WTB 14g stainless steel spokes.	WTB Speed Disc Pro rims, 32H, with Shimano M475 front and rear disc hubs, WTB 14g stainless steel spokes.	WTB Speed Disc rims, 32H, with Formula front and rear disc hubs, WTB 14g stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, with Shimano M475 front and rear disc hubs, 14g black stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, alloy sealed bearing single-speed disc hubs, WTB 14g stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, with Formula front & rear disc hubs, 14g black stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, with Formula front and rear disc hubs, 14g black stainless steel spokes.	WTB Speed Disc rims, eyeleted, 32H, with Formula front and rear disc hubs, 14g black stainless steel spokes.
Hutchinson Bulldog MRC, 26 x 2.1", Kevlar bead.	Hutchinson Bulldog Airlight 26" x 2.1", wire bead.	Hutchinson Scorpion 26" x 2.0",wire bead.	Hutchinson Bulldog Airlight, 26" x 2.1", wire bead.	Hutchinson Bulldog Airlight, 26" x 2.1", wire bead.	Hutchinson Scorpion, 26" x 2.0", wire bead.	Hutchinson Scorpion, 26" x 2.0", wire bead.	Hutchinson Scorpion, 26" x 2.0", wire bead.
Shimano Deore XT (hi-normal) rear, Deore XT 28.6mm top pull front.	Shimano Deore XT (hi-normal) rear, Deore XT 31.8mm top pull front.	Shimano Deore XT (hi-normal) rear, Deore 31.8mm top pull front.	SRAM X-9 rear, X-Gen 28.68mm top pull front.	N/A.	Shimano Deore rear, Deore 31.8mm top pull front.	SRAM SX5 rear, SR XCR-504 31.8mm top pull front.	Shimano New Alivio rear, Acera 31.8mm top pull front.
Shimano Deore XT, Rapidfire-SL, 27-speed.	Shimano Deore XT, Rapidfire-SL, 27-speed.	Shimano Deore, Rapidfire-SL, 27-speed.	SRAM X-9, Impulse Trigger-shift, 27-speed.	N/A.	Shimano Deore, Rapidfire SL, 27-speed.	SRAM X7 Impulse trigger shift, 27-speed.	Shimano Acera ST-EF29-8 EZ-Fire Plus, 24-speed.
Shimano HG-93.	Shimano HG73.	KMC Z-9000.	KMC Z9000.	Shimano HG73.	KMC Z-9000.	KMC Z-9000.	KMC IG-31.
Shimano XT M760, 9-speed, 11-32.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM PowerGlide 950, 9-speed, 11-32.	Shimano 16T freewheel.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 830, 8-speed, 11-32.
TruVativ Stylo Team 44/32/22, 170mm (13-15"), 175mm (17-21").	TruVativ Fire-X Team, 44/32/22, 170mm (15.5"), 175mm (17-21").	TruVativ Fire-X LR, 44/32/22, 170mm (15.5"), 175mm (17-21").	TruVativ FireX LR, 44/32/22, 170mm (13°- 15"), 175mm (17°-21").	TruVativ FireX Single Speed, 33T, 170mm (13°- 15"), 175mm (17°-21").	TruVativ FireX LR, 44/32/22, 170mm (12-15.5"), 175mm (17-21").	TruVativ IsoFlow, 42/32/22, 170mm (12-15.5"), 175mm (17-21").	TruVativ IsoFlow, 42/32/22, 170mm (12-15.5"), 175mm (17-21").
TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Powerspline, 68 x 113mm.	TruVativ Powerspline, 68 x 113mm.
Crank Brothers Candy C clipless.	Crank Brothers Candy C clipless.	Shimano M505, clipless.	Shimano M505, clipless.	Crank Brothers Eggbeater-C, clipless.	ATB platform, steel cage/resin body, with toe clips.	ATB platform, steel cage/resin body, with toe clips.	ATB platform, steel cage/resin body, with toe clips.
Avid Juicy 5 hydraulic disc brakes with Avid Juicy levers.	Avid Juicy 5 hydraulic disc brakes with Avid Juicy levers.	Hayes Sole hydraulic disc brakes, 6" front and rear rotors, Hayes levers.	Avid BB-5 cable actuated disc brakes with Avid FR-5 levers.	Hayes Sole hydraulic disc brakes, 6" V-cut rotors, Hayes levers.	Hayes Sole hydraulic disc brakes, 6" V-cut rotors, Hayes levers.	Tektro Aquila cable-actuated disc brakes front and rear, with Tektro ML-330 levers.	Tektro IO cable-actuated disc brakes front and rear, with Shimano Acera levers.
TruVativ Team Flat Bar, triple butted 7050 alloy, 5° x 580mm.	TruVativ XR Flat Bar, triple butted AL-66 alloy, 5° x 580mm.	TruVativ XR Flat Bar, triple butted AL-66 alloy, 5° x 580mm.	TruVativ LE Flat Bar, triple butted AL-66 alloy, 5° x 580mm.	TruVativ LE Flat Bar, triple butted AL-66 alloy, 5° x 580mm.	ATB Riser, alloy, 6° x 20mm rise x 620mm width.	ATB Riser, alloy, 6° x 20mm rise x 620mm width.	ATB Riser, alloy, 6° x 20mm rise x 620mm width.
TruVativ Team 3D, 90mm x 5° (13"), 100mm x 5° (15"), 110mm x 5° (17"), 120mm x 5° (19° - 21").	TruVativ XR, 100mm x 5° (15.5"), 110mm x 5° (17 °), 120mm x 5° (19° - 21").	TruVativ XR, 100mm x 5° (15.5"), 110mm x 5° (17 °), 120mm x 5° (19° - 21").	TruVativ XR, 90mm x 5° (13°), 100mm x 5° (15°), 110mm x 5° (17 °), 120mm x 5° (19° - 21").	TruVativ XR, 90mm x 5° (13°), 100mm x 10° (12°), 105mm x 10° (14-17°), 120mm x 10° (19-21").	Jamis alloy threadless, 90mm x 10° (12-14"), 105mm x 10° (15.5-17"), 120mm x 10° (19-21").	Jamis alloy threadless, 90mm x 10° (12-14"), 105mm x 10° (15.5-17"), 120mm x 10° (19-21").	Jamis alloy threadless, 90mm x 10° (12-15.5"), 105mm x 10° (17"), 120mm x 10° (19-21").
WTB MotoTec Clamp-on, dual DNA compound.	WTB DC Trail, dual DNA compound.	WTB DC Trail, dual DNA compound.	WTB DC Trail, dual DNA compound.	WTB MotoTec Clamp-on, DNA compound.	Kraton dual compound.	Kraton dual compound.	Kraton dual compound.
TruVativ Team Double Clamp, 350mm x 27.2mm with alloy clamp and crommo seatpin.	TruVativ XR Single Clamp, 350mm x 27.2mm with alloy clamp and crommo seatpin.	TruVativ XR Single Clamp, 350mm x 27.2mm with alloy clamp and crommo seatpin.	TruVativ XR 3D Single Clamp, 350mm x 27.2mm with alloy clamp and QR.	TruVativ XR 3D Single Clamp, 350mm x 27.2mm with alloy clamp and QR.	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.
Fizik Gobi with WingFlex carbon reinforced shell, Microtex top, and crommo rails.	WTB Pure V Race with SL top & sides and crommo rails.	WTB Speed V Sport with SL top & sides and crommo rails.	WTB Speed V Comp with SL top and steel rails.	WTB Speed V Comp with SL top and steel rails.	WTB Speed V Sport SE with SL top and steel rails.	WTB Speed V Sport SE with SL top and steel rails.	WTB Speed V Sport SE with SL top and steel rails.
13", 15", 17", 19", 21"	15.5", 17", 19", 21"	15.5", 17", 19", 21"	13", 15", 17", 19", 21"	13", 15", 17", 19", 21"	12", 14", 15.5", 17", 19", 21"	12", 14", 15.5", 17", 19", 21"	12", 14", 15.5", 17", 19", 21"
Radium Blue/Ano Silver	Ano Orange/Ano White	Ano Powder Blue/Ano White	Radium Blue/Ano Silver	Ano Black	Ano GTO/Ano White	Ano Deep Blue/Ano White	Ano Silver/Ano Black or Ano Red/Ano White
25.00 lbs	25.75 lbs	28.25 lbs	28.75 lbs	26.50 lbs	30.25 lbs	30.75 lbs	31.75 lbs

	CROSS COUNTRY 2.0	CROSS COUNTRY 1.0	RANGER SX	RANGER XR	XENITH TEAM	XENITH PRO	XENITH COMP
FRAME	6061 triple gauge aluminum main tubes and S-bend stays, replaceable derailleur hanger.	6061 triple gauge aluminum main tubes and S-bend stays, replaceable derailleur hanger.	Enduro frame design, 7005 aluminum tubes, tapered/ovalized top tube, down tube & stays, replaceable derailleur hanger.	Enduro frame design, 7005 aluminum tubes, tapered/ovalized top tube, down tube & stays, replaceable derailleur hanger.	Full carbon fiber composite frame including lugs, sloping top tube design, monostay seatstays, replaceable derailleur hanger.	Full carbon fiber composite frame including lugs, sloping top tube design, monostay seatstays, replaceable derailleur hanger.	Full carbon fiber composite frame including lugs, sloping top tube design, monostay seatstays, replaceable derailleur hanger.
FORK	SR XCT, 75mm travel.	SR XCT, 75mm travel.	SR M2000 suspension fork with coil spring, 63mm travel.	Hi-Tensile steel unicrown, Semi-integrated dropouts with eyelets.	Jamis 1-piece, fully integrated carbon fiber, with carbon fiber dropouts.	Jamis 1-piece, fully integrated carbon fiber, with alloy dropouts.	Jamis 1-piece, fully integrated carbon fiber, with alloy dropouts.
HEADSET	Tange TG-4 threadless, 1 1/8".	Tange TG-4 threadless, 1 1/8".	VP threadless, steel cups, 1 1/8",	VP threadless, steel cups, 1 1/8",	FSA Orbit Integrated, theadless, 1 1/8".	FSA Orbit Integrated, threadless, 1 1/8".	FSA IS-3 Integrated, threadless, 1 1/8".
WHEELS	Weinmann ZAC19 double wall rims, 32H, with Formula alloy sealed QR front and freehub rear, 14g stainless steel spokes.	Weinmann ZAC19 double wall rims, 32H, with Formula alloy sealed QR front and freehub rear, 14g stainless steel spokes.	Alloy 26 x 1.50" 36H rims with Formula alloy sealed QR front and freehub rear, 14g stainless steel spokes.	Alloy 26 x 1.50" 36H rims with ATB QR front & rear hubs, and 14g nickel plated spokes.	Mavic Ksyrium ES 700C wheelset, 18/20H Maxtal rims, QTM sealed cartridge FTS-L hubs, straight pull Zicral spokes.	Mavic Ksyrium Elite 700C wheelset, 18/20H Maxtal rims, sealed cartridge QR FTS-L hubs, straight pull Zicral spokes.	Mavic Aksium 700C wheelset, 20/24H UB Control rims, QRM sealed cartridge/FTS-L hubs, stainless steel spokes.
TIRES	CST Racing knobble, 26" x 1.95", wire bead.	CST Racing knobble, 26" x 1.95", wire bead.	CST ATB, 26" x 1.95", blackwall.	CST ATB, 26" x 1.95", blackwall.	Hutchinson Fusion Comp, 700 x 23C, Kevlar.	Hutchinson Fusion Comp, 700 x 23C, Kevlar.	Hutchinson Quartz, 700 x 23C, Kevlar.
DERAILLEURS	SRAM SX5 rear, SR XCR-504 31.8mm top pull front.	Shimano Acera rear, SR XCC-102 31.8mm top pull front.	SRAM SX4 rear and Shimano C51 top pull front.	SRAM 3.0 rear, and Shimano TZ30 top pull front.	Shimano Dura-Ace SS rear, Dura-Ace braze-on front.	Shimano Ultegra SS rear, Ultegra braze-on front.	Shimano Ultegra rear, '105' braze-on front.
SHIFTERS	SRAM X-7, Impulse Trigger-shift, 27-speed.	Shimano Acera ST-EF29 EZ-Fire Plus, 24-speed.	SRAM SX4 Unilever trigger-shift, 24-speed.	SRAM 3.0 ESP Grip Shift, 21-speed.	Shimano Dura-Ace Dual Control STI, 20-speed.	Shimano Ultegra Dual Control STI, 20-speed.	Shimano '105' Dual Control STI, 20-speed.
CHAIN	KMC Z9000.	KMC IG-31.	KMC IG31.	KMC Z51.	Shimano 7800.	Shimano 6600.	Shimano 5600.
FREEWHEEL	SRAM Powerglide 950, 9-speed, 11-32.	SRAM Powerglide 830, 8-speed, 11-32.	Shimano HG30, 8-speed, 11-32T.	Indexed freewheel, 7-speed, 13-28T.	Shimano CS-7800, 10-speed, 11-23.	Shimano CS-6600, 10-speed, 11-23.	Shimano CS-5600, 10-speed, 11-23.
CRANKSET	TruVativ IsoFlow, 44/32/22, 170mm (12-21").	SR XCC-150PB alloy, 42/34/24, 170mm (12-21").	SR XCC-150PB alloy, 42/34/24, 170mm (12-21").	SR XCC-150PB alloy, 42/34/24, 170mm (12-21").	Shimano Dura-Ace, 53/39, 165mm (48), 170mm (51), 172.5mm (54, 56), 175mm (58, 61).	TruVativ Rouleur Carbon, 53/39, 165mm (48), 170mm (51-54), 172.5mm (54, 56), 175mm (58, 61).	TruVativ Elita Compact, 50/36, 165mm (48), 170mm (51 - 54), 175mm (56 – 61).
BOTTOM BRACKET	TruVativ sealed cartridge, 68 x 113.	Sealed cartridge, 68 x 113.	Cotterless bolt type, 68mm x 119 (3P).	Cotterless bolt type, 68mm x 119 (3P).	Shimano Dura-Ace, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.
PEDALS	ATB platform, hi-impact resin cage & body, toe clip attachable.	ATB platform, hi-impact resin cage & body, toe clip attachable.	ATB platform, hi-impact resin, toe clip attachable.	ATB platform, hi-impact resin, toe clip attachable.	NA.	NA.	NA.
BRAKESET	Tektro forged alloy direct pull brakes with Tektro forged alloy levers.	Tektro forged alloy direct pull brakes with Shimano Acera levers.	Alloy linear pull type with alloy linear pull type levers.	Alloy linear pull type with alloy linear pull type levers.	Shimano Dura-Ace calipers, with Dura-Ace STI levers.	Shimano Ultegra calipers, with Ultegra STI levers.	Tektro dual pivot calipers, with '105' STI levers.
HANDLEBAR	ATB Riser, 6" x 20mm rise x 620mm width.	ATB Riser, 6" x 20mm rise x 620mm width.	ATB tapered, 6" sweep, 20mm rise x 620mm.	ATB tapered, 6" sweep, 20mm rise x 620mm.	Easton EC90 31.8mm, carbon fiber, 420mm (48, 51), 440mm (54-61).	Easton EA70 31.8mm, 420mm (48, 51), 440mm (54-61).	Easton EA50 31.8mm, 420mm (48, 51), 420mm (54mm) 440mm (56 – 61).
STEM	Jamis alloy threadless, 90mm (12-15.5"), 105mm (17"), 120mm (19-21"), all 10°.	Jamis alloy threadless, 90mm (12-15.5"), 105mm (17"), 120mm (19-21"), all 10°.	Jamis alloy threadless, 90mm (12-15.5"), 105mm (17"), 120mm (19-21"), all 10°.	Jamis alloy threadless, 90mm (12-15.5"), 105mm (17"), 120mm (19-21"), all 10°.	Easton EA70 (±6°), 100mm (48, 51), 110mm (54, 56), 120mm (58, 61).	Easton EA70 (±6°), 100mm (48, 51), 110mm (54, 56), 120mm (58, 61).	Easton EA50 (±6°), 100mm (48 – 54), 110mm (54, 56), 120mm (58, 61).
GRIPS	Kraton dual compound.	Kraton dual compound.	Kraton for trigger-shift.	Kraton for Grip Shift.	Jamis gel tape.	Jamis gel tape.	Jamis gel tape.
SEATPOST	Alloy micro-adjust, 350mm x 27.2mm with alloy clamp and QR seatpin.	Alloy micro-adjust, 350mm x 27.2mm, with alloy clamp and QR seatpin.	Alloy microadjust, 300 x 27.2mm, with alloy clamp.	Alloy microadjust, 300 x 27.2mm, with alloy clamp.	Easton EC70, carbon fiber, 300mm x 27.2mm with alloy clamp.	Easton EC70, 300mm x 27.2mm with alloy clamp.	Easton EA50, 300mm x 27.2mm with alloy clamp.
SADDLE	Jamis ATB with SL top, memory foam, steel rails, front and rear guards.	Jamis ATB with SL top, memory foam, steel rails, front and rear guards.	Jamis ATB with SL top, steel rails, front and rear guards.	Jamis ATB with SL top, steel rails, front and rear guards.	Fizik Arione with Wing Flex shell, leather cover, titanium rails.	Fizik Arione with Wing Flex shell, leather cover, titanium rails.	Fizik Pave with Microtex cover, scuff guards, and crommo rails.
SIZES	12", 14", 15.5", 17", 19", 21"	12", 14", 15.5", 17", 19", 21"	Mens: 12",14",15.5",17",19",21" Ladies: 12", 14.5", 17.5"	Mens: 12",14",17",19",21" Ladies: 12", 14.5", 17.5"	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm	48, 51, 54, 56, 58, 61cm
COLORS	Ano Black/Ano Silver or Ano Olive/Ano Silver	Ano Deep Blue/Ano Silver or Ano Deep Red/Ano Silver	Ano Grey, Radium Blue or Ano White (Ladies Only)	Ano Black or Ano Blue	Natural Carbon/Matte White	Natural Carbon/Matte Orange	Natural Carbon and Natural Carbon/Matte Sky Blue
WEIGHT	31.25 lbs	31.75 lbs	32.00 lbs	29.00 lbs	15.50 lbs	16.75 lbs	17.75 lbs

VENTURA ELITE	VENTURA COMP	VENTURA SPORT	TRILOGY	COMET	ECLIPSE	QUEST	SATELLITE
Kinesis Superlight 7005 triple butted aluminum with carbon fiber seat stays, sloping top tube frame design, replaceable derailleur hanger.	Kinesis 7005 double-butted aluminum with carbon fiber seat stays, sloping top tube frame design, replaceable derailleur hanger.	Kinesis 7005 double-butted aluminum, sloping top tube frame design, replaceable derailleur hanger.	All Aero 7005 frame with airfoil down tube, flat-oval top tube, airfoil seat tube with wheel cut-out, airfoil seatstays, rear entry horizontal dropouts.	All Aero 7005 frame with airfoil down tube, flat-oval top tube, airfoil seat tube with wheel cut-out, airfoil seatstays, rear entry horizontal dropouts.	Carbon fiber top tube, seat tube & seatstays, Reynolds 853 seamless air-hardened down tube, extended head tube with reinforced collars, heat-treated crommo chainstays.	Reynolds 631 seamless air-hardened chromoly main tubes, double tapered heat-treated stays, extended head tube with reinforced collars, lost wax dropouts with eyelets.	Reynolds 520 double-butted chromoly main tubes, double tapered crommo stays, extended head tube with reinforced collars, forged dropouts with single eyelets.
Carbon fiber straight blade uncrown with alloy steerer, forged dropouts.	Carbon fiber straight blade uncrown with alloy steerer, forged dropouts.	Carbon fiber straight blade uncrown with alloy steerer, forged dropouts.	Easton EC90 Aero, one piece carbon fiber with 1" carbon steerer.	Carbon fiber with 1" steel steerer.	Easton EC70, carbon fiber blades, alloy steerer.	Easton EC70, carbon fiber blades, alloy steerer.	Carbon fiber uncrown with chromo steerer, forged dropouts.
Aheadset, internal cup type, alloy, 1 1/8".	Aheadset, internal cup type, alloy, 1 1/8"	Aheadset, internal cup type, alloy, 1 1/8".	FSA Orbit IS-2A internal cup threadless, 1".	FSA Orbit IS-2A internal cup threadless, 1".	FSA Orbit X, threadless, 1 1/8".	Aheadset, alloy, 1 1/8".	Aheadset, alloy cap, 1 1/8".
Shimano WH-R500 wheelset, 700c, 20/24H with bladed spokes, radially laced front, 3x rear.	Formula XP6 wheelset, 25mm profile rim with CNC sidewalls, 20/24H, 2X front & rear.	Alex AKX R1.0 wheelset, 20mm aero profile rims with CNC sidewalls, 28/32H, radial front, 2X rear.	Mavic Cosmic Elite 700C wheelset, welded 27mm aero profile rims, sealed cartridge QR FTS-L hubs, straight pull stainless steel spokes, 20H radially laced front, 20H rear, radial NDS, 2X DS.	Alex ALX-320DX aero wheelset, 27mm aero profile rims, sealed bearing hubs, bladed spokes, 16H 1x front, 20H 1 x rear.	Mavic Ksyrium Equipe 700C wheelset, 20/24H SUP rims, QRM sealed cartridge/FTS-L hubs, straight pull stainless steel spokes.	Easton-Velomax Vista wheelset (Mens), 20/24H and Mavic Aksium 700C wheelset (Ladies), 20/24H	Alex AKX R1.0 wheelset, 700c, 28H radial front/ 32H 3X rear, sealed alloy hubs, 14g stainless steel spokes.
Hutchinson Quartz, 700 x 23C.	Hutchinson Flash, 700 x 23C.	Hutchinson Flash, 700 x 23C.	Hutchinson Fusion Comp, 700 x 23C, Kevlar.	Hutchinson Quartz, 700 x 23C.	Hutchinson Fusion Comp, 700 x 23C, Kevlar.	Hutchinson Quartz, 700 x 23C, Kevlar.	Hutchinson Flash, 700 x 23C.
Shimano '105' SS rear, 105 31.8mm band clamp front.	Shimano Tiagra rear, Tiagra 31.8mm band clamp front.	Shimano Sora rear, Sora 31.8mm band clamp front.	Shimano Ultegra SS, Ultegra 31.8 clamp front.	Shimano '105' SS, '105' braze-on front.	Campagnolo Centaur rear short, Centaur 28.6mm band clamp front.	Shimano '105' SS rear, '105' 28.6mm band clamp front.	Shimano Sora GS rear, Sora 28.6mm band clamp front.
Shimano '105' Dual Control STI, 20-speed.	Shimano Tiagra Dual Control STI, 18-speed	Shimano Sora Dual Control STI, 16-speed	Shimano Dura-Ace bar end, 20-speed.	Shimano Dura-Ace bar end, 20-speed.	Campagnolo Centaur ErgoPower, 20 or 30-speed.	Shimano '105' Dual Control STI, 20-speed.	Shimano Sora Dual Control STI, 27-speed
Shimano 5600.	KMC Z9000.	KMC IG31.	Shimano 6600.	Shimano 5600.	DX-10, 10-speed.	Shimano 5600.	KMC IG31.
Shimano CS-5600, 10-speed, 12-25.	Shimano HG50, 9-speed, 12-25.	SRAM PowerGlide 850, 8-speed, 12-26.	Shimano CS-6600, 10-speed, 11-23.	Shimano CS-5600, 10-speed, 11-23.	Campagnolo Centaur, 10-speed, 12-25.	Shimano CS-5600, 10-speed, 12-25.	SRAM PG-850, 8-speed, 12-26.
TruVativ Touro Compact, 50-36, 165mm (48), 170mm (51-54), 175mm (56 – 61).	TruVativ Touro Compact, 50-36, 165mm (48), 170mm (51 - 54), 175mm (56 – 61).	TruVativ Touro Compact, 50-36, 165mm (48), 170mm (51 - 54), 175mm (56 – 61).	TruVativ Elita SL, 50/36, 170mm (51), 172.5mm (54, 56), 175mm (58, 61)	TruVativ Elita, 53/39, 170mm (51), 172.5mm (54, 56), 175mm (58, 61)	TruVativ Rouleur Carbon Compact, 50/36, 165mm (47), 170mm (49, 51), 172.5mm (53-57), 175mm (59, 61).	TruVativ Elita Compact, 52/42/30, 165mm (47L), 170mm (50, 53), 175mm (55, 57, - 62).	TruVativ IsoFlow Road, 50/36, 165mm (47), 170mm (50, 53), 175mm (55 - 62).
TruVativ Powerspline, 68 x 108mm.	TruVativ Powerspline, 68 x 108mm.	TruVativ sealed cartridge, 68 x 108mm.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ Sealed Cartridge, 68 x 113mm.
NA.	N/A.	Touring platform, alloy cage/alloy body with toe clips.	NA.	NA.	NA.	NA.	Touring platform, alloy cage/alloy body with toe clips.
Tektro dual pivot calipers, with Shimano '105' STI levers.	Tektro dual pivot calipers, with Shimano Tiagra STI levers.	Tektro dual pivot calipers, with Shimano Sora STI levers.	Shimano '105' dual pivot calipers with Tektro RX 4.1 levers.	Tektro dual pivot calipers with Tektro RX 4.1 levers.	Campagnolo Centaur calipers, with Centaur ErgoPower levers.	Tektro dual pivot calipers, with '105' STI levers.	Tektro dual pivot calipers, with Shimano Sora STI levers and Tektro safety levers.
Easton EA30 Road, 400mm (48 – 51), 420mm (54mm) 440mm (56 – 61).	Easton EA30 Road, 400mm (48 – 51, 48L – 54L), 420mm (54 - 56), 440mm (56 – 61).	Easton EA30 Road, 400mm (48 – 51), 420mm (54 - 56), 440mm (58 – 61).	Syntace Stratos 400 bar, 40mm drop, 390mm (51), 410mm (54, 56), 430mm (58, 61) with Streamliner bar extension & BioWing cups, S (51), M (54, 56), L (58, 61)	Syntace Stratos 400 bar, 40mm drop, 390mm (51), 410mm (54, 56), 430mm (58, 61) with Streamliner bar extension & BioWing cups, S (51), M (54, 56), L (58, 61)	Easton EA70, 420mm (47-53), 440mm (55-61).	Easton EA50, 400mm (47L – 53L, 50), 420mm (53, 55), 440mm (57-62).	Ritchey BioMax II Road, 400mm (47, 50), 420mm (53 - 57), 440mm (59, 62).
Easton EA30 Road (±6°), 90mm (48 – 54), 105mm (56), 120mm (58 - 61).	Easton EA30 Road (±6°), 90mm (48 – 54 M & L), 105mm (56), 120mm (58 - 61).	Easton EA30 Road (±6°), 90mm (48 – 54), 105mm (56), 120mm (58 - 61).	SynTace F90/260 (±6°), 75mm (51), 90mm (54), 105mm (56, 58), 120mm (61).	Jamis 1" threadless (±7°), 90mm (51), 110mm (53-57), 120mm (59, 61).	Easton EA70 (±6°), 100mm (47-51), 110mm (53-57), 120mm (59, 61).	Easton EA50 (±6°), 90mm (47 – 53, M & L), 100mm (55, 57), 120mm (59, 62).	Ritchey Pro Adjustable, 80mm (47 - 53), 100mm (55 - 57), 120mm (59, 62).
Jamis gel tape.	Jamis gel tape.	Jamis gel tape.	Jamis gel tape.	Jamis gel tape.	Jamis gel tape.	Jamis gel tape.	Jamis cork tape.
Easton EA30 Road, 300mm x 27.2mm with alloy clamp.	Easton EA30 Road, 300mm x 27.2mm with alloy clamp.	Easton EA30 Road, 300mm x 27.2mm with alloy clamp.	Alloy Aero, 250mm x 27.2mm with seat binder.	Carbon fiber Aero, 250mm x 27.2mm with seat binder.	Easton EC70 carbon, 250mm x 27.2mm with crommo seatpin.	Easton EA30, 300mm x 27.2mm with crommo seatpin.	Ritchey Road, 250mm x 27.2mm, with crommo seatpin.
Fizik Pave with microtex top & sides, crommo rails.	Jamis Road SL top and satin steel rails.	Jamis Road SL top and satin steel rails.	Fizik Arione Tri with Wing Flex shell, leather cover, manganese rails.	Fizik Pave with leather top, Wing Flex shell, scuff guards, crommo rails.	Fizik Arione with Wing Flex shell, leather cover, manganese rails.	Fizik Pave with microtex top & sides, crommo rails.	Jamis Road with SL top and satin steel rails.
48, 51, 54, 56, 58, 61cm	Men: 48, 51, 54, 56, 58, 61cm Ladies: 48, 51, 54cm	48, 51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	51, 54, 56, 58, 61cm	47, 49, 51, 53, 55, 57, 59, 61cm	Men: 50, 53, 55, 57, 59, 62cm Ladies: 47, 50, 53cm	47, 50, 53, 55, 57, 59, 62cm
Ano Orange/Ano Black	Ano Red/Ano Black or Ano White/Ano Baby Doll Blue	Ano Black	Ano White/Ano Black	Radium Blue/Pearl White	Carbon/Radium Blue	Gold/Black and Pearl Blue/Pearl White	Platinum/Gloss Black
19.50lbs	20.50 lbs	21.75 lbs	19.75 lbs	20.00 lbs	18.25 lbs	20.25 lbs	23.75 lbs

	NOVA	AURORA	SPUTNIK	CODA SUPREME	CODA ELITE	CODA COMP	CODA SPORT
FRAME	Reynolds 631 seamless air-hardened chromoly main tubes, double tapered heat-treated cromó stays, extended head tube with reinforced collars, lost wax dropouts with eyelets.	Reynolds 520 double-butted chromoly main tubes, double tapered cromó stays, extended head tube with reinforced collars, forged dropouts with double eyelets.	Reynolds 631 seamless air-hardened chromoly main tubes, double tapered heat-treated cromó stays, lost wax rear entry dropouts.	Carbon fiber top tube, seat tube & seatstays, Reynolds 853 seamless air-hardened down tube, head tube with reinforced collars, heat-treated cromó chainstays.	Reynolds 631 seamless air-hardened chromoly main tubes, reinforced head tube collars, double tapered heat-treated stays, forged dropouts with international disc brake tabs.	Reynolds 520 double-butted chromoly main tubes, reinforced head tube collars, double tapered cromó stays, forged dropouts with eyelets.	Reynolds 520 double-butted chromoly main tubes, reinforced head tube collars, double tapered cromó stays, forged dropouts with eyelets.
FORK	Carbon fiber unicrown, cromó steerer, forged dropouts.	Chromoly unicrown, bulge butted steerer, low rider braze-ons, double eyelets.	Easton EC70, carbon fiber blades, alloy steerer.	Easton EC70, carbon fiber blades, alloy steerer.	Carbon fiber unicrown, aluminum steerer, forged dropouts.	Carbon fiber unicrown with cromó steerer, forged dropouts.	Chromoly unicrown, bulge butted steerer, low rider braze-ons, double eyelets.
HEADSET	Aheadset, alloy, 1 1/8".	Aheadset, alloy, 1 1/8".	Aheadset, alloy, 1 1/8", 20mm alloy spacers.	Aheadset, alloy, 1 1/8".	Aheadset, alloy, 1 1/8".	Aheadset, alloy, 1 1/8".	Aheadset, steel, 1 1/8".
WHEELS	Ritchey Aero Comp, 28H, radial front, 2x rear.	Alex ACE19 eyeleted double-walled rims, 700c, 36H, with Shimano Sora hubs, 14g stainless steel spokes.	Alex DA22 rims, 32H, Formula alloy sealed track hubs, flip/flop rear.	Mavic Aksium 700C wheelset, 20/24H UB Control rims, QRM sealed cartridge/FTS-L hubs, stainless steel spokes.	Ritchey Aero Tour disc wheelset, 700c, 32H, with Ritchey Aero Pro rims & disc hubs, 3x front & rear.	Shimano WH-R500 wheelset, 700c, 20/24H with 24mm profile rims, radially laced front, 3x rear.	Alex ACE18 alloy double-wall eyeleted rims, 700c, 32H, with Shimano Road 2200 hubs, 14g stainless steel spokes.
TIRES	Maxxis Mimo CX, 700 x 32C.	Hutchinson Flash, 700 x 28C.	Hutchinson Quartz, 700 x 23C, Kevlar.	Hutchinson Top Speed, 700 x 25C, with Anti-Puncture casing.	Maxxis Mimo CX, 700 x 32C, blackwall.	Hutchinson Flash, 700 x 28C, blackwall.	Hutchinson Flash, 700 x 28C .
DERAILLEURS	Shimano '105' rear, '105' 28.6mm band clamp front.	Shimano Deore SGS rear, Tiagra 28.6mm band clamp front.	N/A.	Shimano '105' SS rear, Shimano R770 28.6mm band clamp front.	Shimano Deore XT rear, Shimano R443-A bottom pull front.	Shimano Deore XT rear, Shimano R443-A bottom pull front.	Shimano Deore rear, Shimano R443-A bottom pull front.
SHIFTERS	Shimano '105' Dual Control STI, 20-speed.	Shimano Tiagra Dual Control STI, 27-speed	N/A.	Shimano SL-R770 for flat-bar, 20-speed.	Shimano SL-R660 for flat-bar, 27-speed.	Shimano SL-R440 for flat-bar, 27-speed.	Shimano ST-R440 for flat-bar, 27-speed.
CHAIN	Shimano 5600.	KMC Z9000.	KMC Z510H.	Shimano 5600.	Shimano HG-73.	KMC Z9000.	KMC Z9000.
FREEWHEEL	Shimano CS-5600, 10-speed, 12-25.	SRAM Powerglide 950, 9-speed, 11-32.	Formula 15T.	Shimano CS-5600, 10-speed, 12-25.	SRAM PowerGlide 950, 9-speed, 11-32.	SRAM PowerGlide 950, 9-speed, 11-32.	SRAM PowerGlide 950, 9-speed, 11-32.
CRANKSET	TruVativ Elita Compact, 50/36, 165mm (46), 170mm (49, 51), 175mm (53 - 60).	TruVativ IsoFlow Road, 52/42/30, 165mm (47), 170mm (50-53), 175mm (55 - 62).	TruVativ Touro, 48T, 170mm (50 - 53), 175mm (55 - 62).	TruVativ Elita Compact SL, 50/36, 170mm (16 - 17.5"), 175mm (19.5 - 23").	TruVativ Elita, 52/42/30, 170mm (16-17.5"), 175mm (19.5-23").	TruVativ Touro, 52/42/30, 170mm (16-17.5"), 175mm (19.5-23").	TruVativ Touro, 52/42/30, 170mm (16-17.5"), 175mm (19.5-23").
BOTTOM BRACKET	TruVativ Giga-X, external bearing.	TruVativ PowerSpline, 68 x 113mm.	TruVativ Powerspline, 68 x 108mm.	TruVativ Giga-X, external bearing.	TruVativ Giga-X, external bearing.	TruVativ PowerSpline, 68 x 113mm.	TruVativ PowerSpline, 68 x 113mm
PEDALS	Crank Brothers Candy-C, clipless.	Touring platform, alloy cage/alloy body with toe clips.	N/A.	NA.	Crank Brothers Candy-C, clipless.	Wellgo full alloy platform type with single sided clipless body.	Wellgo full alloy platform type.
BRAKESET	Avid Shorty 4 cantilevers with Shimano '105' levers and in-line adjusters.	Tektro forged alloy cantilevers with Shimano Tiagra STI levers, and Tektro safety levers.	N/A.	Tektro dual pivot calipers, with Avid FR5 flat bar levers.	Avid BB-7 cable actuated disc brakes with Avid FR5 levers.	Avid Single Digit 3 direct pull brakes with FR- 5 levers.	Tektro SD3 direct pull brakes with power modulator and Tektro alloy V-brake levers.
HANDLEBAR	Ritchey BioMax II Road Comp, 400mm (46 - 49), 420mm (51 - 53), 440mm (55 - 60)	Ritchey BioMax II Road , 400mm (46 - 50), 420mm (53 - 57), 440mm (59 - 62).	Easton EA50, 400mm (50 - 53), 420mm (53 - 55), 440mm (57 - 62).	Ritchey Comp flat bar, 6061 T-6, 5° bend x 580mm width.	Ritchey Comp flat bar, 6061 T-6, 5° bend x 580mm width.	Ritchey Comp flat bar, 6061 T-6, 5° bend x 580mm width.	Ritchey flat bar, 6061 T-6, 5° bend x 580mm width.
STEM	Ritchey Comp V2 Road (±6°), 90mm (46 - 49), 100mm (51 - 53), 120mm (55 - 57), 130mm (60).	Ritchey Pro Adjustable, 90mm (47 - 53), 100mm (55 - 57), 120mm (59 - 62).	Easton EA50 (±6°), 90mm (50 - 53), 100mm (55 - 57), 120mm (59 - 62).	Ritchey Pro Adjustable, 100mm (16 - 17.5"), 120mm° (19.5 - 23").	Ritchey Pro Adjustable, 100mm (16 - 17.5"), 120mm° (19.5 - 23").	Ritchey Pro Adjustable, 100mm (16 - 17.5"), 120mm° (19.5 - 23").	Ritchey Pro Adjustable, 100mm (16 - 17.5"), 120mm° (19.5 - 23").
GRIPS	Jamis gel tape.	Jamis gel tape.	Jamis gel tape.	WTB Street Smart with reflective end plugs.	WTB Street Smart with reflective end plugs.	WTB Street Smart with reflective end plugs.	WTB Street Smart with reflective end plugs.
SEATPOST	Ritchey Road Comp V2, 6061, 250mm x 27.2mm with cromó seatpin.	Ritchey Road, 250mm x 27.2mm, with cromó seatpin.	Easton EA30 Road, 300mm x 27.2mm with alloy clamp.	Suspension, 45mm travel, 300mm x 27.2, alloy clamp with QR seatpin.	Suspension, 45mm travel, 350mm x 27.2, alloy clamp with QR seatpin.	Suspension, 45mm travel, 350mm x 27.2, alloy clamp with QR seatpin.	Suspension, 45mm travel, 350mm x 27.2, alloy clamp with QR seatpin.
SADDLE	Fizik Pave with leather top, nytek sides, scuff guards, cromó rails.	Jamis Touring with SL top and satin steel rails.	Fizik Pave with leather top, nytek sides, scuff guards, cromó rails.	Fizik Pave with microtex top & sides, scuff guards, cromó rails.	Fizik Pave with microtex top & sides, scuff guards, cromó rails.	Jamis Touring with SL top and satin steel rails.	Jamis Touring with SL top and satin steel rails.
SIZES	46, 49, 51, 53, 55, 57, 60cm	47, 50, 53, 55, 57, 59, 62cm	50, 53, 55, 57, 59, 62cm	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"	16", 17.5", 19.5", 21.5", 23"
COLORS	Nova Green/Gloss Black	Copper/Ivory	Ano Black	Ano Saffron/Matte Carbon	Ano Nickel/Ano Silver	Chromium/Gloss Black	Radium Blue/Gloss Black
WEIGHT	22.75 lbs	26.25 lbs	16.50 lbs	20.25 lbs	25.00 lbs	25.00 lbs	25.50 lbs

CODA	TANGIER	ARAGON	CITIZEN	COMMUTER	EXPLORER 4.0	EXPLORER 5.0	EXPLORER 2.0
Reynolds 520 double-butted chromoly main tubes, reinforced head tube collars, double tapered cromó stays, forged dropouts with eyelets.	6061 aluminum triple gauge main tubes and stays, replaceable dropout, eyeleted dropouts.	6061 aluminum triple gauge main tubes and stays, replaceable dropout, eyeleted dropouts.	7005 aluminum triple gauge main tubes and stays, eyeleted dropouts.	7005 aluminum triple gauge main tubes and stays, eyeleted dropouts.	6061 PG aluminum main tubes and S-bend stays, replaceable derailleur hanger, eyeleted dropouts.	6061 PG aluminum main tubes and S-bend stays, replaceable derailleur hanger, eyeleted dropouts.	6061 PG aluminum main tubes and S-bend stays, replaceable derailleur hanger, eyeleted dropouts.
Chromoly unicrown, bulge butted steerer, low rider braze-ons, double eyelets.	SR NCX-D suspension, with external preload adjustor, 63mm travel.	SR CR-880 suspension, with external preload adjustor, 50mm travel.	SR CR-880 suspension, with external preload adjustor, 50mm travel.	Hi-Tensile steel unicrown, with eyelets.	SR XCM suspension, with external preload adjustor, 80mm travel.	SR XCM suspension, with external preload adjustor, 80mm travel.	SR M3010 suspension with external preload, 50mm travel.
Aheadset, steel, 1 1/8".	Aheadset, threadless, 1 1/8".	Sealed, threaded, 1".	Sealed, threaded, 1".	Sealed, threaded, 1".	ATB sealed, 1 1/8".	ATB sealed, 1 1/8".	ATB sealed, 1 1/8".
Alex DC19 alloy double-wall rims, 700c, 32H, Formula sealed alloy QR hubs, 14g stainless steel spokes.	Alex X2100 double walled rims, 700c, 36H, Formula alloy sealed QR front and rear hubs, 14g stainless steel spokes.	Weinmann ZAC19 double wall rims, 700c, 36H, Formula QR front and freehub rear, 14g stainless steel spokes.	Single wall alloy silver anodized rims, 700c, 36H, with Formula alloy QR front and rear hubs, 14g stainless steel spokes.	Single wall alloy silver anodized rims, 700c, 36H, with Formula alloy QR front and rear hubs, 14g stainless steel spokes.	Weinmann ZAC19 double wall rims with brushed brake tracks, 36H, with Formula alloy disc hubs, 14g stainless steel spokes.	Weinmann 520 rims with brushed brake tracks, 36H, with Formula alloy sealed QR front and rear hubs, 14g stainless steel spokes.	Weinmann 520 rims with brushed brake tracks, 36H, with Formula alloy sealed QR front and rear hubs, 14g stainless steel spokes.
Hutchinson Flash, 700 x 28C .	CST-1069 "Lockjaw" tread, 700 x 38C, puncture resistant casing.	CST-1069 "Lockjaw" tread, 700 x 38C, puncture resistant casing.	CST-1069 "Lockjaw" tread, 700 x 38C, blackwall.	CST-1069 "Lockjaw" tread, 700 x 38C, blackwall.	Jamis Sport Comfort, 26 x 1.95" with puncture resistant casing.	Jamis Sport Comfort, 26 x 1.95" with puncture resistant casing.	Jamis Sport Comfort, 26 x 1.95" with puncture resistant casing.
SRAM SX4 rear, Shimano C51 bottom pull front.	SRAM X-5 rear, SR-XCR-508 31.8mm top pull front.	Shimano Acera rear, Tourney TY32 31.8mm bottom pull front.	Shimano Altus rear, Shimano C501 31.8mm bottom pull front.	Shimano Altus rear.	Shimano Alivio rear, C051 31.8mm top top pull front	Shimano Alivio rear, C051 31.8mm top pull front	Shimano Acera rear, C051 31.8mm top pull front.
SRAM SX4 Unilever trigger-shift, 24-speed.	SRAM X-7, Impulse Trigger-shift, 27-speed.	Shimano Acera ST-EF29 EZ-Fire Plus, 24-speed.	SRAM Grip-shift MRX-204, 21-speed.	SRAM Grip-shift MRX-204, 7-speed.	Shimano Alivio, RapidFire SL, 24-speed.	Shimano Alivio, RapidFire SL, 24-speed.	Shimano Acera ST-EF29 EZ-Fire Plus, 21-speed.
KMC IG31.	KMC Z9000.	KMC IG31.	KMC UG-50.	KMC UG-50.	KMC IG-31.	KMC IG-31.	KMC UG-50.
SRAM PowerGlide 830, 8-speed, 11-32.	SRAM Powerglide PG-950, 9-speed, 11-32.	SRAM Powerglide PG-830, 8-speed, 11-32.	Shimano freewheel, 7-speed, 13-34.	Shimano freewheel, 7-speed, 13-34.	SRAM Powerglide PG-830, 8-speed, 11-32.	SRAM Powerglide PG-830, 8-speed, 11-32.	Shimano freewheel, 7-speed, 14-34.
TruVativ IsoFlow, 48/38/28, 170mm (16-17.5"), 175mm (19.5-23").	TruVativ IsoFlow, 48/38/28, 170mm (14-16.5"), 175mm (18.5-22"), with chainguard.	Shimano C203, 48/38/28, 170mm (14.5-22"), with chainguard.	Alloy full size, 48/38/28, 170mm (14.5-22"), with chainguard.	Alloy Single Ring, 48T, 170mm (14.5-22"), with chainguard.	TruVativ IsoFlow, 48/38/28, 170mm (13.5- 15.5"), 175mm (18-21"), with chainguard.	RPM alloy full-size, 48/38/28, 170mm (13.5 - 15.5"), 175mm (17.5"-21") with chainguard.	RPM alloy full-size, 48/38/28, 170mm (13.5 - 15.5"), 175mm (17.5"-21") with chainguard.
Sealed cartridge BB, 68 x 113mm	TruVativ sealed cartridge, 68 x 113mm.	Sealed cartridge, 68 x 117.5mm.	Cotterless, with bolt-type boron axle, 68 x 122.5mm.	Cotterless, with bolt-type boron axle, 68 x 122.5mm.	TruVativ PowerSpline, 68 x 113mm.	Cotterless bolt-type, sealed, boron axle, 68 x 117.5mm (2A).	Cotterless bolt-type, sealed, boron axle, 68 x 117.5mm (2A).
Platform type, steel cage/resin body.	Alloy platform with TPE comfort insert, toe clip attachable.	Comfort platform with TPE non-slip insert.	Comfort platform with TPE non-slip insert.	Comfort platform with TPE non-slip insert.	Alloy platform with TPE comfort insert.	Comfort platform with TPE non-slip insert.	Comfort platform with TPE non-slip insert.
Tektro SD3 direct pull brakes with power modulator and Tektro alloy V-brake levers.	Tektro forged alloy direct pull brakes with power modulator & Tektro Tenera levers.	Tektro forged alloy direct pull brakes with power modulator & Shimano Acera alloy levers.	Alloy direct pull brakes with Tektro Tenera levers.	Alloy direct pull brakes with Tektro Tenera levers.	Tektro lo disc brakes with Tektro Tenera levers.	Tektro forged alloy direct pull brakes with front power modulator & Shimano Acera levers.	Tektro forged alloy direct pull brakes with front power modulator & Tektro Tenera levers.
Alloy bar, 6061 T-6, 5° bend x 580mm width.	Alloy hi-rise comfort, 80mm rise x 640mm width.	Hi-rise comfort, 80mm rise x 640mm width.	Hi-rise comfort, 80mm rise x 640mm.	Hi-rise comfort, 80mm rise x 640mm.	Alloy hi-rise comfort, 80mm rise x 640mm width.	Hi-rise comfort, 80mm rise x 640mm width.	Hi-risecomfort, 80mm rise x 640mm width.
Alloy Adjustable, 100mm (16 - 17.5"), 120mm° (19.5 - 23").	Alloy threadless angle-adjustable 90mm rise (14.5 - 17.5") 120mm rise (18.5 - 22") x adjustable°.	Alloy adjustable type, 90mm rise (14.5 - 17.5") 110mm rise (18.5 - 22") x adjustable°.	Alloy adjustable type, 90mm (14.5 - 17.5") 110mm (18.5 - 22") x adjustable°	Alloy adjustable type, 90mm (14.5 - 17.5") 110mm (18.5-22") x adjustable°	Alloy adjustable type, 90mm (13.5 - 15.5/14.5-17.5L) or 110mm (18 - 21") x adjustable°	Alloy adjustable type, 90mm (13.5–15.5/14.5-17.5L) or 110mm (18–21") x adjustable°.	Alloy adjustable type, 90mm (13.5–15.5/14.5-17.5L) or 110mm (18–21") x adjustable°.
WTB Street Smart with reflective end plugs.	Kraton for RapidFire.	Kraton for EZ-Fire.	SRAM GripShift.	SRAM GripShift.	Kraton comfort.	Kraton comfort.	Kraton comfort.
Suspension, 45mm travel, 350mm x 27.2, alloy clamp with QR seatpin.	Suspension, 45mm travel, 350mm x 27.2, alloy clamp with QR seatpin.	Suspension, alloy micro-adjust, 350mm x 27.2mm, with alloy clamp and QR seatpin.	Suspension, alloy pillar, 350mm x 27.2mm with alloy clamp and QR seatpin.	Suspension, alloy pillar, 350mm x 27.2mm with alloy clamp and QR seatpin.	Suspension, alloy micro-adjust, 350mm x 27.2mm, with alloy clamp and QR seatpin.	Suspension, alloy micro-adjust, 350mm x 27.2mm, with alloy clamp and QR seatpin.	Suspension, alloy micro-adjust, 350mm x 27.2mm, with alloy clamp and QR seatpin.
Jamis Touring with SL top and satin steel rails.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.
16", 17.5", 19.5", 21.5", 23"	Men: 14.5",16.5",18.5",20.5",22" Ladies: 14.5",17.5"	Men: 14.5",16.5",18.5",20.5",22" Ladies: 14.5",17.5"	Men: 14.5",16.5",18.5",20.5",22" Ladies: 14.5",17.5"	Men: 14.5",16.5",18.5",20.5",22" Ladies: 14.5",17.5"	Mens: 13.5", 15.5", 18", 21" Ladies: 14.5", 17.5"	Mens: 13.5", 15.5", 18", 21" Ladies: 14.5", 17.5"	Mens: 13.5", 15.5", 18", 21" Ladies: 14.5", 17.5"
Ano Black and Ano White/Ano Baby Doll Blue	Ano Blue/Ano Silver (M & L) and Ano Spearmint/Ano Silver (L)	Ano Black/Ano Silver (M), Radium Blue/Platinum (M & L) and Tangerine/Pearl White (L)	Candy Red, Ano Slate, and Baby Doll Blue	Radium Blue, Gloss Black, and Watermelon	Ano Black/Ano Silver	Ano Red/Ano Silver (M&L), Ano Black/Ano Orange(M), Ano White/Ano Baby Doll Blue (L)	Ano Silver/Ano Deep Blue (M), Candy Red/Platinum (M & L), Ano White/Ano Baby Doll Purple (L)
26.00 lbs	31.75 lbs	32.00 lbs	32.00 lbs	28.50 lbs	35.75 lbs	34.00 lbs	34.25 lbs

	EXPLORER 1.0	EARTH CRUISER 3	EARTH CRUISER 1	EARTH CRUISER 2	BOSS CRUISER 7	BOSS CRUISER COAST	TAXI
FRAME	7005 PG aluminum main tubes and S-bend stays, eyeleted dropouts.	Contemporary comfort design with 7005 aluminum oversized tubing (EC4& EC1) & HiTensile steel tubing (EC2), includes kickstand and painted steel chainguard.	Contemporary comfort design with 7005 aluminum oversized tubing, includes kickstand and painted steel chainguard.	Contemporary comfort design with hi-tensile steel tubing, includes kickstand and painted steel chainguard.	Diamond frame design with 7005 aluminum oversized tubing, sloping top tube design, water bottle bosses, alloy kickstand and painted steel chainguard.	Diamond frame design with 7005 aluminum oversized tubing, sloping top tube design, water bottle bosses, alloy kickstand and painted steel chainguard.	Diamond frame design with 7005 aluminum oversized tubing, sloping top tube design, alloy kickstand and painted steel chainguard.
FORK	Hi-Tensile steel unicrown, Semi-forged dropouts with eyelets.	Hi-tensile unicrown with straight blades.	Hi-tensile unicrown with straight blades.	Hi-tensile unicrown with straight blades.	Oversized hi-tensile steel tubular unicrown with leading dropout and fender boss.	Oversized hi-tensile steel tubular unicrown with leading dropout and fender boss.	Oversized hi-tensile steel tubular unicrown with leading dropout and basket/boss.
HEADSET	ATB sealed, 1 1/8".	Sealed, 1 1/8".	Sealed, 1 1/8".	Oversized, 1 1/8".	Sealed, 1 1/8.	Sealed, 1 1/8.	Sealed, 1 1/8, with Ritchey rubber headset cover.
WHEELS	Single wall alloy rims, 36H, with Formula alloy sealed QR front and rear hubs, 14g stainless steel spokes.	Alex Zuma 1.0, alloy, 26x1.75" rims, Alloy, nuttred, 36H front & Shimano Nexus 3-speed rear hubs, 14 gauge stainless steel spokes.	Alex Zuma 1.0, alloy, 26x1.75" rims, Alloy, nuttred, 36H front & Shimano coaster brake rear hubs, 14 gauge stainless steel spokes.	Alex Zuma 1.0, alloy, 26x1.75" rims, Alloy, nuttred, 36H front & Shimano coaster brake rear hubs, 14 gauge stainless steel.	Alex X303, alloy, 26x1.75", black anodized rims, Alloy, nuttred, 36H, 14 gauge stainless steel spokes.	Alex Zuma 1.0, alloy, 26x1.75", black anodizedrims, Alloy, nuttred, 36H front & Shimano coaster brake rear, 14 gauge stainless steel spokes.	Alex X303, alloy, 26x1.75 silver anodized rims, Alloy, sealed, 36H front and Shimano coaster brake rear hubs, 12 gauge stainless stee spokes.
TIRES	Jamis Sport Comfort, 26 x 1.90".	Jamis Cruise-control comfort tread, 26x2.125", white stripe.	Jamis Cruise-control comfort tread, 26x2.125", white stripe.	Jamis Cruise-control comfort tread, 26x2.125", white stripe.	Jamis Cruise-control comfort tread, 26x2.125", white stripe.	Jamis Cruise-control comfort tread, 26x2.125", white stripe.	Jamis Cruise-control comfort tread, 26x2.125", blackwall.
DERAILLEURS	Shimano Altus rear, C051 31.8mm top pull front.	N/A.	N/A.	N/A.	Shimano TX70 rear.	N/A.	N/A.
SHIFTERS	SRAM Grip Shift MRX-204, 21-speed.	Shimano RevoShift.	N/A.	N/A.	SRAM Grip Shift MRX, 7-speed.	N/A.	N/A.
CHAIN	KMC UG-50.	KMC Z51NP.	KMC Z51NP.	KMC Z51NP.	KMC Z51NP.	KMC Z51NP.	KMC Z51RB Rustless.
FREEWHEEL	Shimano freewheel, 7-speed, 13-34.	Shimano 23T.	Shimano 18T.	Shimano 18T.	Shimano MF-HG37, 14-28, 7- Speed.	Shimano 18T.	Shimano 18T.
CRANKSET	Alloy full-size, 48/38/28, 170mm (13.5" - 21"), with chainguard.	Alloy cotterless, 170mm arm with 44T compact disc alloy chainring.	Alloy cotterless, 170mm arm with 44T compact disc alloy chainring.ring.	Steel crank arm with 44T steel compact disc ring.	Alloy cotterless, 170mm alloy arm, 44T compact disc alloy ring.	Alloy cotterless, 170mm alloy arm, 44T compact disc alloy ring.	Alloy cotterless, 170mm alloy arm, 44T compact disc alloy ring.
BOTTOM BRACKET	Cotterless bolt-type, sealed, boron axle, 68 x 119mm (3PM).	Cotterless bolt type.	Cotterless bolt type.	OPC type.	Cotterless bolt type.	Cotterless bolt type.	Sealed cartridge BB with alloy cups & sheath.
PEDALS	Comfort platform with TPE non-slip insert.	Cruiser alloy platform with TPE comfort insert.	Cruiser platform with TPE comfort insert.	Cruiser platform with TPE comfort insert.	Cruiser platform with TPE comfort insert.	Cruiser platform with TPE comfort insert.	Cruiser platform with heat-treated axles and rust-less bushings.
BRAKESET	Forged alloy direct pull brakes with Tektro Tenera levers.	Shimano coaster brake.	Shimano Coaster brake, CB-E110.	Shimano Coaster brake, CB-E110.	Tektro alloy linear pull brake w/ Tektro Tenara alloy levers.	N/A.	Shimano coaster brake.
HANDLEBAR	Hi-rise comfort, 80mm rise x 640mm width.	Jamis Cruise-control comfort bar.	Jamis Cruise-control comfort bar.	Jamis Cruise-control comfort bar.	Jamis Cruise-control comfort bar.	Jamis Cruise-control comfort bar.	Jamis Cruise-control comfort bar.
STEM	Alloy adjustable type, 90mm (13.5–17.5") or 110mm (18–21") x adjustable°.	Alloy hi-rise, 150mm quill, 100mm extension, with removeable 2-bolt cap.	Alloy hi-rise, 150mm quill, 100mm extension, with removeable 2-bolt cap.	Alloy Hi-Rise, 150mm quill, 100mm extension, with removeable 2-bolt cap.	Alloy hi-rise, 150mm quill, 100mm extension, with removeable 2-bolt cap.	Alloy hi-rise, 150mm quill, 100mm extension, with removeable 2-bolt cap.	Alloy Hi-Rise, 150mm quill, 100mm extension, with removeable 2-bolt cap.
GRIPS	Kraton comfort.	Spectro comfort kraton	Spectro comfort kraton	Spectro comfort kraton	Spectro comfort kraton	Spectro comfort kraton	Spectro comfort kraton, with full length, extra thick foam bar pads.
SEATPOST	Suspension, alloy pillar, 350mm x 27.2mm, with alloy clamp and QR seatpin.	Alloy micro-adjust, 300mm x 27.2mm with 31.8mm alloy clamp and cromo seatpin.	Alloy micro-adjust, 300mm x 27.2mm with 31.8mm alloy clamp and cromo seatpin.	Alloy pillar 300 x 28.6mm with 31.8mm alloy clamp and cromo seatpin.	Alloy micro-adjust, 27.2 x 300mm, with 31.8mm alloy clamp and cromo seatpin .	Alloy micro-adjust, 27.2 x 300mm, with 31.8mm alloy clamp and cromo seatpin.	Alloy pillar style, 26.8 x 300mm, with plugged top. Welded collar with chromoly QR.
SADDLE	Jamis Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Earth Cruiser Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Earth Cruiser Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Earth Cruiser Comfort with synthetic suede top, burnished sides, steel rails, and bumper springs.	Boss Cruiser design with supersoft padding and heavy-duty, double-loop springs.	Boss Cruiser design with supersoft padding and heavy-duty, double-loop springs.	Jamis "TAXI" Cruiser design saddle with extra thick, flat cover, "supersoft" padding, heavy duty black struts rails and double-loop black springs, with bag loops.
SIZES	Ladies: 14.5", 17.5" Mens: 13.5", 15.5", 18", 21"	Ladies: 15.5" & 17.5" Mens: 18.5" & 21.5"	Ladies: 15.5" & 17.5" Mens: 18.5" & 21.5"	Ladies: 15.5" & 17.5" Mens: 18.5" & 21.5"	Ladies: 14.5", 17.5" Mens: 17.5", 19.5", 21.5", 23.5"	Ladies: 14.5", 17.5" Mens: 17.5", 19.5", 21.5", 23.5"	Ladies: 17.5" w/ 26" wheel, 15.5" w/ 24" wheel, and 10" Girls with 20" wheel Mens: 17.5", 19.5", 21.5"
COLORS	Gloss Black (M), Candy Red (M& L), and Ano Spearmint (L)	Ladies: Baby Doll Blue/Pearl White Ano Spearmint/Ano Pearl White, Tangerine/Pearl White Mens: Ano Black/Ano Silver, Copper/Ivory, Super Blue/Pearl White	Ladies: Baby Doll Blue/Pearl White Ano Spearmint/Ano Pearl White, Baby Doll Pink/ Pearl White, Tangerine/Pearl White Mens: Ano Black/Ano Orange, Ano Black/Ano Silver, Kiwi Green/Pearl White, Super Blue/Pearl White	Ladies: Baby Doll Blue, Baby Doll Pink, Pearl White, Tangerine Mens: Ano White, Gloss Black, Kiwi Green, Metallic GTO, Super Blue, Super Red	Ladies: Ano Pink, Baby Doll Blue, Kiwi Green, Super Blue, Tangerine Mens: Ano White, Gloss Black, Kiwi Green, Metallic GTO, Super Blue	Ladies: Ano Pink, Baby Doll Blue, Kiwi Green, Super Blue, Tangerine Mens: Ano White, Gloss Black, Kiwi Green, Metallic GTO, Super Blue	Black or Flame Red
WEIGHT	31.00 lbs	31.50 lbs	27.75 lbs	33.50 lbs	33.25 lbs	29.75 lbs	30.75 lbs

FESTER 2.4	CAPRI 2.4	FESTER 2.0	CAPRI 2.0	LASER 2.0 & 1.6	STARLITE 2.0 MISS DAISY 1.6	HOT ROD/LADY BUG
Enduro frame design, 7005 aluminum tubes, tapered/ovalized top tube, down tube & stays, replaceable derailleur hanger.	Lightweight aluminum comfort frame design with full-length chainguard, fenders, and alloy kickstand.	Enduro frame design, 7005 aluminum tubes, tapered/ovalized top tube, down tube & stays.	Lightweight aluminum comfort frame design with full-length chainguard, fenders, and alloy kickstand.	Lightweight aluminum (20"), MX-Cruiser (16") frame design, with chainguard, kickstand and training wheels (16")	Lightweight aluminum (20") MX Hi-Ten (16") comfort frame design with full-length chain-guard, fenders, kickstand and training wheels (16")	Mini-Moto frame design, MX Hi-Ten tubing, with fenders, fully-enclosed chainguard and training wheels.
SR M2000 suspension fork with coil spring, 40mm travel.	Unicrown, oversized.	SR M2000 suspension fork with coil spring, 30mm travel.	Unicrown, oversized.	Tubular unicrown, MX Hi-Ten 28.6 straight blades.	Tubular unicrown, MX Hi-Ten 28.6 straight blades.	Tubular unicrown, MX Hi-Ten 25.4 straight blades.
Aheadset, 1 1/8".	Standard threaded type, 1 1/8".	Aheadset, 1 1/8".	Standard threaded type, 1 1/8".	Standard threaded type, 22.2mm.	Standard threaded type, 22.2mm.	Standard threaded type, 22.2mm.
Alloy, 24 x 1.50", 36H rims, Heavy Duty ATB with quick release front & rear hubs, 14G, nickel-plated spokes.	Alloy, 24 x 1.50", 36H rims, Heavy-duty ATB, nuttred hubs, 14G, nickel-plated spokes	Alloy, 20 x 1.50", 36H rims, Heavy-Duty ATB, nuttred hubs, 14G nickel-plated spokes.	Alloy, 20 x 1.50", 36H rims Heavy Duty ATB, nuttred hubs, 14G nickel-plated spokes.	Alloy, 20" x 1.75", 36H rims (20"). ED black steel, 16" x 1.75", 28H (16") 36H rims, Heavy-duty front & KT coaster brake rear hubs, 14G, nickel-plated spokes.	Alloy, 20" x 1.75" 36H (20"), ED black steel, 16" x 1.75", 28H (16") 36H rims, Heavy-duty front & KT coaster brake rear, 14G, nickel-plated spokes.	ED black steel, 12" x 1.75", 16H rims. Heavy-duty front & KT coaster brake rear. 14G, nickel-plated spokes.
CST ATB, 24 x 1.95", blackwall.	CST Street, 24 x 2.125", with white stripe.	CST ATB, 20 x 1.95", blackwall.	CST ATB, 20 x 2.125", with white stripe.	Brooklyn Speedway 20 x 2.125" (20"), 16" x 2.125" (16"), blackwall.	Brooklyn Speedway, 20" x 2.125" (20"), 16" x 2.125" (16"), whitewalls.	CST Street 12.5 x 2.25", Blackwall (Hot Rod) Whitewall (Lady Bug)
Shimano TX30 rear, and TZ30 top pull front.	Shimano TX30 rear.	Shimano TX30 rear, with guard.	Shimano TX30 rear, with guard.	N/A.	N/A.	N/A.
SRAM MRX Grip Shift, 14-speed.	SRAM MRX Grip Shift, 7-speed.	SRAM MRX Grip Shift, 6-speed.	SRAM MRX Grip Shift, 6-speed.	N/A.	N/A.	N/A.
KMC Z51, 1/2 x 3/32.	KMC Z51, 1/2 x 3/32.	KMC HP20, 1/2 x 3/32.	KMC HP20, 1/2 x 3/32.	KMC Z410, 1/2 x 1/8.	KMC Z410, 1/2 x 1/8.	KMC Z410, 1/2 x 1/8.
Indexed, 7-speed, 13-28T.	Indexed, 7-speed, 13-28T.	Indexed, 6-speed, 14-28T.	Indexed, 6-speed, 14-28T.	N/A.	N/A.	N/A.
Alloy cotterless compact, 152mm arms, 32/22T rings with outer rock-ring.	Alloy cotterless compact, 152mm arms, and 40T ring.	ProWheel cotterless type, 152mm arms, 36T ring, double chainguard.	Compact cotterless, 152mm arms, and 38T ring.	Cold-forged steel, 1-pc type, 5 ½" arms (20"), 4 ½" arms (16"),36T chainring.	Cold-forged steel, 1-pc type, 5 ½" arms (20") 4 ½", arms (16"), 36T rings.	Cold-forged steel, 1-pc type, 92mm arms, 28T rings.
Cotterless type, 68mm.	Cotterless type, 68mm.	Cotterless type, 68mm.	Cotterless type, 68mm.	OPC bearing type.	OPC bearing type.	OPC bearing type.
ATB low profile, hi-impact resin, toe clip attachable.	Comfort style pedals with non-slip TPE insert.	ATB, low profile, hi-impact resin, toe clip attachable.	Comfort style pedals with non-slip TPE insert.	BMX high-impact resin pedals.	Comfort style platform pedal with non-slip TPE insert.	Junior high-impact resin pedals.
Alloy linear pull type with alloy linear pull type levers.	Alloy linear pull type with alloy linear pull type levers.	Alloy linear pull type with full alloy, short reach levers.	Alloy linear pull type with full alloy, short reach levers.	KT rear coaster brake.	KT rear coaster brake.	KT rear coaster brake.
ATB tapered, 6" sweep, 20mm rise x 580mm.	Comfort type, 6" sweep, 30mm rise x 580mm.	ATB tapered, 6" sweep, 20mm rise, 560mm.	Comfort type, 6" sweep, 30mm rise x 560mm.	BMX type, 8" sweep, 125mm rise x 580mm (20") and 560mm (16") with safety bell.	Low-rise comfort design with safety bell.	Low-rise comfort design, 120mm rise x 460mm with safety bell.
ATB threadless, 10" rise x 60mm.	Alloy angle adjustable type with extra long quill.	Alloy angle adjustable type, 100mm.	Alloy angle adjustable type with extra long quill.	BMX alloy with front facing removable cap, 150mm quill.	Alloy with front facing removable cap, 130mm quill.	Alloy head with front facing removable cap, 130mm quill.
Kraton for Grip Shift.	Kraton for Grip Shift.	Kraton for Grip Shift.	Kraton for Grip Shift.	Flangeless Kraton.	Flangeless Kraton.	Junior mushroom type.
Alloy microadjust, 27.2 x 300mm, with QR alloy clamp.	Chrome-plated pillar, 27.2 x 300mm, with alloy clamp.	Alloy microadjust, 27.2 x 300mm, with alloy clamp.	Chrome-plated pillar, 27.2 x 300mm, with alloy clamp.	20" - Pillar, 27.2 x 250mm. 16" - Pillar, 28.6 x 250mm.	Pillar, 27.2 x 250mm (20") Pillar, 28.6 x 250mm (16")	Pillar, 22.2 x 220mm.
Jamis Jump with 8mm rails, front and rear guards.	Jamis Comfort, super-soft brushed vinyl cover, elastomer springs.	Jamis Jump with 8mm rails, front and rear guards.	Jamis Comfort, super-soft brushed vinyl cover, elastomer springs.	Jamis Jr BMX padded saddle.	Jamis Comfort, super-soft brushed vinyl cover with single loop springs.	Padded & sprung saddle.
Boys: 13.5"	13.5"	10"	10"	10" (20" wheels) 8" (16" wheels)	10" (20" wheels) 8" (16" wheels)	8"
Ano Copper or Ano White	Baby Doll Pink or Spearmint	Super Blue	Baby Doll Blue	20" - Golden Rod Yellow/White or Metallic GTO/White	20" - Baby Doll Purple or Pearl White	Hot Rod: Super Red Lady Bug: Baby Doll Pink
28.75 lbs	25.75 lbs	28.50 lbs	26.25 lbs	25.00 lbs (20") 27.00 lbs (16")	23.75 lbs (20") 25.00 lbs (16")	20.00 lbs